

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Printed circuit fuse carrier, for 5 mm wide automotive flat-type fuses up to max. 15 A



### Your advantages

☑ Fuse holder for flat-type fuses with a maximum nominal voltage of 32 V



## Key Commercial Data

Packing unit	1 pc
GTIN	4 017918 025878
GTIN	4017918025878
Weight per Piece (excluding packing)	2.952 g
Custom tariff number	85369095
Country of origin	Mexico

## Technical data

#### **Environmental Product Compliance**

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Classifications

### eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701

08/05/2019 Page 1 / 4



# Classifications

### eCl@ss

eCl@ss 5.1	27142100
eCl@ss 6.0	27142100
eCl@ss 7.0	27142107
eCl@ss 8.0	27142107
eCl@ss 9.0	27142107

#### ETIM

ETIM 3.0	EC002298
ETIM 4.0	EC002498
ETIM 5.0	EC000036
ETIM 6.0	EC000036
ETIM 7.0	EC000036

## UNSPSC

UNSPSC 6.01	30211810
UNSPSC 7.0901	39121409
UNSPSC 11	39121409
UNSPSC 12.01	39121409
UNSPSC 13.2	39121409

# Approvals

### Approvals

#### Approvals

CSA / UL Recognized / EAC

#### Ex Approvals

Г

### Approval details

		CSA	(SP	http://www.csagroup.org/services-industries/product-listing/	103883
--	--	-----	-----	--	--------



## Approvals

Γ

UL Recognized	http://database.ul.com/cgi-bin/XYV/template/L	ISEXT/1FRAME/index.htm FILE E 60425
	В	С
Nominal voltage UN	32 V	300 V
Nominal current IN	15 A	15 A

EAC	ERC	B.01742	
-----	-----	---------	--

## Accessories

#### Accessories

Fuse

#### Fuse - SI FORM C 2 A - 0913689



Flat-type plug-in fuse, type C, color code: gray, nominal current: 2 A

#### Fuse - SI FORM C 4 A DIN 72581 - 0913731



Flat-type plug-in fuse, type C, color code: pink, nominal current: 4 A

Fuse - SI FORM C 5 A DIN 72581 - 0913692



Flat-type plug-in fuse, type C, color code: light brown, nominal current: 5 A

08/05/2019 Page 3 / 4



## Accessories

Fuse - SI FORM C 7,5 A DIN 72581 - 0913702



Flat-type plug-in fuse, type C, color code: brown, nominal current: 7.5 A

Fuse - SI FORM C 10 A DIN 72581 - 0913715



Flat-type plug-in fuse, type C, color code: red, nominal current: 10 A

Fuse - SI FORM C 15 A DIN 72581 - 0913676



Flat-type plug-in fuse, type C, color code: light blue, nominal current: 15 A

Phoenix Contact 2019 © - all rights reserved http://www.phoenixcontact.com

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Fuse Holder category:

Click to view products by Phoenix Contact manufacturer:

Other Similar products are found below :

570-290-741P40 570-290-751P40 0031.1351.01 020417G 020418E 80910030 8601.2020 9-3557-GP REV A 15600-08-10 BK1-HTC-45M BK/FHN19G BK/HJM-HH BK/HKP-CCHH BK/HKP-E-CC BK/HKP-E-HH BK/HKP-EH-HH BK/HKP-U-HH BK/HTJ-LES-FUSE HMG-241 2086-1 2193 RTMF-SC 2602 2650 FHN31G1 G4PB8 2660 2799 CQ-209V 345621A 3794 4202 4408 4413 4423 4482 4532 4537 TSD1404-12 BK/FHN31G1 BK/HKP-H-CC BK/HKP-JQ-BB BK/HKP-JQW-BB BK/HKP-N-HH BK/HKP-S-CC BK/HKP-W-BBHH BP/HHS BPHHU 55900008011 C1933