


## AE-QFN32U2-T

### » DIP32/QFN32 universal adapter with open top socket



Adapter price	Purchase
[REDACTED]	[REDACTED]

#### Description:

DIP32/QFN32 universal adapter with open top socket. and central pin.  
Device package dimensions: 5.0 x 5.0 x 0.8-0.9 mm, 0.5 mm pitch.

#### Supported Devices:

Click the device programmer model below to get an appropriate list of the devices supported by this programmer with this adapter:

- [ChipProg-481](#)
- [ChipProg-G41](#)
- [ChipProg-48](#)

[Adapter Connection Table](#)

#### Adapter Connection Table:

DIP-34	QFN-32
1	E_PAD
2	1
3	2
4	3
5	4
6	5
7	6
8	7
9	8
10	9
11	10
12	11
13	12
14	13
15	14
16	15
17	16
18	17
19	18
20	19
21	20
22	21
23	22
24	23
25	24
26	25
27	26
28	27
29	28
30	29

31	30
32	31
33	32
34	E_PAD

[Go Back](#)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [phyton manufacturer](#):*

Other Similar products are found below :

[AE-ISP-ST7](#) [AE-P44-P16](#) [AE-Q100-MAX2](#) [AE-Q32-STM8](#) [AE-Q48-I51](#) [AE-Q48-XC800](#) [AE-Q64-ATM128](#) [AE-Q64-LPC2000](#) [AE-Q64-STM32](#) [AE-SC32U](#) [AE-SP20-P16](#) [AE-SP28-P5X](#) [AE-SP28U1](#) [AE-SP8U](#) [AE-TS32W](#) [AE-TS40W-2](#) [AE-TS56-16I-3](#) [AE-TS28](#) [AE-SC8/16US](#) [AE-SC28U1](#) [AE-Q48-STM32](#) [AE-Q48-HCS12](#) [AE-Q44-P33](#) [AE-P52-HC908](#) [AE-P44-PLD](#) [AE-P32-28](#) [AE-P20U](#) [AE-Q64-PIC30-1](#) [AE-P44-4096](#) [AE-Q44-PIC30](#) [AE-Q64-P658](#) [AE-Q64-STM8](#) [AE-QFN48U](#) [AE-SOT23-24XX](#) [AE-SOT23-93XX](#) [AE-SS56-16AM](#) [AE-TS32N](#) [AE-TS40N](#) [AE-TS48-16](#) [AE-T44-P16](#) [AE-SS56-16I](#) [AE-QFN40U](#) [AE-Q64-XC800](#) [AE-Q64-PIC30-2](#) [AE-Q64-P33](#) [AE-Q64-HCS12](#) [AE-Q64-HC908-1](#) [AE-Q52-HCS12](#) [AE-Q48-STM8](#) [AE-Q44U](#)