

# Pliers pointed short nose pliers



pliers

Order code	Tip	hrc	weight (gr)	length (mm)	Esd code	Notes
<b>PN 2001</b>	■ ■	48-50	78	146	<b>PN 2001 D</b>	serrated, pointed short nose pliers
<b>PN 2002</b>	■ ■	48-50	78	146	<b>PN 2002 D</b>	smooth, pointed short nose pliers
<b>PN 20 M</b>	■ ■	48-50	60	136	<b>PN 20 M D</b>	smooth, pointed short nose pliers
<b>PN 5001</b>	■ ■	48-50	98	146	<b>PN 5001 D</b>	serrated, pointed, short nose pliers; 5 mm
<b>PN 5002</b>	■ ■	48-50	98	146	<b>PN 5002 D</b>	smooth, pointed, short nose pliers; 5mm

## Flat short nose pliers

Order code	Tip	hrc	weight (gr)	length (mm)	Esd code	Notes
<b>PN 2003</b>	▬ ▬	48-50	78	146	<b>PN 2003 D</b>	serrated flat short nose pliers
<b>PN 2004</b>	▬ ▬	48-50	78	146	<b>PN 2004 D</b>	smooth flat short nose pliers
<b>PN 5003</b>	▬ ▬	48-50	98	146	<b>PN 5003 D</b>	serrated, flat, short nose pliers; 5mm
<b>PN 5004</b>	▬ ▬	48-50	98	146	<b>PN 5004 D</b>	smooth, flat, short nose pliers; 5mm

## Pointed long nose pliers

Order code	Tip	hrc	weight (gr)	length (mm)	Esd code	Notes
<b>PN 2005</b>	■ ■	48-50	78	160	<b>PN 2005 D</b>	serrated pointed long nose pliers
<b>PN 2006</b>	■ ■	48-50	78	160	<b>PN 2006 D</b>	smooth pointed long nose pliers
<b>PN 2015</b>	● ●	48-50	78	160	<b>PN 2015 D</b>	serrated pointed, rounded long nose pliers
<b>PN 2016</b>	● ●	48-50	78	160	<b>PN 2016 D</b>	smooth pointed, rounded long nose pliers
<b>PN 2002 M</b>	● ●	48-50	64	155	<b>PN 2002 M D</b>	smooth pointed, rounded long nose pliers
<b>PN 5005</b>	■ ■	48-50	100	154	<b>PN 5005 D</b>	serrated, pointed, long nose pliers; 5mm
<b>PN 5006</b>	■ ■	48-50	100	154	<b>PN 5006 D</b>	smooth, pointed, long nose pliers; 5mm

## Flat long nose pliers

Order code	Tip	hrc	weight (gr)	length (mm)	Esd code	Notes
<b>PN 2007</b>	▬ ▬	48-50	78	160	<b>PN 2007 D</b>	serrated flat long nose pliers
<b>PN 2008</b>	▬ ▬	48-50	78	160	<b>PN 2008 D</b>	smooth flat long nose pliers
<b>PN 2017</b>	◐ ◐	48-50	78	160	<b>PN 2017 D</b>	serrated flat, rounded long nose pliers
<b>PN 2018</b>	◐ ◐	48-50	78	160	<b>PN 2018 D</b>	smooth flat, rounded long nose pliers
<b>PN 5007</b>	▬ ▬	48-50	100	154	<b>PN 5007 D</b>	serrated, flat, long nose pliers; 5mm
<b>PN 5008</b>	▬ ▬	48-50	100	154	<b>PN 5008 D</b>	smooth, flat, long nose pliers; 5mm

## Rounded nose pliers

Order code	Tip	hrc	weight (gr)	length (mm)	Esd code	Notes
<b>PN 5028</b>	◐ ●	48-50	100	154	<b>PN 5028 D</b>	long nose pliers one round and one flat jaw
<b>PN 5025 C</b>	● ●	48-50	78	147	<b>PN 5025 C D</b>	rounded nose and cutting tip



pliers


<b>PN 5025</b>	48-50	98	154	<b>PN 5025 D</b>	smooth rounded long nose pliers
<b>PN 5025 Z</b>	48-50	98	154	<b>PN 5025 Z D</b>	serrated rounded long nose pliers
<b>PN 5025/1</b>	48-50	98	146	<b>PN 5025/1 D</b>	smooth rounded short nose pliers Ø 1.6
<b>PN 5025/2</b>	48-50	100	154	<b>PN 5025/2 D</b>	smooth rounded long nose pliers Ø 1
<b>PN 5025/3</b>	48-50	98	146	<b>PN 5025/3 D</b>	smooth rounded short nose pliers Ø 1

## Bent nose pliers


Order code	Tip	hrc	weight (gr)	length (mm)	Esd code	Notes
<b>PN 2002 PM</b>		48-50	64	147	<b>PN 2002 PM D</b>	Smooth pointed rounded nose pliers bent at 45°
<b>PNB 2005</b>		48-50	78	152	<b>PNB 2005 D</b>	Serrated pointed long nose pliers bent at 45°
<b>PNB 2006</b>		48-50	78	152	<b>PNB 2006 D</b>	Smooth pointed long nose pliers bent at 45°
<b>PNB 2007</b>		48-50	78	152	<b>PNB 2007 D</b>	Serrated flat long nose pliers bent at 45°
<b>PNB 2008</b>		48-50	78	152	<b>PNB 2008 D</b>	Smooth flat long nose pliers bent at 45°
<b>PNB 2015</b>		48-50	78	152	<b>PNB 2015 D</b>	Serrated sharp, rounded nose pliers bent at 45°
<b>PNB 2016</b>		48-50	78	152	<b>PNB 2016 D</b>	Smooth sharp, rounded nose pliers bent at 45°
<b>PNB 2017</b>		48-50	78	152	<b>PNB 2017 D</b>	Serrated flat, rounded nose pliers bent at 45°
<b>PNB 2018</b>		48-50	78	152	<b>PNB 2018 D</b>	Smooth flat, rounded nose pliers bent at 45°


## Pliers *pointed short nose pliers*

### PN 2001




**PN 2001:** The PN 2001 is a serrated, pointed short nose pliers suitable to be used with all type of components. Steel thickness 3.0mm. ESD-safe handles version available.







Order code	ESD Order code	Hrc	Weight (gr)	Length (mm)
<b>PN 2001</b>	<b>PN 2001 D</b>	<b>48-50</b>	<b>78</b>	<b>146</b>

### PN 2002




**PN 2002:** The PN 2002 is a smooth, pointed short nose pliers suitable to be used with all type of components. Steel thickness 3.0mm. ESD-safe handles version available.







Order code	ESD Order code	Hrc	Weight (gr)	Length (mm)
<b>PN 2002</b>	<b>PN 2002 D</b>	<b>48-50</b>	<b>78</b>	<b>146</b>

### PN 20 M



**PN 20 M:** Smooth pointed short nose pliers, specially designed for delicate work in electronics. Steel thickness 2.0mm. ESD-safe handles version available.







Order code	ESD Order code	Hrc	Weight (gr)	Length (mm)
<b>PN 20 M</b>	<b>PN 20 M D</b>	<b>48-50</b>	<b>60</b>	<b>136</b>

## PN 5001



**PN 5001:** Serrated, pointed, short nose pliers. For the general handling of all types of components. Steel thickness 5.0mm.  
ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 5001	PN 5001 D	48-50	98	146

## PN 5002



**PN 5002:** Smooth, pointed, short nose pliers. For the general handling of all types of components. Steel thickness 5.0mm.  
ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 5002	PN 5002 D	48-50	98	146

# Pliers *flat short nose pliers*

## PN 2003



**PN2003:** The PN 2003 is a serrated, flat short nose pliers suitable to be used with all type of components. Steel thickness 3.0mm.  
ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 2003	PN 2003 D	48-50	78	146

## PN 2004



**PN 2004:** The PN 2004 is a smooth, flat short nose pliers suitable to be used with all type of components. Steel thickness 3.0mm.  
ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 2004	PN 2004 D	48-50	78	146

## PN 5003



**PN 5003:** Serrated, flat, short nose pliers. For the general handling of all types of components. Steel thickness 5.0mm.  
ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 5003	PN 5003 D	48-50	98	146

## PN 5004



**PN 5004:** Smooth, flat, short nose pliers. For the general handling of all types of components. Steel thickness 5.0mm.  
ESD-safe handles version available.



Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 5004	PN 5004 D	48-50	98	146






pliers

# Pliers *pointed long nose pliers*

## PN 2005



**PN 2005:** The PN 2005 is a serrated, pointed long nose pliers ideal to be used in difficult to reach areas. Steel thickness 3.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 2005	PN 2005 D	48-50	78	160

## PN 2006



**PN 2006:** The PN 2006 is a smooth, pointed long nose pliers ideal to be used in difficult to reach areas. Steel thickness 3.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 2006	PN 2006 D	48-50	78	160

## PN 2015



**PN2015:** Serrated pointed, long nose pliers, with rounded external edges suitable for the handling of components in high density areas without causing damage. Steel thickness 3.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 2015	PN 2015 D	48-50	78	160

## PN 2016



**PN 2016:** Smooth pointed, long nose pliers, with rounded external edges suitable for the handling of components in high density areas without causing damage. Steel thickness 3.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 2016	PN 2016 D	48-50	78	160

## PN 2002 M



**PN 2002 M:** Smooth, pointed long nose pliers, with rounded external edges and very thin tips. Ideal for the handling of components in high density area with no risk of damage. Steel thickness 2.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 2002 M	PN 2002 M D	48-50	64	155

## PN 5005



**PN 5005:** Serrated, pointed, long nose pliers. For the general handling of all types of components. Steel thickness 5.0mm. ESD-safe handles version available.





Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 5005	PN 5005 D	48-50	100	154

## PN 5006



**PN 5006:** Smooth, pointed, long nose pliers. For the general handling of all types of components. Steel thickness 5.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 5006	PN 5006 D	48-50	100	154

# Pliers *flat long nose pliers*

## PN 2007



**PN 2007:** The PN 2007 is a serrated, flat long nose pliers ideal to be used in difficult to reach areas. Steel thickness 3.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 2007	PN 2007 D	48-50	78	160

## PN 2008



**PN2008:** The PN 2008 is a smooth, flat long nose pliers ideal to be used in difficult to reach areas. Steel thickness 3.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 2008	PN 2008 D	48-50	78	160

## PN 2017



**PN 2017:** Serrated flat, long nose pliers, with rounded external edges suitable for the handling of components in high density areas without causing damage. Steel thickness 3.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 2017	PN 2017 D	48-50	78	160

## PN 2018



**PN 2018:** Smooth flat, long nose pliers, with rounded external edges suitable for the handling of components in high density areas without causing damage. Steel thickness 3.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 2018	PN 2018 D	48-50	78	160

## PN 5007



**PN 5007:** The PN 5007 is a serrated flat long nose pliers ideal for the handling of components in poorly accessible areas and where a strong grip is needed. Steel thickness 5.0mm. ESD-safe handles version available.



Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 5007	PN 5007 D	48-50	100	154






### PN 5008



**PN 5008:** Smooth, flat, long nose pliers, ideal for the handling of components in poorly accessible areas and where a strong grip is needed. Steel thickness 5.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 5008	PN 5008 D	48-50	100	154

## Pliers *rounded nose pliers*

### PN 5028



**PN 5028:** Special long nose pliers, with one flat and one round jaw. Steel thickness 5.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 5028	PN 5028 D	48-50	100	154

### PN 5025 C



**PN 5025 C:** Special pliers, rounded nose and cutting tip with induction treatment. Cutting force 3kg- copper wire 1.02 (Ø mm) - 18 (awg) Thickness 5 mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 5025 C	PN 5025 C D	48-50	78	147

### PN 5025



**PN 5025:** Smooth rounded long nose pliers ideal for the handling of components in dense areas without causing damages. Tips diameter 1.8mm. Nose length 26mm. Steel thickness 5.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 5025	PN 5025 D	48-50	98	154

### PN 5025 Z



**PN 5025 Z:** Serrated rounded long nose pliers, ideal for the handling of components in high density areas without causing damages. Tips diameter 1.8 mm. Nose length 26mm. Steel thickness 5.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 5025 Z	PN 5025 Z D	48-50	98	154

### PN 5025/1



**PN 5025/1:** Smooth rounded short nose pliers, ideal for the handling of components in high density areas without causing damage. Tips diameter 1.6 mm. Nose length 20mm. Steel thickness 5.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 5025/1	PN 5025/1 D	48-50	98	146

## PN 5025/2



**PN 5025/2:** Smooth rounded long nose pliers, ideal for the handling of components in high density areas without causing damage. Tips diameter 1.0 mm. Nose length 26mm. Steel thickness 5.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 5025/2	PN 5025/2 D	48-50	100	154

## PN 5025/3




**PN 5025/3:** Smooth rounded short nose pliers, ideal for the handling of components in high density areas without causing damage. Tips diameter 1.0 mm. Nose length 20mm. Steel thickness 5.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 5025/3	PN 5025/3 D	48-50	98	146

# Pliers *bent nose pliers*

## PN 2002 PM



**PN2002 PM:** Smooth, 45° angled long nose pliers with rounded external edges. Thanks to its shape, it gives a wide angle of vision of the work area. Steel thickness 2.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PN 2002 PM	PN 2002 PM D	48-50	64	147

## PNB 2005



**PNB 2005:** Serrated pointed long nose pliers bent at 45°. Thanks to its shape, it gives a wide angle of vision of the work area and suitable for the handling of components in difficult to reach areas. Steel thickness 3.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PNB 2005	PNB 2005 D	48-50	78	152

## PNB 2006



**PNB 2006:** Smooth pointed long nose pliers bent at 45°. Thanks to its shape, it gives a wide angle of vision of the work area and suitable for the handling of components in difficult to reach areas. Steel thickness 3.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PNB 2006	PNB 2006 D	48-50	78	152

## PNB 2007



**PNB 2007:** Serrated flat long nose pliers bent at 45°. Thanks to its shape, it gives a wide angle of vision of the work area and suitable for the handling of components in difficult to reach areas. Steel thickness 3.0mm. ESD-safe handles version available.



Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PNB 2007	PNB 2007 D	48-50	78	152




pliers



### PNB 2008



**PNB 2008:** Smooth flat long nose pliers bent at 45°. Thanks to its shape, it gives a wide angle of vision of the work area and suitable for the handling of components in difficult to reach areas. Steel thickness 3.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PNB 2008	PNB 2008 D	48-50	78	152

### PNB 2015



**PNB 2015:** The PNB 2015 has a serrated, pointed and externally rounded nose, bent at 45°, suitable for the handling of components in difficult to reach areas. Steel thickness 3.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PNB 2015	PNB 2015 D	48-50	78	152

### PNB 2016




**PNB 2016:** Smooth pointed, externally rounded nose pliers bent at 45°, suitable for the handling of components in difficult to reach areas. Steel thickness 3.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PNB 2016	PNB 2016 D	48-50	78	152

### PNB 2017



**PNB 2017:** Serrated flat, externally rounded nose pliers bent at 45°, suitable for the handling of components in difficult to reach areas. Steel thickness 3.0mm. ESD-safe handles version available.




Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PNB 2017	PNB 2017 D	48-50	78	152

### PNB 2018



**PNB 2018:** Smooth flat, externally rounded nose pliers bent at 45°, suitable for the handling of components in difficult to reach areas. Steel thickness 3.0mm. ESD-safe handles version available.



Order code	ESD Order code	Hrc	Weight (gr)	Lenght (mm)
PNB 2018	PNB 2018 D	48-50	78	152



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Control Switches](#) category:*

*Click to view products by [Piergiacomini](#) manufacturer:*

Other Similar products are found below :

[80887-99](#) [80932-99](#) [86855-00](#) [88814-30](#) [1424293-1](#) [HW4S-2TC10](#) [89721-12](#) [89804-08](#) [SSN](#) [RL01801](#) [ASD2L20N-LVO](#) [50051857-17](#)  
[50099156-001-05](#) [51.155R-15200](#) [50058920-26](#) [CP-FA51](#) [CP-FA49](#) [ACCU-SC/L-3000](#) [PP9M](#) [PP87G](#) [PP86GA](#) [PP71G](#) [PP70G](#) [PP6G](#)  
[PP62G](#) [PP58BL](#) [PP56G](#) [PP86GB](#) [PP77GA](#) [PP76G](#) [PP4M](#) [PP47G](#) [PP46G](#) [PP41M](#) [PP40G](#) [PP32G](#) [RD-20](#) [PP23M](#) [PP12G](#) [PORTAPRO](#)  
[POM-2708](#) [PNB-2005](#) [3057.0012](#) [CV-075](#) [CV-140SB](#) [CV-150](#) [CV-150S](#) [214X20XK](#) [CV-180](#) [CV-200MB](#)