
Technical Data Sheet

Sponges

Plato[®] sponges are manufactured with pure cellulose (a wood derivative) which has the ability to absorb many times its weight in water. Also resistant to abrasion and tearing forces that occur during the tip wiping process. Cellular structure is designed to expand when wet, and retain water for long periods of time. Meets ANSI (J-STD-001B) for low sulphur content and fine porosity.

- Extend tip life
- Remove surface oxides
- Remove excess solder

Rev. A (10/17) Page 1 of 3



Product Dimensions

CS-1 Sponge

Comparable to Weller SP-60, Pace 4021-005 1.5" x 2.12" x 1" thick (38mm x 54mm x 25mm) 10 sponges/pack



CS-17 Sponge

Cut-to-fit sheet 8.5" x 17" x 1" thick (216mm x 432mm x 25mm) 1 sheet



CS-14M Sponge w/multiple holes

Comparable to Weller T52241999 2.2" x 2.75" 1" thick (55mm x 70mm x 25mm) 10 sponges/pack



CS-17/625 Thinner Economy Sponge

Cut-to-fit sheet 8.5" x 17" x 0.625" thick (216mm x 432mm x 16mm) 1 sheet








Sponges

Product Dimensions

CS-36 Sponge Comparable to Hexacon 8141, 8141C 2.25" x 3.5" x 1" thick (57mm x 89mm x 25mm) 10 sponges/pack



CS-44 Sponge


103

Comparable to Weller TC205 2.7" x 2.7" x 1" thick (69mm x 69mm x 25mm) 10 sponges/pack



CS-44/625 Sponge

Fits Hakko 2.7" x 2.7" x 0.625" thick (69mm x 69mm x 16mm) 10 sponges/pack



CS-47 Sponge

Comparable to Metcal STSS-YS3, AC-YS3, ACY10, Ungar 455, UTC234 2.1" x 3.2" x 1" thick (53mm x 81mm x 25mm) 10 sponges/pack



CS-9/625 Sponge

Comparable to Hexacon 8101, 8101C, 8121, 8121C 3.5" x 4.5" x 0.625" thick (89mm x 114mm x 16mm) 10 sponges/pack



CS-888H Sponge w/hole

Fits Hakko FX-888, FX-888D Comparable to Hakko A1159 2 3/8" dia x 2"L x 5/8" thick (60mm x 51mm x 17mm) 10 sponges/bag





Rev. A (10/17) Page 3 of 3

Sponges

Product Dimensions

CS-888S Sponge w/slits

Comparable to Hakko A1159 2 3/8" dia x 2"L x 5/8" thick (60mm x 51mm x 17mm) 10 sponges/bag



CS-14 Sponge Comparable to Weller T52241999 2.2" x 2.75" x 1" (55mm x 70mm x 25mm) 10 sponges/pack



Environmental Policy

We are committed to developing products to ensure a safer and cleaner environment. We will continue to meet and sustain the regulations of all federal, state and local government agencies.

10:

Resources

Plato products are supported by a global sales, technical and customer services resources.

For additional technical information on these products or other Plato products in the United States, call the technical sales department at 800-858-4043, email info@platoproducts.com or visit our web site at: www.platoproducts.com.

Important Notice to Purchaser/User: The information in this publication is based on tests that we believe are reliable. The results may vary due to differences in tests type and conditions. We recommend that each user evaluate the product to determine its suitability for the intended application. Conditions of use are outside our control and vary widely. Our only obligation and your only solution is replacement of product that is shown to be defective when you receive it. In no case will we be liable for any special, incidental, or consequential damages based on breach of warranty, negligence or any other theory.



North America ITW Contamination Control - Electronics 8125 Cobb Center Drive Kennesaw, GA 30152 800-858-4043 info@platoproducts.com Europe ITW Contamination Control BV Saffierlaan 5, 2132 VZ Hoofddorp The Netherlands +31 88 1307 400 info@itw-cc.com Countries outside the US Call to locate a distributor in your country

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Desoldering Braid / Solder Removal category:

Click to view products by Plato manufacturer:

Other Similar products are found below :

532505-2 DS03-910-5 T0054487199 T0054486999 T0053250699 STDC-102 T0054465499N T0054465299N 51315200 4036S 6961 9970 9976 DS104 DS115T DS117T DS204 DS206 DS60 HE80 MP132 MP134 MP135 MP136 MP137 MP138 MT6 PTJ6 UTC234 C560-017 1811-5F 1830-10F 1824-5F 50-3-100 1813-5F 1833-10F 1810-25F 1824-25F T0058768767 0320705 0320800 0320903 0321200 0321300 0321400 0321500 0ICV2000AI 10-50L 40-4-10 51314700