
## Pomona®

## Model 4119 BNC Feed-Thru Termination





MODEL NO.	* RESISTANCE VALUE $\Omega$
4119-50	50
4119-75	75
4119-93	93
4119-600	600

## **MATERIALS:**

Body and Fittings: Brass, Alloy 360, ½ Hard. Center Contact: Male – Brass, Alloy 360, ½ Hard.

Female – Beryllium Copper per Cond. Ht.

Outer Contact: Beryllium Copper, Cond. Ht.

Dielectric: Teflon per L-P-403.

Gasket/Seals: Silicone rubber per zz-r-765, Class 11a, Grade 50.

Finish:

Body and Fittings: Tarnish Resistant. Center Contact: Male – Gold plated. Outer Contact: Tarnish Resistant.

Marking: "Pomona Elect. 4119-\*" and resistance value marked on label.

Specifications: 2%, 2 Watt, Carbon-film resistor deposited over Ceramic Core.

VSWR: 1.1 Max. from D.C. to 250 MHz.

1.2 Max. from 250 MHz to 500 MHz.

**RATINGS:** 

Operating Temperature: +102°C (+216°F) Max.

ORDERING INFORMATION: Model 4119-\*

\* = Resistance value (see table above)

All dimensions are in inches. Tolerances (except noted):  $.xx = \pm .02$ " (,51 mm),  $.xxx = \pm .005$ " (,127 mm). All specifications are to the latest revisions. Specifications are subject to change without notice. Registered trademarks are the property of their respective companies. Made in USA

6/9/99

SY/EH/LS

Sales: 800-490-2361 Fax: 888-403-3360 Technical Assistance: 800-241-2060 Pomona*ACCESS* **90228** (800) 444-6785 or (425) 446-6010 More drawings available at www.pomonaelectronics.com

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Attenuators - Interconnects category:

Click to view products by Pomona manufacturer:

Other Similar products are found below:

R411803119	R413806115	R413808000	R413810115	R413850115	R414510000	R414701000	R415303000	BNC-13 R4	11800121
R411801121	R412412124	R412450000	R413800000	R413805000	R413830000	R413840115	R414730000	R415420000	R415703000
R416010000	R420003110	R411801000	R411815121	R413305000	R413801000	R414520000	R411808121	R412500124	R412414124
R412501124	HMC-C584	R413802000	R412400124	R411700124	R417310130	R411801119	R412419124	R411703124	R412401124
R443131000	R417130110	R414700000	R414505000	R411802119	R417720128	R420706110	R413811000	R413803115	R414501000