
Pomona®

Model 4787 & Assembly Instructions "N" Male Cable Plug



FEATURES:

• Cable connection for RG 58 and 142, 223, 141

MATERIALS:

Body and Fitting – Brass per QQ-B-626, Alloy 360, ½ Hard Center Contact – Gold Plated Brass per QQ-B-626, Alloy 360, ½ Hard Dielectric – PTFE Gaskets and Seals: Silicone Rubber Finish: Body and Fittings: Tarnish resistant Center Contact: Gold flash over silver plate per QQ-S-365

RATINGS:

Nominal Impedance: 50 Ohms Dielectric Withstanding Voltage: 2500 VRMS, 1 Min., 60 Hz.

ORDERING INFORMATION: Model 4787

All dimensions are in inches. Tolerances (except noted): $.xx = \pm .02$ " (,51 mm), $.xxx = \pm .005$ " (,127 mm). All specifications are to the latest revisions. Specifications are subject to change without notice. Registered trademarks are the property of their respective companies. Made in USA

 5/21/02 SY/EH/LS
 Sales: 800-490-2361 Fax: 888-403-3360

 Last saved by PN
 Technical Assistance: 800-241-2060

S:\Engineering\Release\DataSheets\FlukeDataSheet\d_AI_4787_2_02.doc

Pomona®

Model 4787 & Assembly Instructions "N" Male Cable Plug




FIGURE #1

- A. Slide clamp nut, flat washer and Vee gasket over cable.
- B. Strip cable jacket to dimensions shown.

FIGURE #1A

- C. Slide braid clamp over braid positioned with the inner shoulder against the cable jacket
- D. Fold braid over braid clamp.
- E. Strip Dielectric

FIGURE #2

F. Solder center contact to cable center conductor.

FIGURE #3

- G. Slide clamp nut, flat washer and Vee gasket forward against braid clamp.
- A. Place connector body over end of cable, thread clamp nut into body and tighten.

All dimensions are in inches. Tolerances (except noted): $.xx = \pm .02$ " (,51 mm), $.xxx = \pm .005$ " (,127 mm). All specifications are to the latest revisions. Specifications are subject to change without notice. Registered trademarks are the property of their respective companies. Made in USA

 S/21/02 SY/EH/LS
 Sales: 800-490-2361 Fax: 888-403-3360

 Last saved by PN
 Technical Assistance: 800-241-2060

 $\label{eq:linear} S:\label{eq:linear} S:\lab$

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for RF Connectors / Coaxial Connectors category:

Click to view products by Pomona manufacturer:

Other Similar products are found below :

 8915-1511-000
 89674-0827
 6001-7071-019
 6002-7051-003
 6002-7551-202
 6059674-1
 619550-1
 630059-000
 M39030/3-01N
 M3933/25

 36N
 6500-7071-046
 6769
 CX050L2AQ
 7002-1542-011
 7004-1512-000
 7009-1511-004
 7010-1511-000
 7029-1511-060
 7101-1541-010

 7101-1571-002
 7105-1521-002
 7145-1521-002
 7203-1571-003
 7209-1511-011
 7210-1511-015
 7210-1511-019
 73137-5015
 73216-2241

 7325-1512-000
 73404-2300
 7405-1521-005
 7405-1521-005
 7406-1521-005
 8527
 8547
 FS11V
 8808-1511-001
 9049-9513-000
 9074-9513

 000
 9101-9573-002
 910A205F
 9130-9573-002
 PL11SC-026
 PL375-33
 PL40-5
 PL71-9
 PL74C-221
 PL75MC-217
 PL803-7
 980-8666-005