



MW-MLD-2835-1W-LENS

Professional Led Modules; **3-10cm** 3D letters, lightboxes



■ Features:

- luminous efficacy 110 lm/W
- for indoor and outdoor use
- 50 pcs in chain



UK
CA

CE

TECHNICAL DETAILS



MODEL	MW-MLD-2835-1W-LENS
Supply voltage	12V DC
Power consumption per module	0.3W
Chain power consumption	15W
Current consumption per module	25mA
LED diodes	San`an led - 2835
Quantity of LEDs	1
Light color	White (~6500K)
Luminous flux	33lm (W)
Luminous flux density	110lm (W)
Color rendering index - CRI	≥70
Beam angle	160°
Current stabilization	Yes
Dimming	Yes
Module dimensions (L x W x H)	30 x 16 x 6mm
Cable length	60mm
Number of modules in 1m	11.1
Box weight	16.7kg
Packing	Chain – 50pcs / Bag – 200pcs / Box – 4200pcs
Montage	Adhesive tape / mounting screw
Lifetime	L70B50 > 50000h
Working temperature	-25°C ÷ 55°C
IP protection	IP67
Warranty	5 years




MW-MLD-2835-1W-LENS

Professional Led Modules; **3-10cm** 3D letters, lightboxes



Dimensions



Connection diagram

One-side power input:

Two-side power input:



Maximum number of modules 50 pcs


Maximum number of modules 100 pcs

It is acceptable to connect multiple chains in parallel, as long as the power supply provides sufficient power


Light color / CCT

Light color

White (~6500K)



Beam angle



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [LED Bars and Arrays](#) category:

Click to view products by [POS manufacturer](#):

Other Similar products are found below :

[LTL-2755Y](#) [LF2B-D3P-BTHWW2-1M](#) [SSA-LXB10GW-18751](#) [SSA-LXB10YW](#) [SSA-LXH1025I1G7XXD](#) [HLMP2300](#) [LTL-2450Y](#) [LTL-2855G](#) [HLMP2655](#) [SSB-LX2301SIW](#) [TOS-4102BR-N](#) [SSA-LXB10-IYG8W-1](#) [LTL-57173HR](#) * [LPB-R0112051S](#) [SSA-LXB525-I1G3I1D](#) [MW-MLD-2835-3W-LENS V,2](#) [MW-MLD-2835-1W-LENS](#) [OSWSW51006B-5V](#) [PROLED-MINI-3W-CC100](#) [MW-MLD-2835-3B-LENS](#) [OSWM43-K4W](#) [PROLED-MINI-2W-CC70](#) [OSWM43-G5W](#) [MW-MLD-2835-2W-LENS V,2](#) [OSWSM51006B-5V](#) [OST1MC5A31A-W1V](#) [WL 30 W](#) [PROLED-3W-CC220](#) [MW-MLD-HE-3W-LENS170](#) [WL 20 W](#) [OSWM43-W5W](#) [57844](#) [113162000-00660681](#) [49983](#) [MW-MLD-HE-1WW-LENS170](#) [OSWM43-B6W](#) [MW-MLD-HE-2W-LENS170](#) [OSWM43-B5W](#) [OSWM43-Y5W](#) [MINIOVAL-1WW](#) [ALUSTAR-G2-NA-SC590-1A-54](#) [LTA-1000E](#) [LTL-57173HR](#) [1330.0001](#) [1330.0003](#) [1330.0009](#) [KB-2855SGW](#) [KB-B100SURKW](#) [L-1043GDT](#) [L-875/4SRDT](#)