

# PowerFilm<sup>®</sup>

## SOLAR

MADE IN THE USA

## Electronic Component Solar Panels

### Classic Application Series

The Classic Application Series offer a new opportunity to solve the old problem of limited power for wireless electronics designed for portable and remote applications. Classic Application panels are lightweight, paper thin, and durable.

Their ultra-thin profile enables them to be easily integrated into devices for solar recharging or for direct power. Panels have been specifically developed to recharge a variety of common battery sizes. These panels do not have a UV-stabilized surface, but are suitable for intermittent outdoor use.

Are you looking for a custom Electronic Component Solar Panel? We offer custom sizes, voltages, encapsulations and substrates.

Contact us at [www.powerfilmsolar.com](http://www.powerfilmsolar.com) to learn more.

#### ONP1.2-12x24

##### Electrical Specifications:

###### Full Sun

Power: 4mW  
Operating Voltage: 1.2V  
Operating Current: 3.3mA

###### 1/4 Sun


Power: 0.9mW  
Operating Voltage: 1.2V  
Operating Current: 0.7mA

##### All Levels

Average Voc: 1.6V  
Maximum Voc: 1.9V  
Isc: 4.3mA

##### Physical Specifications:

Dimensions:  
24.0 x 12.0 (mm)  
0.94 x 0.47 (in)  
Weight: 0.003oz / 0.09g



#### ONP1.2-37x54

##### Electrical Specifications:

###### Full Sun

Power: 70mW  
Operating Voltage: 1.2V  
Operating Current: 50.8mA

###### 1/4 Sun



Power: 13.7mW  
Operating Voltage: 1.2V  
Operating Current: 11.4mA

##### All Levels

Average Voc: 1.6V  
Maximum Voc: 1.9V  
Isc: 66mA

##### Physical Specifications:

Dimensions:  
54.0 x 36.5 (mm)  
2.13 x 1.44 (in)  
Weight: 0.02oz / 0.58g



# PowerFilm<sup>®</sup>

## SOLAR

MADE IN THE USA

### ONP2.4-15x94



#### Electrical Specifications:

##### Full Sun

Power: 45mW  
 Operating Voltage: 2.4V  
 Operating Current: 18.6mA

##### 1/4 Sun

Power: 10.1mW  
 Operating Voltage: 2.4V  
 Operating Current: 4.2mA


#### All Levels

Average Voc: 3.2V  
 Maximum Voc: 3.7V  
 Isc: 24.2mA


#### Physical Specifications:

Dimensions:  
 94.0 x 14.6 (mm)  
 3.70 x 0.57 (in)  
 Weight: 0.01oz / 0.40g

IV Curve



### MPT2.4-21



#### Electrical Specifications:

##### Full Sun

Power: 34mW  
 Operating Voltage: 2.4V  
 Operating Current: 14.2mA

##### 1/4 Sun

Power: 7.7mW  
 Operating Voltage: 2.4V  
 Operating Current: 3.2mA


#### All Levels

Average Voc: 3.2V  
 Maximum Voc: 3.7V  
 Isc: 18.3mA


#### Physical Specifications:

Dimensions:  
 54.0 x 20.9 (mm)  
 2.13 x 0.82 (in)  
 Weight: 0.02oz / 0.40g

IV Curve



### SP3-37



#### Electrical Specifications:

##### Full Sun

Power: 66mW  
 Operating Voltage: 3.0V  
 Operating Current: 22mA

##### 1/4 Sun

Power: 15mW  
 Operating Voltage: 3.0V  
 Operating Current: 5.0mA


#### All Levels

Average Voc: 4.1V  
 Maximum Voc: 4.6V  
 Isc: 28.0mA

#### Physical Specifications:

Dimensions:  
 64.0 x 36.5 (mm)  
 2.52 x 1.44 (in)  
 Weight: 0.03oz / 0.85g

IV Curve



### MP3-25



#### Electrical Specifications:

##### Full Sun

Power: 93mW  
 Operating Voltage: 3.0V  
 Operating Current: 31mA

##### 1/4 Sun

Power: 21mW  
 Operating Voltage: 3.0V  
 Operating Current: 7.0mA


#### All Levels

Average Voc: 4.1V  
 Maximum Voc: 4.6V  
 Isc: 35mA

#### Physical Specifications:

Dimensions:  
 114.0 x 24.0 (mm)  
 4.49 x 0.94 (in)  
 Weight: 0.03oz / 0.85g

IV Curve



# PowerFilm<sup>®</sup>

## SOLAR

MADE IN THE USA

### MP3-37

#### Electrical Specifications:

##### Full Sun

Power: 150mW  
 Operating Voltage: 3.0V  
 Operating Current: 50mA

##### 1/4 Sun


Power: 34mW  
 Operating Voltage: 3.0V  
 Operating Current: 11.3mA

#### All Levels


Average Voc: 4.1V  
 Maximum Voc: 4.6V  
 Isc: 63mA

#### Physical Specifications:

Dimensions:  
 114.0 x 36.5 (mm)  
 4.49 x 1.44 (in)  
 Weight: 0.04oz / 1.13g



IV Curve



### MPT3.6-75

#### Electrical Specifications:

##### Full Sun

Power: 180mW  
 Operating Voltage: 3.6V  
 Operating Current: 50mA

##### 1/4 Sun


Power: 41mW  
 Operating Voltage: 3.6V  
 Operating Current: 11.3mA

#### All Levels


Average Voc: 4.9V  
 Maximum Voc: 5.5V  
 Isc: 64mA

#### Physical Specifications:

Dimensions:  
 74.0 x 73.0 (mm)  
 2.91 x 2.87 (in)  
 Weight: 0.06oz / 1.70g



IV Curve



### MPT3.6-150

#### Electrical Specifications:

##### Full Sun

Power: 360mW  
 Operating Voltage: 3.6V  
 Operating Current: 100mA

##### 1/4 Sun


Power: 81mW  
 Operating Voltage: 3.6V  
 Operating Current: 22.5mA

#### All Levels


Average Voc: 4.9V  
 Maximum Voc: 5.5V  
 Isc: 128mA

#### Physical Specifications:

Dimensions:  
 74.0 x 146.0 (mm)  
 2.91 x 5.75 (in)  
 Weight: 0.10oz / 2.83g



IV Curve



### SP4.2-37

#### Electrical Specifications:

##### Full Sun

Power: 92mW  
 Operating Voltage: 4.2V  
 Operating Current: 22mA

##### 1/4 Sun


Power: 21mW  
 Operating Voltage: 4.2V  
 Operating Current: 5.0mA

#### All Levels


Average Voc: 5.9V  
 Maximum Voc: 6.5V  
 Isc: 28mA

#### Physical Specifications:

Dimensions:  
 84.0 x 36.5 (mm)  
 3.31 x 1.44 (in)  
 Weight: 0.03oz / 0.85g



IV Curve



# PowerFilm<sup>®</sup>

## SOLAR


MADE IN THE USA

### MPT4.8-75

#### Electrical Specifications:

##### Full Sun

Power: 240mW  
 Operating Voltage: 4.8V  
 Operating Current: 50mA



##### 1/4 Sun

Power: 54mW  
 Operating Voltage: 4.8V  
 Operating Current: 11.3mA


#### All Levels

Average Voc: 6.4V  
 Maximum Voc: 7.4V  
 Isc: 64mA

#### Physical Specifications:

Dimensions:  
 94.0 x 73.0 (mm)  
 3.70 x 2.87 (in)  
 Weight: 0.07oz / 1.98g

IV Curve



### MPT4.8-150

#### Electrical Specifications:

##### Full Sun

Power: 480mW  
 Operating Voltage: 4.8V  
 Operating Current: 100mA



##### 1/4 Sun

Power: 108mW  
 Operating Voltage: 4.8V  
 Operating Current: 22.5mA


#### All Levels

Average Voc: 6.4V  
 Maximum Voc: 7.4V  
 Isc: 128mA

#### Physical Specifications:

Dimensions:  
 94.0 x 146.0 (mm)  
 3.70 x 5.75 (in)  
 Weight: 0.10oz / 2.83g

IV Curve



### MPT6-75

#### Electrical Specifications:

##### Full Sun

Power: 300mW  
 Operating Voltage: 6.0V  
 Operating Current: 50mA



##### 1/4 Sun

Power: 68mW  
 Operating Voltage: 6.0V  
 Operating Current: 11.3mA


#### All Levels

Average Voc: 8.0V  
 Maximum Voc: 9.3V  
 Isc: 64mA

#### Physical Specifications:

Dimensions:  
 114.0 x 73.0 (mm)  
 4.49 x 2.87 (in)  
 Weight: 0.08oz / 2.30g

IV Curve




### MPT6-150

#### Electrical Specifications:

##### Full Sun

Power: 600mW  
 Operating Voltage: 6.0V  
 Operating Current: 100mA



##### 1/4 Sun

Power: 135mW  
 Operating Voltage: 6.0V  
 Operating Current: 22.5mA


#### All Levels

Average Voc: 8.0V  
 Maximum Voc: 9.3V  
 Isc: 128mA

#### Physical Specifications:

Dimensions:  
 114.0 x 146.0 (mm)  
 4.49 x 5.75 (in)  
 Weight: 0.10oz / 2.83g

IV Curve




# PowerFilm<sup>®</sup>

## SOLAR

MADE IN THE USA

### MP7.2-75F



#### Electrical Specifications:

##### Full Sun

Power: 864mW  
Operating Voltage: 7.2V  
Operating Current: 120mA

##### 1/4 Sun

Power: 194mW  
Operating Voltage: 7.2V  
Operating Current: 27.0mA


#### All Levels

Average Voc: 10.5V  
Maximum Voc: 11.1V  
Isc: 154mA


#### Physical Specifications:

Dimensions:  
253.0 x 73.0 (mm)  
9.96 x 2.87 (in)  
Weight: 0.50oz / 14.17g

IV Curve



### MP7.2-150F



#### Electrical Specifications:

##### Full Sun

Power: 1.73W  
Operating Voltage: 7.2V  
Operating Current: 240mA

##### 1/4 Sun

Power: 389mW  
Operating Voltage: 7.2V  
Operating Current: 54.0mA


#### All Levels

Average Voc: 10.5V  
Maximum Voc: 11.1V  
Isc: 308mA


#### Physical Specifications:

Dimensions:  
253.0 x 146.0 (mm)  
9.96 x 5.75 (in)  
Weight: 0.90oz / 25.51g

IV Curve



### MPT15-75



#### Electrical Specifications:

##### Full Sun

Power: 770mW  
Operating Voltage: 15.4V  
Operating Current: 50mA

##### 1/4 Sun

Power: 173mW  
Operating Voltage: 15.4V  
Operating Current: 11.3mA


#### All Levels

Average Voc: 19.0V  
Maximum Voc: 22.2V  
Isc: 64mA


#### Physical Specifications:

Dimensions:  
253.0 x 73.0 (mm)  
9.96 x 2.87 (in)  
Weight: 0.50oz / 14.17g

IV Curve



### MPT15-150



#### Electrical Specifications:

##### Full Sun

Power: 1.54W  
Operating Voltage: 15.4V  
Operating Current: 100mA

##### 1/4 Sun

Power: 347mW  
Operating Voltage: 15.4V  
Operating Current: 22.5mA


#### All Levels

Average Voc: 19.0V  
Maximum Voc: 22.2V  
Isc: 128mA

#### Physical Specifications:

Dimensions:  
253.0 x 146.0 (mm)  
9.96 x 5.75 (in)  
Weight: 1.00oz / 28.35g

IV Curve



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Solar Panels & Solar Cells](#) category:*

*Click to view products by [PowerFilm](#) manufacturer:*

Other Similar products are found below :

[AM-1606C-MEL](#) [200](#) [2747](#) [SC10050](#) [SC20072](#) [SC20050](#) [SC20036](#) [SC10036](#) [AM-1513CA](#) [AM-1719CA](#) [AM-1805CA](#) [AM-1820CA](#) [500](#)  
[1525](#) [3809](#) [MIKROE-651](#) [AM-1417CA](#) [AM-1454CA](#) [AM-1456CA](#) [AM-1801CA](#) [AM-1815CA](#) [AM-1816CA](#) [AM-1819CA](#) [AM-5608CAR](#)  
[AM-5610CAR](#) [AM-5706CAR](#) [AM-5902CAR](#) [AM-5904CAR](#) [AM-8702CAR](#) [AT-7665A](#) [LL200-2.4-37](#) [LL200-2.4-75](#) [LL200-3-37](#) [LL200-](#)  
[3.6-75](#) [LL200-4.8-37](#) [MP3-25](#) [MP3-37](#) [MP7.2-150F](#) [MP7.2-75F](#) [MPT15-150](#) [MPT15-75](#) [MPT2.4-21](#) [MPT3.6-150](#) [MPT3.6-75](#) [MPT4.8-150](#)  
[MPT4.8-75](#) [MPT6-150](#) [MPT6-75](#) [ONP1.2-12x24](#) [ONP1.2-37x54](#)