


HDMI Screen Module Series

Product Features:

- HDMI is everywhere and a commonly known interface using in SBC board.
- HDMI board enable to support display with LVDS and RGB interface.
- HDMI display provides flexibility and better meet various industrial needs.
- Accessories available.
- Backlight driver and Vcom circuit onboard.
- Support USB HID for multi capacitive touch.



Product Specifications:

Power Input: 12 Voltage
 Display : 5" & 7"
 Interface: TTL RGB 24 Bits
 Resolution : 800x480 (WVGA)
 CTP: I2C PCAP 5-point touch

Power Input: 12 Voltage
 Display : 7", 8", 10.1", 12.1", 15"
 Interface: LVDS 6/8 Bits
 Resolution : 1024x600 (WSVGA) / 1024x768 (XGA) / 1280x800 (WXGA)
 CTP: USB PCAP 5-Point touch




Support SBC Board:



NO.8,6 th Rd.,Taichung Industrial Park,407 Taichung, Taiwan
 TEL:+886-4-23558168 FAX: +886-4-23558166
 Web : www.powertip.com.tw



LVDS-RGB Conversion Board



Product Features:

- LVDS-RGB converter display has high quality analog to digital controller chip, and is cost effective for LCD panel users.
- Powertip also provide mini HDMI connector & 30-pin connector cable for NXP SCM board and Humming board.
- Backlight driver and Vcom circuit onboard.

Product Specifications

Display : 5" & 7"

Interface : TTL RGB 24 Bits

Resolution : 800X480 (WVGA)

Built-in I2C PCAP 5-point touch

Support SBC Board:



NO.8,6 th Rd.,Taichung Industrial Park,407 Taichung, Taiwan

TEL:+886-4-23558168 FAX: +886-4-23558166

Web : www.powertip.com.tw



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Display Modules](#) category:

Click to view products by [Powertip](#) manufacturer:

Other Similar products are found below :

[LCD-WVGA-7IN-1](#) [P6153-PR](#) [TDP0700T800480PCAP](#) [P6171DPR-DC-RS](#) [99-47-02033A](#) [P6171DPR-DC-U](#) [96LEDK-A215FH25NF5](#)
[IDK-1121WR-30FHA1E](#) [IDK-104R-32SVI1](#) [WF70GTIAGDNT0#](#) [G1619W02BBW01](#) [MIKROMEDIA 4 FOR STM32F4 CAPACITIVE FPI](#)
[MIKROMEDIA 3 FOR STM32F4 CAPACITIVE FPI](#) [PH320240T023-IHC09](#) [1148693](#) [1148689](#) [PIM537](#) [TN0216ANVNANN-GN00](#)
[TN0104ANVAANN-GN00](#) [TN0181ANVNANN-GN00](#) [12121000](#) [MIKROMEDIA FOR DSPIC33](#) [MIKROMEDIA FOR PIC24](#)
[MIKROMEDIA FOR PIC32](#) [MIKROMEDIA FOR STELLARIS M3](#) [MIKROMEDIA FOR XMEGA](#) [MIKROMEDIA HMI 3.5 RES](#)
[MIKROMEDIA HMI 5](#) [MIKROMEDIA PLUS FOR FT90X](#) [MIKROMEDIA PLUS FOR PIC32MX7 SHIELD](#) [MIKROMEDIA PROTO](#)
[SHIELD](#) [MIKROMEDIA 5 FOR TIVA](#) [MIKROMEDIA 5 FOR TIVA SHIELD](#) [MIKROMEDIA 7 FOR STM32F4](#) [MIKROMEDIA](#)
[CONNECT SHIELD](#) [MIKROMEDIA FOR ARM](#) [MIKROMEDIA FOR DSPIC33EP](#) [MIKROMEDIA FOR PSOC5LP](#) [MIKROMEDIA](#)
[GAMING SHIELD](#) [MIKROMEDIA HMI 4.3 USB](#) [MIKROMEDIA HMI 5 RES](#) [MIKROMEDIA HMI 5 USB](#) [MIKROMEDIA HMI 7](#)
[MIKROMEDIA HMI BREAKOUT BOARD](#) [MIKROMEDIA PLUS FOR PIC32MX7](#) [MIKROMEDIA PLUS FOR STM32](#)
[RVT28AEFNWN00](#) [RVT28UEFNWC01](#) [RVT28UEFNWC03](#) [RVT28UEFNWC05](#)