

## SPRING-LOADED CONNECTORS

2.54 mm GRID / SINGLE ROW / DOUBLE ROW / SURFACE MOUNT

#### WWW.PRECIDIP.COM TEL +41 32 421 04 00 SALES@PRECIDIP.COM

Connectors with spring-loaded contacts (SLC), surface mount.

TECHNICAL SPECIFICATIONS (FOR GENERAL SPECS, SEE PAGE 31)										
INSULATOR	Black glass filled polyester PCT-GF30-FR									
FLAMMABILITY	UL 94V-0									
PISTON AND BARREL	Brass CuZn36Pb3 (C36000)									
	8PM131	8PM219	8PM260							
SPRING	Music wire DIN 17723, gold plated	Stainless steel X12 CrNi177, DIN 17224	Stainless steel X12 CrNi177, DIN 17224							
MAX. STROKE	1.5 mm	1 mm	1.5 mm							
FORCES	0.2 N initial 0.9 N at <sup>1</sup> / <sub>2</sub> stroke	0.25 N initial 0.95 N at <sup>1</sup> / <sub>2</sub> stroke	0.25 N initial 0.6 N at <sup>1</sup> / <sub>2</sub> stroke							
MECHANICAL LIFE	50'000 cycles	50'000 cycles	100'000 cycles							
OPERATING CURRENT	Max.3A	Max. 3 A	Max. 3 A							
CONTACT RESISTANCE	10 m $\Omega$ (static measurem	10 mΩ nent, halfway positi	15 m <b>Ω</b> on)							

COPLANARITY SMD TERMINATIONS Max 0.1 mm (measured on 25 mm long connectors)

#### **ORDERING INFORMATION ROHS COMPLIANT PARTS**

PLATING CODE	BARREL	PISTON
11	0.25 µm gold	0.25 µm gold
SS	0.5 µm gold	0.5 µm gold

#### 8PM-11-00**NN**-02-260

Parallel surface mount SLC connector for pick & place automatic assembly

Parallel surface mount SLC connector for pick & place

2 to 10 contacts



T & R Packaging


8PM-11-00**NN**-02-131

automatic assembly


AVAILABILITY FROM


2 to 10 contacts (standard number of contacts: 10)


(standard number of contacts: 10)



Other plating on request (see page 178 for plating specs). NN number of poles. Replace NN with the requested number of poles, e.g. 8PM-11-00NN-02-131 with 5 pins becomes 8PM-11-0005-02-131.









AVAILABILITY FROM

T & R Packaging


#### 8PM-SS-0006-02-219

SLC connector for chipcards with contacting pads acc. to ISO 7816 Standard number of contacts: 6



T & R Packaging







WWW.PRECIDIP.COM TEL +41 32 421 04 00 SALES@PRECIDIP.COM

# PART NUMBERS AND PRODUCT IDENTIFICATION


PRECI-DIP products are all identified with a unique part number. These numbers are built with up to 5 groups of digits separated by dashes. Each of these groups has its own signification, making it possible to identify the major characteristics of the product from the part number.

Please find below a brief explanation of PRECI-DIP identification codes for connectors and sockets:











PRODUCT FAMILY

PLATING CODE

NG CODE

NUMBER OF PINS

SPECIFIC INFORMATIONS

#### PRODUCT FAMILY

- •81 x, 8P x
- •1xx, 2xx
- 3 xx, 4 xx, 8 xx
- •5xx
- 6 xx, 7 xx
- •9xx

Spring-loaded connectors DIL sockets PCB connectors BGA, PGA and PLCC sockets Carriers

Circular connectors, TO sockets

PLATING CODE

The standard plating codes are listed and specified in the catalog section Contacts under General technical specifications at page 178.

Tin-plated PRECI-DIP products had to be changed to become RoHS compliant and have received a new part number to allow clear identification. Tin-lead plating was replaced by pure tin plating and the old plating code 9x was replaced by 8x.

### NUMBER OF PINS

These figures indicate always the total number of contacts of the product.

### SPECIFIC INFORMATIONS

The last two groups of digits can have different significations depending on the product family:

• Type of terminations (PCB connectors):	10 20 30 and 40 5x 6x	Straight solder pin Right angle solder pin SMD Wire-wrap Solderless press fit			
• Type of clip (DIL sockets):	00 31	no clip 3 finger	4 x 6 x	4 finger 6 finger	
Packaging versions:	003101 for box or tube packaging 003191 for Tape and Reel packaging				

#### EXAMPLES

114-87-628-41-134191: DIL socket, 28 pins, 4 finger clip, tape and reel packaging 803-87-014-10-003101: PCB connectors, 14 pins, with straight solder pins, box packaging

# **ROHS-COMPLIANT PLATING**

All products displayed in this catalog are compliant with the European Directive 2002/95/EC on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS).

Please note that standard PRECI-DIP RoHS-compliant parts are additionally identified with a green dot on the packaging.

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Headers & Wire Housings category:

Click to view products by Precidip manufacturer:

Other Similar products are found below :

 892-18-020-10-001101
 58102-G61-06LF
 582553-1
 0009485154
 009176003701906
 0050291907
 LY20-4P-DT1-P1E-BR
 02.125.8002.8

 609-3404
 61062-3
 61082-181009
 622-3653LF
 63453-116
 636-1030
 636-1427
 636-3427
 636-4007
 641938-9
 641991-4
 644827-2
 65817 

 010LF
 65817-015LF
 65863-015LF
 66207-023LF
 67095-007LF
 67601157
 68645-018
 68648-049
 70.362.1628.0
 70-4226B
 70 

 4853B
 707-5020
 707-5028
 71.350.2428.0
 71918-208LF
 71961-016LF
 733-134
 733-162
 754199-000
 760-3052
 787-8014-00
 79531-3000

 FCN-360C032-B
 FCN-367T-T012/H
 FCN-723D010/2
 80.063.4001.1
 800-90-001-10-001000
 800-90-010-10-002000
 801-43-002-10-013000