


1 RATCHET COMBINATION SPANNERS PROLINE HD®

• КОМБИНИРОВАННЫЕ ТРЕЩОТОЧНЫЕ КЛЮЧИ • MAULRINGSCHLÜSSEL MIT RATSCHHE




• Forged • Chromium-plated • Satin • Minimum work angle: 5°

| Code | Size (mm) | L (mm) | B (mm) | D (mm) | T1 (mm) | T2 (mm) | BOX | BOX |
|-------|-----------|--------|--------|--------|---------|---------|-----|--------|
| 35468 | 8 | 134.4 | 16.7 | 17.1 | 4.7 | 7.4 | x | 10/100 |
| 35469 | 9 | 158.5 | 21.0 | 21.0 | 5.5 | 7.4 | x | 10/100 |
| 35470 | 10 | 158.5 | 21.0 | 21.0 | 5.5 | 7.4 | x | 10/100 |
| 35471 | 11 | 164.6 | 23.0 | 22.6 | 6.0 | 8.7 | x | 10/100 |
| 35472 | 12 | 167.7 | 25.0 | 23.8 | 6.2 | 8.7 | x | 10/100 |
| 35473 | 13 | 177.4 | 27.5 | 24.9 | 6.0 | 8.7 | x | 10/100 |
| 35474 | 14 | 189.5 | 29.0 | 27.0 | 7.0 | 8.7 | x | 10/100 |
| 35475 | 15 | 198.4 | 31.5 | 28.1 | 7.2 | 10.3 | x | 10/100 |
| 35476 | 16 | 205.4 | 33.0 | 29.9 | 7.5 | 10.3 | x | 10/100 |
| 35477 | 17 | 224.4 | 34.9 | 31.9 | 8.0 | 10.3 | x | 10/100 |
| 35478 | 18 | 235.4 | 36.5 | 33.4 | 8.6 | 10.6 | x | 10/100 |
| 35479 | 19 | 246.4 | 38.9 | 34.4 | 8.8 | 10.6 | x | 8/80 |

3 FLEXIBLE RATCHET COMBINATION SPANNERS PROLINE HD®

• КОМБИНИРОВАННЫЕ ТРЕЩОТОЧНЫЕ КЛЮЧИ С ШАРНИРОМ • MAULRINGSCHLÜSSEL MIT RATSCHHE UND GELENK



• Forged • Chromium-plated • Satin • Joint range of motion: ±90°
• Minimum work angle: 15°

| Code | Size (mm) | L (mm) | B (mm) | D (mm) | T1 (mm) | T2 (mm) | BOX | BOX |
|-------|-----------|--------|--------|--------|---------|---------|-----|--------|
| 35448 | 8 | 135 | 17.0 | 17.4 | 4.9 | 7.4 | x | 10/100 |
| 35449 | 9 | 158 | 20.8 | 20.9 | 5.8 | 7.4 | x | 10/100 |
| 35450 | 10 | 160 | 20.8 | 20.9 | 5.8 | 7.4 | x | 10/100 |
| 35451 | 11 | 175 | 25.1 | 23.4 | 6.2 | 8.7 | x | 10/100 |
| 35452 | 12 | 175 | 25.1 | 23.4 | 6.2 | 8.7 | x | 10/100 |
| 35453 | 13 | 185 | 27.2 | 24.9 | 6.4 | 8.7 | x | 10/100 |
| 35454 | 14 | 193 | 29.3 | 27.4 | 7.0 | 8.7 | x | 10/100 |
| 35455 | 15 | 220 | 33.0 | 30.4 | 7.4 | 10.3 | x | 10/100 |
| 35456 | 16 | 213 | 33.0 | 30.4 | 7.4 | 10.3 | x | 10/100 |
| 35457 | 17 | 230 | 35.2 | 31.9 | 8.2 | 10.3 | x | 10/100 |
| 35458 | 18 | 249 | 39.4 | 34.5 | 9.0 | 10.5 | x | 10/80 |
| 35459 | 19 | 250 | 39.4 | 34.5 | 9.0 | 10.5 | x | 10/80 |

2 FLEXIBLE RATCHET COMBINATION SPANNERS SET PROLINE HD®

• НАБОР КОМБИНИРОВАННЫХ ТРЕЩОТОЧНЫХ КЛЮЧЕЙ
• FLEXIBLER KNARREN-KOMBINATIONSSCHLÜSSEL SET



• Forged • Chromium-plated • Satin • Minimum work angle: 5°
• 7 pcs.: 8, 10, 12, 13, 14, 17, 19 mm

| Code | Quantity (pcs) | Range (mm) | BOX | BOX |
|-------|----------------|------------|-----|-----|
| 35487 | 7 | 8 - 19 | x | 20 |

4 FLEXIBLE RATCHET COMBINATION SPANNERS SET PROLINE HD®

• НАБОР КОМБИНИРОВАННЫХ ТРЕЩОТОЧНЫХ КЛЮЧЕЙ С ШАРНИРОМ
• FLEXIBLER KNARREN-KOMBINATIONSSCHLÜSSEL SET



• Forged • Chromium-plated • Satin • Joint range of motion: ±90°
• Minimum work angle: 5° • 7 pcs.: 8, 10, 12, 13, 14, 17, 19 mm

| Code | Quantity (pcs) | Range (mm) | BOX | BOX |
|-------|----------------|------------|-----|-----|
| 35497 | 7 | 8 - 19 | x | 20 |

1 RATCHET COMBINATION SPANNERS WITH SWITCH

PROLINE HD®

- КОМБИНИРОВАННЫЕ ТРЕЩОТЧНЫЕ КЛЮЧИ С ПЕРЕКЛЮЧАТЕЛЕМ
- KNARREN-KOMBINATIONSSCHLÜSSEL MIT SCHALTER



10 YEAR WARRANTY
72
CrV 6140
HRC 44±2

- Forged • Chromium-plated • Satin • Minimum work angle: 5°
- Ratchet mechanism reversible by a switch

| Code | Size (mm) | L (mm) | B (mm) | D (mm) | T1 (mm) | T2 (mm) | T (mm) | C (mm) | | |
|-------|-----------|--------|--------|--------|---------|---------|--------|--------|---|--------|
| 35688 | 8 | 135 | 18.5 | 17.7 | 7.7 | 5.1 | 3.0 | 8.3 | x | 10/100 |
| 35689 | 9 | 142 | 20.5 | 19.1 | 7.7 | 5.3 | 3.3 | 9.2 | x | 10/100 |
| 35690 | 10 | 158 | 22.5 | 21.2 | 8.2 | 5.8 | 3.6 | 9.8 | x | 10/100 |
| 35691 | 11 | 167 | 25.0 | 22.6 | 8.2 | 5.9 | 3.9 | 11.2 | x | 10/100 |
| 35692 | 12 | 173 | 26.9 | 23.8 | 8.8 | 6.1 | 4.1 | 11.9 | x | 10/100 |
| 35693 | 13 | 179 | 29.0 | 25.9 | 8.9 | 6.6 | 4.4 | 12.5 | x | 10/100 |
| 35694 | 14 | 189 | 31.5 | 27.7 | 9.3 | 7.5 | 4.8 | 13.1 | x | 10/100 |
| 35695 | 15 | 199 | 34.0 | 29.2 | 9.4 | 7.9 | 5.0 | 14.5 | x | 10/100 |
| 35696 | 16 | 215 | 35.7 | 31.8 | 9.9 | 7.9 | 5.2 | 15.1 | x | 10/100 |
| 35697 | 17 | 232 | 38.3 | 34.1 | 10.6 | 8.0 | 5.4 | 15.7 | x | 10/50 |
| 35698 | 18 | 238 | 40.1 | 34.0 | 11.0 | 8.5 | 5.5 | 16.0 | x | 10/50 |
| 35699 | 19 | 247 | 42.0 | 35.1 | 11.2 | 8.9 | 6.0 | 17.7 | x | 10/50 |

3 RATCHET RING SPANNERS

PROLINE HD®

- КЛЮЧИ НАКИДНЫЕ С ТРЕЩОТКОЙ • KNARREN-RINGSCHLÜSSEL



10 YEAR WARRANTY
72
CrV 6140
HRC 44±2


- Forged • Chromium-plated • Satin • Minimum work angle: 5°

| Code | Size (mm) | L (mm) | D1 (mm) | D2 (mm) | T1 (mm) | T2 (mm) | T (mm) | C (mm) | | |
|-------|-----------|--------|---------|---------|---------|---------|--------|--------|---|--------|
| 36658 | 8 x 9 | 128 | 21.0 | 17.5 | 7.7 | 7.0 | 4.0 | 10.6 | x | 20/100 |
| 36659 | 8 x 10 | 128 | 21.0 | 17.5 | 7.7 | 7.0 | 4.0 | 10.6 | x | 20/100 |
| 36660 | 10 x 13 | 160 | 26.0 | 21.0 | 9.3 | 7.7 | 4.7 | 12.8 | x | 20/100 |
| 36662 | 12 x 13 | 170 | 26.0 | 24.0 | 9.3 | 8.7 | 4.7 | 12.8 | x | 20/100 |
| 36664 | 14 x 15 | 190 | 30.7 | 27.7 | 10.0 | 9.4 | 5.4 | 15.4 | x | 20/100 |
| 36666 | 16 x 18 | 230 | 34.8 | 32.6 | 11.2 | 10.6 | 6.3 | 17.4 | x | 20/100 |
| 36667 | 17 x 19 | 230 | 34.8 | 32.6 | 11.5 | 10.9 | 6.3 | 17.4 | x | 20/100 |
| 36670 | 20 x 24 | 290 | 47.5 | 42.0 | 14.5 | 13.0 | 7.0 | 20.6 | x | 10/50 |
| 36672 | 22 x 24 | 290 | 47.5 | 42.0 | 14.5 | 13.0 | 7.0 | 20.6 | x | 10/50 |

5 4 IN1 RATCHET SPANNERS

PROLINE HD®

- КЛЮЧИ С ТРЕЩОТКОЙ «4 В ОДНОМ» • 4 IN 1 KNARRENSCHLÜSSEL



10 YEAR WARRANTY
4in1
72
CrV 6140
HRC 44±2

- Forged • Chromium-plated • Satin • Minimum work angle: 5° • Four dimensions in a single spanner with a mechanism reversible by a switch

| Code | Size (mm) | L (mm) | D1 (mm) | D2 (mm) | H1 (mm) | H2 (mm) | C1 (mm) | C2 (mm) | T1 (mm) | T2 (mm) | | |
|-------|-------------------|--------|---------|---------|---------|---------|---------|---------|---------|---------|---|--------|
| 36811 | 8 x 10 x 12 x 13 | 160 | 21.5 | 26.5 | 8.9 | 9.8 | 10.1 | 12.8 | 3.4 | 4.0 | x | 10/100 |
| 36812 | 10 x 13 x 17 x 19 | 210 | 26.5 | 35.6 | 9.8 | 12.2 | 15.3 | 18.0 | 4.0 | 5.8 | x | 5/50 |
| 36813 | 16 x 17 x 18 x 19 | 230 | 34.5 | 35.6 | 11.7 | 12.2 | 16.0 | 18.0 | 5.2 | 5.8 | x | 5/50 |

2 STUBBY RATCHET COMBINATION SPANNERS

PROLINE HD®

- КОМБИНИРОВАННЫЕ ТРЕЩОТЧНЫЕ КЛЮЧИ КОРОТКИЕ
- KURZE KNARREN-KOMBINATIONSSCHLÜSSEL



10 YEAR WARRANTY
72
CrV 6140
HRC 44±2

- Forged • Chromium-plated • Satin • Minimum work angle: 5°

| Code | Size (mm) | L (mm) | D (mm) | B (mm) | T1 (mm) | T2 (mm) | T (mm) | C (mm) | | |
|-------|-----------|--------|--------|--------|---------|---------|--------|--------|---|--------|
| 35378 | 8 | 88 | 17.5 | 18 | 7.0 | 5.1 | 3.2 | 8.6 | x | 20/100 |
| 35380 | 10 | 96 | 21 | 21.3 | 7.7 | 5.5 | 4 | 10.6 | x | 20/100 |
| 35381 | 11 | 100 | 22.7 | 23.7 | 8.3 | 5.9 | 4.3 | 11.5 | x | 20/100 |
| 35382 | 12 | 104 | 24 | 25.4 | 8.7 | 6.1 | 4.5 | 12.2 | x | 20/100 |
| 35383 | 13 | 108 | 26 | 26.8 | 9.3 | 6.3 | 4.7 | 12.8 | x | 20/100 |
| 35384 | 14 | 114 | 27.7 | 29.8 | 9.4 | 6.7 | 5.2 | 14.2 | x | 20/100 |
| 35385 | 15 | 118 | 29.1 | 31.6 | 10.0 | 7.1 | 5.3 | 14.8 | x | 20/100 |
| 35386 | 16 | 122 | 30.7 | 33.8 | 10.6 | 7.9 | 5.4 | 15.4 | x | 20/100 |
| 35387 | 17 | 128 | 32.6 | 36.2 | 10.9 | 7.8 | 5.6 | 16.0 | x | 20/100 |
| 35389 | 19 | 138 | 34.8 | 40 | 11.5 | 8.5 | 6.3 | 17.4 | x | 20/100 |

4 RATCHET RING SPANNERS SET

PROLINE HD®

- НАБОР КЛЮЧЕЙ НАКИДНЫХ С ТРЕЩОТКОЙ • KNARREN-RINGSCHLÜSSEL-SATZ



10 YEAR WARRANTY
72
CrV 6140
HRC 44±2

- Forged • Chromium-plated • Satin • Minimum work angle: 5°
- 5 pcs.: 8x10, 12x13, 14x15, 16x18, 17x19 mm

| Code | Quantity (pcs) | Range (mm) | BOX | |
|-------|----------------|------------|-----|----|
| 36650 | 5 | 8 - 19 | x | 10 |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Control Switches](#) category:

Click to view products by [Proline](#) manufacturer:

Other Similar products are found below :

[76156-00](#) [80932-99](#) [86855-00](#) [HW4S-2TC10](#) [89804-08](#) [RL01801](#) [ASD2L20N-LVO](#) [50051857-17](#) [50099156-001-05](#) [V16-21D-12R-S](#) [FF3-21-AC-03](#) [ELSEC5](#) [ELSEC20](#) [SPE-8](#) [AX-380](#) [ELSEC20/10](#) [BAT-SG4](#) [14.7456M-HC49-S](#) [D/R75](#) [74611-24](#) [TMT-HA600-2](#) [79981-99](#) [81866-26](#) [86303-26](#) [CP-37-2G](#) [JBC-T05D](#) [V19-11R-12Y-S](#) [V19B-11R-12G-S](#) [V22-21R-12B-S](#) [WEL.CT5A7](#) [PL303QMD-P](#) [BCP2L](#) [81908-00](#) [87770-00](#) [601.8119.045](#) [ASD322NU](#) [ASD340NU](#) [AS6Q-2Y2P](#) [KEM425UL Y/R](#) [LB6MS-33T2V](#) [LS/VS N160](#) [LS/VS 160 3P](#) [XB4FVB3](#) [XB4FVB5](#) [XB5FVB3](#) [XB4FA61](#) [XB5FW31B5](#) [XB5FW36B5](#) [XB4FG21](#) [XB4FG41](#)