



**MicroSpeeder with reverse lever and 15° offset ring side.**



## **7-piece MicroSpeeder set with reverse lever.**

**No swapping over: a real time saver! Extra long design.**

The 72-teeth inner ring gear made of special high alloy steel allows ratcheting even when the spanner can only be moved through 5°. Nevertheless, the torque transmission capacity far exceeds the DIN/ISO standards. CrV steel shaft with optimum surface protection: double nickel-plating and single matt-finished chrome-plating. Socket sizes easy to read due to laser marking!

As the 15° offset ring makes turning over of the spanner impossible, the spanner offers a reverse lever. Its design makes it ideally suited for working on flat surfaces.

One each 8 - 10 - 13 - 16 - 17 - 18 and 19mm in a sturdy powder coated steel box.

**NO 23 124**



### ***MicroSpeeder with reverse lever, individually***

<b>NO 23 130</b>	Size	8
<b>NO 23 131</b>	Size	9
<b>NO 23 132</b>	Size	10
<b>NO 23 133</b>	Size	11
<b>NO 23 134</b>	Size	12
<b>NO 23 135</b>	Size	13
<b>NO 23 136</b>	Size	14
<b>NO 23 137</b>	Size	15
<b>NO 23 138</b>	Size	16
<b>NO 23 139</b>	Size	17
<b>NO 23 140</b>	Size	18
<b>NO 23 141</b>	Size	19
<b>NO 23 143</b>	Size	21
<b>NO 23 144</b>	Size	22
<b>NO 23 146</b>	Size	24



For full professional use!



A very slim head provides shelter to the fully encapsulated drive.



Compact design allows for minimal outer dimensions (A+B).



With its 15° offset ring side, it is ideally suited for working on flat surfaces.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Spanners](#) category:*

*Click to view products by [Proxxon](#) manufacturer:*

Other Similar products are found below :

[74008](#) [1406504-3](#) [1406504-4](#) [1406504-5](#) [1725859-2](#) [9965](#) [1055267-1](#) [1-1406504-0](#) [TG70-24](#) [TG70-18](#) [R282320031](#) [1055512-1](#) [1055276-1](#)  
[R282303020](#) [TOL-222901](#) [523200-4](#) [TOL-171801](#) [1490262-2](#) [9968](#) [1302340394](#) [AC24VS](#) [R282340000](#) [BT-BS-609WT](#) [BT-BS-610R](#) [BT-](#)  
[BS-610RT](#) [R282320030](#) [BT-ST-302D](#) [1031-27R](#) [1031-34R](#) [1060-29](#) [1067-10](#) [1067-27](#) [1067-32](#) [1071-48](#) [10F0-26P](#) [10F0-32P](#) [10F0-55P](#) [0-](#)  
[90-947](#) [0-90-949](#) [40080606](#) [40082626](#) [40093232](#) [50184065](#) [58211008](#) [58211011](#) [58211013](#) [58211014](#) [58211015](#) [58211016](#) [58211019](#)