

PROXXON

Power and precision also when wet grinding. Includes keyless chuck (capacity 0.3 - 3.2mm). Made in Europe



- ❶ 20mm MICROMOT standard collar.
- ❷ Efficient forced ventilation cooling for extended periods of use without power loss.
- ❸ Balanced DC special motor. Powerful, with high life expectancy.
- ❹ Speed control with feedback effect for speeds of 3,000 - 15,000rpm.

Precision drill grinder FBS 12/EF



For precision drilling, milling, sanding, polishing, brushing, derusting, engraving, chiselling and cutting.

Includes keyless chuck (capacity 0.3 - 3.2mm). A precision ball bearing minimises spindle side play. Spindle lock button for bit changing obviates the need for spanners. Recessed spindle head for inserting MICROMOT steel collets. Special, balanced, low noise DC motor with high life expectancy. Variable speed control with feedback effect (high engine power in the lower revolutions area). Housing of glass fibre-reinforced POLYAMIDE. For operation we recommend the use of MICROMOT mains adapters with a power rating of at least 2A.

Technical data:

Direct voltage 12 - 18V. 100W. Stroke 3,000 - 15,000rpm. Length 185mm. Weight 450g.

NO 28 462



See us on YouTube!

Note:

The speed control of our 12 volt devices only works when operated via nonstabilised power supply units (e.g. all MICROMOT mains adapters). Connection to stabilised power supply units is possible. However, the devices will then operate with maximum rotational speeds (also applies to operation with batteries).

Suitable accessories:

Tool sets for industry and dentistry

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Proxxon](#) manufacturer:

Other Similar products are found below :

[20150](#) [22010](#) [22012](#) [22016](#) [22026](#) [22050](#) [22056](#) [22060](#) [22070](#) [22072](#) [22074](#) [22076](#) [22204](#) [22206](#) [22208](#) [22210](#) [22212](#) [22214](#) [22216](#)
[22230](#) [22234](#) [22236](#) [22238](#) [22240](#) [22242](#) [22244](#) [22262](#) [22264](#) [22330](#) [22332](#) [22334](#) [22342](#) [22344](#) [22390](#) [22392](#) [22402](#) [22406](#) [22442](#)
[22448](#) [22630](#) [23020](#) [23045](#) [23046](#) [23047](#) [23048](#) [23050](#) [23052](#) [23053](#) [23054](#) [23055](#)