



Compact, light and well balanced. With an extra powerful drive for a high material removal capacity.





## Belt sander BBS/S


Powered by a strong special DC motor, quiet and durable.

Left-aligned sanding belt allows for sanding right into corners. Fine adjustment of rollers prevents the belt from lateral roll-off. Easy replacement of bands without need for tools as rollers are under spring tension. Housing is made of glass-fibre reinforced POLYAMIDE. Supplied with each five 150 grit and 240 grit sanding belts. In addition, a screw clamp for stationary use. Packed in an attractive case as described above.

#### Technical data:

230V. 150W. Grinding band 40 x 260mm. Grinding surface 60 x 40mm, band speed 160m/min. Length 175mm. Weight 700g. Class 2 insulation.

### NO 28 526



## Grinding bands made from high-quality corundum (aluminium oxide)

Mounted on a high-performance support. For the grinding of metal, non-ferrous metals, wood and plastics. 40 x 260mm.

 NO 28 922
 80 grit
 5 pieces

 NO 28 924
 150 grit
 5 pieces

 NO 28 928
 240 grit
 5 pieces



Storage case of high-grade polypropylene. Attractive design, very sturdy and large enough to put the machine back in the case after completing work, without having to "fumble". A label on the side identifies the contents.



The BBS/S is also intended for stationary use. A screw clamp is included.



Five each 150 grit and 240 grit sanding belts are included.

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

# Click to view similar products for Proxxon manufacturer:

Other Similar products are found below:

20150	22010	22012	22016	22026	22050	22056	22060	22070	22072	22074	22076	22204	22206	22208	22210	22212	22214	22216
22230	22234	22236	22238	22240	22242	22244	22262	22264	22330	22332	22334	22342	22344	22390	22392	22402	22406	22442
22448	22630	23020	23045	23046	23047	23048	23050	23052	23053	23054	23055							