



Precise curved cutting in wood, printed circuit cards and nonferrous metals. With powerful special DC motor.







Ideal for curved sawing of wood (up to 10mm), printed circuit boards (up to 3mm), and non-ferrous metal (up to 2.5mm).


With powerful special DC motor. Variable speed control with feedback effect. Housing of glass-fibre reinforced POLYAMIDE. With additional ball adapter for working on convex and concave surfaces. Is exchanged for the normal saw table by unscrewing a screw. Including 2 saw blades (coarse and fine). For operation we recommend the use of MICROMOT mains adapters with a power rating of at least 2A.

Technical data:

Direct voltage 12 - 18V. Maximum power consumption 100W. Stroke 6mm (adjustable from 2,000 - 5,000rpm). Length 180mm. Weight 480g.

NO 28 534

1



Jig saw blades made of special steel

Pitch of 1.5mm, teeth ground and set. Usable on hard and soft woods, plywood, fibreglass reinforced sheets as well as soft plastics.

Fits STS/E and STS 12/E.

NO 28 054 Pack of 2

Jig saw blades made of HSS

Tooth pitch of 1.06mm, with teeth set and ground. Usable on metals, non-ferrous metals, aluminium and softer alloys, fibreglass, Plexiglass and insulating materials. Fits STS/E and STS 12/E.

NO 28 056 Pack of 2

1000 - 100 -

Note:

With additional ball adapter for working convex and concave surfaces. To be exchanged against the normal footplate by simply releasing a screw.



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Proxxon manufacturer:

Other Similar products are found below :

20150	22010	22012	22016	22026	22050	22056	22060	22070	22072	22074	22076	22204	22206	22208	22210	22212	22214	22216
22230	22234	22236	22238	22240	22242	22244	22262	22264	22330	22332	22334	22342	22344	22390	22392	22402	22406	22442
22448	22630	23020	23045	23046	23047	23048	23050	23052	23053	23054	23055							