



**High quality tools in chrome vanadium steel 31 CrV 3.**

## **18-piece special set for Allen screws.**



**For 1/4" square drive (6.3mm) and tightening torques up to 25Nm:**  
Sizes 2 - 6mm.

**For 1/2" square drive (12.5mm) and tightening torques from 25 - 210Nm:**  
Sizes 6 - 14mm (short version 55mm) and sizes 5 - 12mm (long version 100mm).

See photo for full contents.

Sturdy, welded steel box, powder coated for durability. With distortion-free, indestructible trays of injected POLYPROPYLENE. Oil and acid resistant and easy to clean. With easy-to-read and durable marking of all socket sizes!

**NO 23 100**

**2 YEAR  
GUARANTEE!**

For full  
professional use!

Sockets and drive elements  
carry an additional  
**25 year guarantee**  
against faulty material  
and workmanship.

**DIN**  
**ISO**



**Quality at its best:**  
Highest quality, exceeds  
DIN/ISO requirements for  
hardness and maximum  
torque. Individual size  
tolerances are all well within  
the prescribed norms.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Tool Kits & Cases](#) category:*

*Click to view products by [Proxxon](#) manufacturer:*

Other Similar products are found below :

[217434-1](#) [4263](#) [1055420-1](#) [11-18-3023](#) [63860-8170](#) [856600-2](#) [690372163](#) [11-40-3247](#) [63883-2870](#) [63885-0270](#) [63901-5670](#) [63866-1070](#)  
[63863-5070](#) [63892-7370](#) [11-18-3209](#) [63860-4070](#) [63881-0970](#) [A0403641](#) [11-18-3040](#) [63865-2070](#) [63910-1470](#) [63861-5070](#) [63850-7470](#)  
[11-18-3201](#) [63910-7570](#) [FM 0501 146](#) [63883-0670](#) [63830-0070](#) [63902-9170](#) [11-18-3147](#) [11-18-3079](#) [63883-2670](#) [63900-1770](#) [11-18-3190](#)  
[63851-1070](#) [63912-4770](#) [63911-5270](#) [63895-1070](#) [63860-1470](#) [63850-6070](#) [1-69411-3](#) [63852-9270](#) [63802-6270](#) [63902-4870](#) [11-18-3202](#)  
[63852-9170](#) [63850-1070](#) [63830-0170](#) [63910-2870](#) [11-18-3010](#)