




NOTES:


1. ROHS COMPLIANT
2. STORAGE TEMPERATURE:  $-50^{\circ}\text{C}$  TO  $+150^{\circ}\text{C}$
3. COMPLIANCE TO J-STD:
  - A. J-STD-002: SOLDERABILITY AT  $245^{\circ}\text{C}$  REFLOW PROFILE
  - B. J-STD-020: LEVEL 1, NO MOISTURE SENSITIVE
4. QUALIFIED PER AEC-Q200
5. PPAP LEVEL 3
6. FACTORY TS-16949 CERTIFIED
7. PARTS ARE PACKAGED IN TAPE AND REEL

ELECTRICAL CHARACTERISTICS AT  $+25^{\circ}\text{C}$  UNLESS OTHER SPECIFIED


PARAMETER	SPECIFICATIONS			
OPERATING TEMP	$-40^{\circ}\text{C}$ TO $+125^{\circ}\text{C}$			
TURNS RATIO AND POLARITY	$1.00 \pm 2\%$ , PER SCHEMATIC			
DC RESISTANCE, EACH LINE	4.2 OHMS MAX			
INDUCTANCE (OCL)	120 $\mu\text{H}$ TYP. @ 100 kHz, 100 mV			
INSERTION LOSS (SDD21)	10-100MHz	100-400 MHz		
	-1.0 dB MAX	-1.7 dB MAX		
RETURN LOSS (SDD11) (Z OUT = 100 OHM $\pm$ 1%)	30-80 MHz	200 MHz	400 MHz	
	-22 dB MIN	-17 dB MIN	-15 dB MIN	
COMMON- TO COMMON- MODE REJECTION (SCC21)	30-80 MHz	200 MHz	400 MHz	1000 MHz
	-45 dB MIN	-35 dB MIN	-32 dB MIN	-25 dB MIN
COMMON- TO DIFFERENTIAL- MODE REJECTION (SDS21)	10-30 MHz	100 MHz	200 MHz	1000 MHz
	-60 dB MIN	-47 dB MIN	-40 dB MIN	-38 dB MIN
CURRENT RATING	100 mA MAX			



RECOMMENDED FOOTPRINT



FINAL OUTLINE



SCHEMATIC

ALL DIMENSION ARE SHOWN IN MILLIMETERS.  
UNLESS OTHERWISE SPECIFIED,  
THE FOLLOWING TOLERANCES APPLY:

X.X =  $\pm 0.1$

© Copyright, 2018. Pulse Electronics Corp. All rights reserved. Pulse confidential & proprietary. (03/20/19)

PRODUCT DESCRIPTION	TLA DRAWING	PS DRAWING	SHEET	PART NO.	DATASHEET REV.
COMMON-MODE CHOKE,1000BT1	AE5002-P8	PS-2808.002-D	1 OF 1	AE5002	L

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Common Mode Chokes / Filters](#) category:*

*Click to view products by [Pulse manufacturer](#):*

Other Similar products are found below :

[74279408](#) [PE-62911NL](#) [PE-64683](#) [ST6118T-R](#) [T8114NLT](#) [RD5122-10-6M0](#) [TCM0806G-350-2P-T](#) [TCM0806G-650-2P-T](#) [IND-0110](#)  
[UAL21V07012500](#) [UAL21VR0802000](#) [UAL24VR06500CH](#) [UALSC023000000](#) [UALSC1020JH000](#) [UALSC1520JH000](#)  
[UALSU10VR20010](#) [UALSU16VD30030](#) [UALSU16VD40010](#) [UALSU9H0305000](#) [UALSU9HF060300](#) [UALSU9VD070100](#) [36-00037](#)  
[5701610000](#) [UALW21HS072450](#) [UALSU9VD070400](#) [UALSU9HF050500](#) [UALSU9H0208000](#) [UALSCF25081300](#) [UAL24VK06450CH](#)  
[PLT10HH501100PNB](#) [PLT10HH401100PNB](#) [PLT10HH1026R0PNB](#) [PE-67531](#) [EXC-X4CH120X](#) [TLH10UB 113 0R5](#) [2752041447](#)  
[2752045447](#) [CMS3-11-R](#) [7351V](#) [CMF16-153131](#) [744252510](#) [T8116NLT](#) [FE2X10-4-2NL](#) [744253200](#) [744253101](#) [744252220](#) [TX8111NLT](#)  
[UAL30VR3500470](#) [CTX01-19077-R](#) [T8003NLT](#)