



REVISION RECORD				
REV	ECO	DESCRIPTION	DRFT	CHKD
▲		ADD DIM	MANLY	
			06/24/08	

- NOTES:**
- ELECTRICAL:**
- VOLTAGE RATING : 125 VAC RMS.
  - CURRENT RATING : 1.5 AMP.
  - CONTACT RESISTANCE : 30 MILLIOHMS MAX.
  - INSULATION RESISTANCE: 1000 MEGOHMS MIN @ 500 VDC.
  - DIELECTRIC STRENGTH : 1000 VAC RMS 60Hz, 1MIN.
  - LED RATINGS: FORWARD VOLTAGE: 2.2 VOLTS TYPICAL.  
REVERSE VOLTAGE: 5 VOLTS MINIMUM.
  - OPERATING: 750 CYCLES MIN.
- MECHANICAL:**
- HOUSING MATERIAL : FR52 UL94-0
  - INSERT MATERIAL : FR52 UL94V-0
  - BACK PLATE MATERIAL : 3.2\*2.0\*7.0\*P=2.54mm.
  - LED SIZE : FR52 UL94V-0.
  - SHIELD MATERIAL : GOLD PLATING OVER NICKEL.
  - CONTACT MATERIAL : COPPER ALLOY 0.25mm THICKNESS PLATING NI.
  - PLATING : PHOSPHOR BRONZE 0.35mm THICKNESS OR Ø0.46.
  - PCB RETENTION PRE-SOLDER : 1 LB MIN.
  - PCB RETENTION POST-SOLDER: 10 LBS MIN.
- ENVIRONMENTAL:**
- STORAGE : -40°C TO +85°C.
  - OPERATION: -40°C TO +85°C.
  - WAVE SOLDERING TEMPERATURE: 225~265° (5~10 SECONDS)
- MATES WITH MODULAR PLUG CONFORMING TO FCC PART 68, SUBPART F.  
CUL FILE No:E163191

- PART NUMBER: E 5J 8 8 - X X L J X X -L
- 1-LED1:GREEN ,LED2:YELLOW
  - 2-LED1:GREEN ,LED2:GREEN
  - 3-LED1:YELLOW ,LED2:GREEN
  - 4-LED1:G+Y ,LED2:G+Y
  - 5-LED1:RED ,LED2:GREEN
  - 7-LED1:YELLOW ,LED2:YELLOW
  - J-LED1: G+Y ,LED2:YELLOW
  - E-LED1: GREEN ,LED2:RED
  - K-LED1:G+Y ,LED2:GREEN
  - V-LED1:Y+G ,LED2:Y+G
- PLATING: 1-3u" 2-6u" 3-15u" 4-30u" 5-50u"
- Plate Tin shield stamp pin, led long 7.0mm
  - Plate Ni shield stamp pin, led long 7.0mm
  - Plate Tin shield round pin, led long 7.0mm
  - Plate Ni shield round pin, led long 7.0mm
- J-W/O LOGO FR52
- 1-NO TAB  
2-TOP TABS  
3-SIDE TABS  
4-TOP TABS & SIDE TABS

DETACHED LISTS	MM (INCH)	DFTO PETERS	DATE 03/19/05
	TOLERANCES EXCEPT AS NOTED	CHKD	DATE
		MFO	DATE
		APPLVloscar	DATE 12/07/06
	MM		
	.0 ± 0.20	±	
	.00 ± 0.15	±	
	.000 ± 0.075	±	
	ANGLES ±		
	THIRD ANGLE PROJECTION		

FULL RISE ELECTRONIC CO., LTD			
TITLE			
RJ45 SIDE ENTRY LED JACK			
DRAWING NO. GE5J3015-LA		SIZE	REV
/PART NO. SEE NOTE		A3	1
DO NOT SCALE DRAWING		SHEET	OF
		1	1

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Modular Connectors](#) / [Ethernet Connectors](#) category:*

*Click to view products by [Pulse manufacturer](#):*

Other Similar products are found below :

[8949-H88/06BLKA/SN](#) [74441-0010/BKN](#) [PHP-6P6C-5](#) [GAX-3-66](#) [GAX-8-62](#) [GDCX-PN-66](#) [GLX-A-44](#) [GLX-N-1010M-BLK](#) [GMX-SMT4-N-88](#) [GSGX-N-2-88](#) [GSGX-N-4-88](#) [GSX-NS2-88-3.05](#) [GSX-NS-88-3.68](#) [PT-108A-8C-UL](#) [PTS-J531-8CS-50UL](#) [A-2014-0-4](#) [GWLX-S9-88-YG](#) [DC-1021-8-WH-6](#) [1300530003](#) [1324640-4](#) [RJ11FTVC2G](#) [RJ11FTVC2N](#) [RJFTVX2SA1G](#) [132764-001](#) [1413235](#) [MPS88RX-5000](#) [E5288-S000K3-L](#) [155302-001](#) [AX101050](#) [AX101063](#) [AX101065](#) [AX101072](#) [AX101307](#) [AX101315](#) [AX101318](#) [AX102271](#) [AX102288](#) [AX102651](#) [AX102660](#) [J0012D21NL](#) [J0026D01ENL](#) [PC4D0018P](#) [8949-B88/6](#) [2-6609208-5](#) [937-SP-3088-2PC-A192](#) [303066VFL](#) [303068V](#) [303088LFLSA](#) [303088SBL](#) [30-8603](#)