



Medical Grade Magnetics

HXU6200NL UL60601-1 Qualified



Pulse releases the HXU6200NL four pair 30W ethernet magnetics for Medical applications. The part is qualified to UL 60601, 2 means of operator protection (2 MOOP), PoE capable up to 30W, operating temperature of -40C to +85C, voltage isolation of 3000Vrms, and provides 4.0mm Creepage and 2.5mm Air clearance.

Features and Benefits:

- UL60601-1 Qualified
- 2 MOOP
- 4P PoE 30W
- Operating Temp. from -40C up to +85C
- 3KVrms Voltage isolation
- 4mm Creepage
- 2.5mm Air Clearance
- +15 years production support



HXU6200NL

Applications:

- MRI Machine
- Surgical Equipment
- CPAP
- Infusion Pumps
- Dialysis equipment

Part Number	Number of Ports	Max. Power	Voltage Isolation	Creepage	Clearance
HXU6200NL	Single	30W	3KVrms	4mm	2.5mm

[Datasheet](#)

[Order Samples](#)

[Buy Now](#)



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Audio Transformers](#) / [Signal Transformers](#) category:

Click to view products by [Pulse manufacturer](#):

Other Similar products are found below :

[CX2041NLT](#) [MGPWT-00449-P](#) [PE-64961](#) [H1302FNLT](#) [H5008FNL](#) [H5012FNL](#) [H5020FNLT](#) [H5077NLT](#) [H5084FNLT](#)
[B78476A9558A003](#) [1812WBT2-4](#) [1879479-1](#) [HX2260FNL](#) [HX5014FNL](#) [EX2024FNL](#) [FL1066](#) [T1137NLT](#) [T3012NL](#) [PE-65812FNL](#) [PE-65848FNLT](#) [H1174FNL](#) [H1302FNL](#) [H5015FNL](#) [H5019EFNL](#) [H5062FNLT](#) [CX2047LNL](#) [MGPWT-00059-P](#) [MGPWT-00266-P](#) [MGPWT-00278-P](#) [MGPWT-00431-P](#) [TTC-100](#) [TTC-143-H](#) [TTC-5032-1](#) [BX1194WNLT](#) [HX1234NLT](#) [HX5008FNLT](#) [HX5019FNL](#) [HX5084NL](#) [3-1879385-5](#) [TX1263NLT](#) [4-1879391-0](#) [T1142NL](#) [HX6101FNL](#) [HX5084FNL](#) [HX1148NL](#) [HX5020FNLT](#) [HX5014FNLT](#) [T1124NL](#)
[1879732-1](#) [2-1879391-5](#)