



Omni Directional Blade Antenna

Penta Band 110mm x 22mm x 5 mm. Pulse Part Numbers: W1920G0915 / W1920G3658



Features

- Compact size W x L x H (110 x 22 x 5 mm)
- Connector – SMA Male
- Cable type RG-174
- Other Cable lengths and Connector variations available on request
- Adhesive option
- Cable length 3 feet and 12 feet
- RoHS Compliant Product

Applications

- Frequency range (850/900/1800/1900/2100)

Electrical specifications @ +25 °C

Measured in free space

	DCS-PCS	SMR-AMPS-GSM
Frequency [MHz]	1710-2170	824-960
Nominal Impedance [Ω]	50	50
Peak Gain [dBi Avg]	1.5	1
Efficiency [% Avg]	60	50
Radiation Pattern	Omni-directional in the horizontal plane	
Polarization	Vertical	
Power Withstanding [W]	3	

Mechanical and Environmental Characteristics

Plastic radome	Thermoplastic Elastomer (TPE)
Color	Black
Weight	29.0 g 3' Cable / 65.0 g 12' Cable
Overall length	110 x 22 x 5 mm 4.33 x .87 x .20 inches
Mounting system	Adhesive tape
Operating temperature	-30/+60°C

Antenna Part No.	W1920G0915	W1920G3658
Connector	SMA Male	
Cable Length	915 mm / 3 ft	3658 mm / 12 ft
Cable Type	RG174 Black	

Pulse Finland Oy

Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501
www.pulseeng.com/antennas






Omni Directional Blade Antenna

Penta Band 110mm x 22mm x 5 mm. Pulse Part Numbers: W1920G0915 / W1920G3658


VSWR

W1920 With 3' RG-174 & SMA 10/19/09, S11 Parameter



Peak Gain vs Frequency

W1920 Penta band Stealth blade, Concept prototype
Measured at Pulse, USA - Aug 12, 2009



Efficiency vs Frequency

W1920 Penta band Stealth blade, Concept prototype
Measured at Pulse, USA - Aug 12, 2009



Pulse Finland Oy

Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501
www.pulseeng.com/antennas







Omni Directional Blade Antenna

Penta Band 110mm x 22mm x 5 mm. Pulse Part Numbers: W1920G0915 / W1920G3658



Curves

Antenna measures with 4" (102 mm) cable



Pulse Finland Oy

Takatie 6
 90440 Kempele, Finland
 Tel: +358 207 935 500
 Fax: +358 207 935 501
www.pulseeng.com/antennas



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [RF Cable Assemblies](#) category:

Click to view products by [Pulse](#) manufacturer:

Other Similar products are found below :

[73-6352-10](#) [73-6353-3](#) [73-6364-6](#) [R285001001](#) [R288940004](#) [145111-05-12.00](#) [1661-C-24](#) [1801171170914KE](#) [24P104C24J1-012](#)
[24P104C24P1-006](#) [24P104C24P1-018](#) [24P204C24J1-003](#) [172-2150-EX](#) [1800920920914PJ](#) [FCB-3030-ALT](#) [21117-046](#) [21117-050](#) [PCX-24-](#)
[50](#) [24P103C24P2-003](#) [25P203C25P2-003](#) [PTWY-24-78](#) [R284008001](#) [R285001021](#) [R285426000](#) [R288940003](#) [R288940008](#) [4814-BB-24](#)
[5260-72](#) [JT2N1-CL1-1F](#) [DLP-COAX1](#) [4814-K-48](#) [115101-09-06.00](#) [MXHT83QE3000](#) [CCNTN2-MM-LL335-26](#) [73-6351-25](#) [73-6352-3](#) [73-](#)
[6353-25](#) [1800920920610PJ](#) [GD0BQ0BQ024.0](#) [1-3636-600-5210](#) [TL8A-11SMA-11SMA-01500-51](#) [R284C0351060](#) [R288940009](#)
[R284C0351028](#) [R288940002](#) [9702-1SL-1](#) [PT82NSMA](#) [73-6353-10](#) [R285020301W](#) [PCX-18-50](#)