






# SURFACE MOUNT COMMON MODE CHOKES

Suited for LAN and Telecom Applications



-  Reduces radiated EMI emissions
-  Filters common mode noise for EMI reduction
-  Common mode attenuation from 100 kHz to 1 GHz
-  Tape & Reel packaging available for surface mount parts\*

## Electrical Specifications @ 25°C

| Part Number | No. of Lines | Primary Inductance OCL (µH MIN) | Common Mode Attenuation (dB TYP) |       |        |        |        |         |         |         |       | DCR (Ω MAX) | Page Number of Mech. & Schem. |
|-------------|--------------|---------------------------------|----------------------------------|-------|--------|--------|--------|---------|---------|---------|-------|-------------|-------------------------------|
|             |              |                                 | 100 KHz                          | 1 MHz | 10 MHz | 30 MHz | 50 MHz | 100 MHz | 300 MHz | 500 MHz | 1 GHz |             |                               |
| PE-68624    | 2            | 47                              | 11                               | 27    | 40     | 44     | 42     | 36      | 26      | 17      | —     | 0.40        | 2                             |
| PE-65855    | 2            | 4700                            | 41                               | 43    | 49     | 39     | 34     | 26      | 20      | 20      | 12    | 1.0         | 4                             |
| B2013       | 2            | 6300                            | 46                               | 47    | 43     | 32     | 25     | 29      | 21      | 14      | 16    | 1.0         | 3                             |
| B4003       | 2            | 4700                            | 42                               | 41    | 48     | 38     | 33     | 21      | 22      | 23      | 17    | 1.0         | 6                             |
| R0003       | 3            | 20                              | 6                                | 14    | 27     | 30     | 30     | 30      | 30      | 28      | 25    | 0.40        | 2                             |
| 23Z87SM     | 3            | 69                              | 9                                | 24    | 31     | 30     | 29     | 27      | 21      | 16      | —     | 0.20        | 4                             |
| PE-65857    | 4            | 22.5                            | 7                                | 20    | 30     | 37     | 38     | 34      | 24      | 13      | —     | 0.22        | 4                             |
| PE-68627    | 4            | 24                              | 8                                | 21    | 32     | 36     | 37     | 36      | 30      | 20      | —     | 0.25        | 4                             |
| T8003       | 4            | 33                              | 9                                | 13    | 32     | 32     | 30     | 27      | 16      | 17      | 13    | 0.20        | 6                             |
| 23Z4000SMD  | 4            | 36                              | 7                                | 23    | 35     | 38     | 38     | 36      | 29      | 24      | —     | 0.50        | 5                             |
| PE-65738    | 4            | 37                              | 8                                | 21    | 28     | 28     | 28     | 27      | 25      | 22      | —     | 0.30        | 3                             |
| PE-65854    | 4            | 47                              | 3                                | 19    | 32     | 36     | 35     | 29      | 12      | 6       | —     | 0.40        | 3                             |
| 23Z104SM    | 4            | 68                              | 8                                | 22    | 28     | 28     | 27     | 25      | 20      | 15      | —     | 0.20        | 5                             |
| PE-67540    | 4            | 100                             | 14                               | 33    | 44     | 48     | 49     | 44      | 34      | 29      | 20    | 0.60        | 4                             |
| PE-65853    | 4            | 4700                            | 40                               | 51    | 38     | 30     | 25     | 20      | 14      | 13      | —     | 1.20        | 3                             |
| PE-68602    | 6            | 21                              | 6                                | 19    | 28     | 34     | 35     | 36      | 34      | 29      | 1     | 0.35        | 3                             |
| 23Z106SM    | 6            | 68                              | 8                                | 22    | 29     | 30     | 30     | 29      | 24      | 19      | —     | 0.20        | 5                             |
| PE-69011    | 8            | 36                              | 8                                | 24    | 36     | 39     | 35     | 29      | 18      | 11      | —     | 0.35        | 3                             |
| 23Z105SM    | 8            | 68                              | 8                                | 24    | 30     | 29     | 27     | 24      | 16      | 11      | —     | 0.20        | 5                             |
| 23Z109SM    | 10           | 7.5                             | 4                                | 9     | 20     | 25     | 26     | 24      | 16      | 11      | —     | 0.20        | 5                             |
| T8008       | 16           | 47                              | 7                                | 27    | 40     | 44     | 42     | 36      | 26      | —       | —     | 0.40        | 6                             |


\* When ordering Tape & Reel packaging, add a "T" at the end of the part number (i.e. PE-65738T or 23Z106SMT).

**NOTE:** Additional common mode chokes are available. Please contact Applications Engineering.


## Mechanicals

## Schematics

### PE-68624, R0003



### R0003



Connect unused pin to logic ground for optimum performance.

### PE-68624



# SURFACE MOUNT COMMON MODE CHOKES


Suited for LAN and Telecom Applications



## Mechanicals


## Schematics

### PE-65738, PE-68602, PE-69011




**Dimensions:**  $\frac{\text{Inches}}{\text{mm}}$   
Unless otherwise specified,  
all tolerances are  $\pm \frac{.010}{0.25}$


**Weight** . . . . .0.83 grams  
**Tape & Reel** . . . . .900/reel  
**Tube** . . . . .40/tube



### PE-69011




### PE-65853




**Dimensions:**  $\frac{\text{Inches}}{\text{mm}}$   
Unless otherwise specified,  
all tolerances are  $\pm \frac{.010}{0.25}$

**Weight** . . . . .4.0 grams  
**Tape & Reel** . . . . .150/reel  
**Tube** . . . . .35/tube

### PE-65853



### B2013




**Dimensions:**  $\frac{\text{Inches}}{\text{mm}}$   
Unless otherwise specified,  
all tolerances are  $\pm \frac{.010}{0.25}$

**Weight** . . . . .9.5 grams  
**Tray** . . . . .30/tray

### B2013




### PE-65854



**Dimensions:**  $\frac{\text{Inches}}{\text{mm}}$   
Unless otherwise specified,  
all tolerances are  $\pm \frac{.010}{0.25}$

**Weight** . . . . .0.3 grams  
**Tape & Reel** . . . . .1500/reel  
**Tube** . . . . .60/tube

### PE-65854







# SURFACE MOUNT COMMON MODE CHOKES


Suited for LAN and Telecom Applications



## Mechanicals

## Schematics


### T8003




**Dimensions:**  $\frac{\text{Inches}}{\text{mm}}$   
Unless otherwise specified,  
all tolerances are  $\pm \frac{.005}{0,13}$

**Weight** ..... 0.84 grams  
**Tape & Reel** ..... .750/reel  
**Tube** ..... .100/tube

### T8003




### T8055




**Dimensions:**  $\frac{\text{Inches}}{\text{mm}}$   
Unless otherwise specified,  
all tolerances are  $\pm \frac{.010}{0,25}$

**Weight** ..... 0.2 grams  
**Tape & Reel** ..... .1750/reel  
**Tube** ..... .80/tube

### T8055



### B4003




**Dimensions:**  $\frac{\text{Inches}}{\text{mm}}$   
Unless otherwise specified,  
all tolerances are  $\pm \frac{.010}{0,25}$

**Weight** ..... 1.0 grams  
**Tape & Reel** ..... .425/reel  
**Tube** ..... .50/tube

### B4003




### T8008



**Dimensions:**  $\frac{\text{Inches}}{\text{mm}}$   
Unless otherwise specified,  
all tolerances are  $\pm \frac{.010}{0,25}$

**Weight** ..... 4.0 grams  
**Tape & Reel** ..... .250/reel  
**Tube** ..... .15/tube


### T8008







**NOTE:** The common mode test circuit for surface mount is the same as for through hole and is on the back page.

# THROUGH HOLE COMMON MODE CHOKES

Suited for LAN and Telecom Applications



-  Reduces radiated EMI emissions
-  Filters common mode noise for EMI reduction
-  Common mode attenuation from 100 KHz to 1 GHz
-  Tube packaging available for through hole parts

## Electrical Specifications @ 25°C

| Part Number | No. of Lines | Primary Inductance OCL (μH MIN) | Common Mode Attenuation (dB TYP) |       |        |        |        |         |         |         |       | DCR (Ω MAX) | Page Number of Mech. & Schem. |
|-------------|--------------|---------------------------------|----------------------------------|-------|--------|--------|--------|---------|---------|---------|-------|-------------|-------------------------------|
|             |              |                                 | 100 KHz                          | 1 MHz | 10 MHz | 30 MHz | 50 MHz | 100 MHz | 300 MHz | 500 MHz | 1 GHz |             |                               |
| PE-65944    | 2            | 24                              | 1                                | 14    | 28     | 32     | 33     | 28      | 13      | 5       | —     | 0.30        | 9                             |
| 23Z107      | 2            | 68                              | 8                                | 25    | 33     | 32     | 30     | 27      | 18      | 12      | —     | 0.20        | 11                            |
| PE-67531    | 2            | 140                             | 14                               | 34    | 45     | 49     | 50     | 47      | 38      | 32      | 25    | 0.60        | 9                             |
| B2005       | 2            | 9000                            | 47                               | 47    | 41     | 30     | 22     | 33      | 21      | 15      | 15    | 1.0         | 10                            |
| 23Z87       | 3            | 69                              | 8                                | 22    | 29     | 29     | 28     | 26      | 20      | 15      | —     | 0.20        | 10                            |
| PE-65554    | 4            | 24                              | —                                | 21    | 32     | 38     | 39     | 34      | 24      | 13      | —     | 0.30        | 8                             |
| 42Z4000     | 4            | 36                              | 8                                | 24    | 37     | 40     | 40     | 38      | 30      | 24      | —     | 0.20        | 11                            |
| PE-67501    | 4            | 50                              | 14                               | 34    | 45     | 49     | 50     | 47      | 20      | 15      | 10    | 0.30        | 9                             |
| PE-68002    | 4            | 68                              | 7                                | 24    | 37     | 41     | 42     | 40      | 31      | 27      | —     | 0.35        | 9                             |
| 23Z104      | 4            | 85                              | 8                                | 23    | 29     | 29     | 28     | 25      | 17      | 11      | —     | 0.20        | 10                            |
| PE-67539    | 4            | 140                             | 14                               | 33    | 44     | 48     | 48     | 43      | 33      | 28      | 19    | 0.60        | 9                             |
| PE-65542    | 4            | 1000                            | 28                               | 41    | 42     | 32     | 22     | —       | —       | —       | —     | 0.70        | 8                             |
| PT5039      | 4            | 3600                            | 42                               | 43    | 42     | 32     | 27     | 17      | 15      | 9       | 13    | 0.50        | 8                             |
| J0010D11    | 4            | —                               | 9                                | 13    | 32     | 35     | 35     | 29      | 13      | 24      | 19    | 0.50        | 12                            |
| PE-65950    | 4            | 4700±30%                        | 40                               | 51    | 37     | 28     | 23     | 20      | —       | —       | —     | 1.00        | 8                             |
| PE-65541    | 4            | 6000                            | 44                               | 54    | 33     | 32     | 29     | —       | —       | —       | —     | 1.40        | 8                             |
| PE-68613    | 4            | 3290                            | 40                               | 51    | 37     | 28     | 23     | 20      | —       | —       | —     | 1.00        | 11                            |
| PE-64683    | 6            | 25                              | 6                                | 18    | 32     | 38     | 37     | 32      | 21      | 17      | —     | 0.35        | 8                             |
| 23Z106      | 6            | 85                              | 8                                | 23    | 30     | 29     | 28     | 27      | 21      | 15      | —     | 0.20        | 10                            |

# THROUGH HOLE COMMON MODE CHOKES


Suited for LAN and Telecom Applications




## Mechanicals

## Schematics

### PE-64683




### PE-64683




Dimensions:  $\frac{\text{Inches}}{\text{mm}}$   
Unless otherwise specified,  
all tolerances are  $\pm \frac{.010}{0,25}$

Weight .....0.27 grams  
Tube .....30/tube

### PE-65541, PE-65542, PE-65950




### PE-65541 PE-65542 PE-65950




Dimensions:  $\frac{\text{Inches}}{\text{mm}}$   
Unless otherwise specified,  
all tolerances are  $\pm \frac{.010}{0,25}$

Weight .....0.38 grams  
Tube .....35/tube

### PE-65554




### PE-65554




Dimensions:  $\frac{\text{Inches}}{\text{mm}}$   
Unless otherwise specified,  
all tolerances are  $\pm \frac{.010}{0,25}$

Weight .....2.5 grams  
Tube .....35/tube

### PT5039



### PT5039



Dimensions:  $\frac{\text{Inches}}{\text{mm}}$   
Unless otherwise specified,  
all tolerances are  $\pm \frac{.010}{0,25}$

Weight .....2.5 grams  
Tube .....35/tube

# THROUGH HOLE COMMON MODE CHOKES


Suited for LAN and Telecom Applications



## Mechanicals

## Schematics

### PE-65944




Dimensions:  $\frac{\text{Inches}}{\text{mm}}$   
 Unless otherwise specified,  
 all tolerances are  $\pm \frac{.010}{0,25}$

### PE-65944




Weight ..... 1.07 grams  
 Tube ..... .30/tube

### PE-67501, PE-67539




Dimensions:  $\frac{\text{Inches}}{\text{mm}}$   
 Unless otherwise specified,  
 all tolerances are  $\pm \frac{.010}{0,25}$

### PE-67501 PE-67539



Weight ..... 2.4 grams  
 Tube ..... .40/tube

### PE-67531




Dimensions:  $\frac{\text{Inches}}{\text{mm}}$   
 Unless otherwise specified,  
 all tolerances are  $\pm \frac{.010}{0,25}$

### PE-67531




Weight ..... 0.76 grams  
 Tube ..... .40/tube

### PE-68002



Dimensions:  $\frac{\text{Inches}}{\text{mm}}$   
 Unless otherwise specified,  
 all tolerances are  $\pm \frac{.010}{0,25}$

### PE-68002



Weight ..... 1.4 grams  
 Tube ..... .50/tube



# THROUGH HOLE COMMON MODE CHOKES


Suited for LAN and Telecom Applications



## Mechanicals

## Schematics

**B2005**




Dimensions:  $\frac{\text{Inches}}{\text{mm}}$   
Unless otherwise specified,  
all tolerances are  $\pm \frac{.005}{0,13}$

Weight . . . . .3.7 grams  
Tube . . . . .40/tube




**23Z87**




Dimensions:  $\frac{\text{Inches}}{\text{mm}}$   
Unless otherwise specified,  
all tolerances are  $\pm \frac{.005}{0,13}$

Weight . . . . .0.7 grams  
Tube . . . . .76/tube




**23Z104**




Dimensions:  $\frac{\text{Inches}}{\text{mm}}$   
Unless otherwise specified,  
all tolerances are  $\pm \frac{.005}{0,13}$

Weight . . . . .1.0 grams  
Tube . . . . .50/tube




**23Z106**



Dimensions:  $\frac{\text{Inches}}{\text{mm}}$   
Unless otherwise specified,  
all tolerances are  $\pm \frac{.005}{0,13}$

Weight . . . . .1.9 grams  
Tube . . . . .28/tube



# THROUGH HOLE COMMON MODE CHOKES


Suited for LAN and Telecom Applications



## Mechanicals

## Schematics

**23Z107**




Dimensions:  $\frac{\text{Inches}}{\text{mm}}$   
 Unless otherwise specified,  
 all tolerances are  $\pm \frac{.005}{0,13}$

Weight ..... .045 grams  
 Tube ..... .100/tube

**23Z107**




**42Z4000**




Dimensions:  $\frac{\text{Inches}}{\text{mm}}$   
 Unless otherwise specified,  
 all tolerances are  $\pm \frac{.010}{0,25}$

Weight ..... .15 grams  
 Tube ..... .47/tube

**42Z4000**




**PE-68613**



Dimensions:  $\frac{\text{Inches}}{\text{mm}}$   
 Unless otherwise specified,  
 all tolerances are  $\pm \frac{.005}{0,127}$

Weight ..... .35 grams  
 Tube ..... .40/tube

**PE-68613**




# THROUGH HOLE COMMON MODE CHOKES

Suited for LAN and Telecom Applications




## Mechanical

### J0010D11 - Filtered Connector



## Common Mode Test Circuit for Surface Mount and Through Hole



### Test Notes:

1. Network analyzer calibrated to compensate for 50  $\Omega$  resistors.
2. All windings on a core are connected in parallel for the test.
3. For multi-core chokes, test data is for one core only. The windings on the other core(s) are left unconnected (i.e. open).

### For More Information :

| UNITED STATES<br>(Worldwide)                                                                                                  | UNITED KINGDOM<br>(Northern Europe)                                                                                                | FRANCE<br>(Southern Europe)                                                                         | SINGAPORE<br>(Southern Asia)                                                                              | TAIWAN, R.O.C.<br>(Northern Asia)                                                                                                   | HONG KONG<br>(China/Hong Kong)                                                                                                                       | DISTRIBUTOR |
|-------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| 12220 World Trade Drive<br>San Diego, CA 92128<br>U.S.A.<br>http://www.pulseeng.com<br>TEL: 858 674 8100<br>FAX: 858 674 8262 | 3 Huxley Road<br>Surrey Research Park<br>Guildford, Surrey GU2 5RE<br>United Kingdom<br>TEL: 44 1483 401700<br>FAX: 44 1483 401701 | Zone Industrielle<br>F-39270<br>Orgelet<br>France<br>TEL: 33 3 84 35 04 04<br>FAX: 33 3 84 25 46 41 | 150 Kampong Ampat<br>#07-01/02<br>KA Centre<br>Singapore 368324<br>TEL: 65 6287 8998<br>FAX: 65 6280 0080 | 3F-4, No. 81, Sec. 1<br>HsinTai Wu Road<br>Hsi-Chih, Taipei Hsien<br>Taiwan, R.O.C.<br>Tel: 886 2 2698 0228<br>FAX: 886 2 2698 0948 | 9/F, Phase 2, Tai Sang<br>Shatin Warehouse Centre<br>6 Wong Chuk Yeung Street<br>Fotan Shatin, Hong Kong<br>TEL: 852 2788 6588<br>FAX: 852 2776 1055 |             |

Performance warranty of products offered on this data sheet is limited to the parameters specified. Data is subject to change without notice. Other brand and product names mentioned herein may be trademarks or registered trademarks of their respective owners.

© Copyright, 2004. Pulse Engineering, Inc. All rights reserved.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Common Mode Filters / Chokes](#) category:*

*Click to view products by [Pulse manufacturer](#):*

Other Similar products are found below :

[74279408](#) [8109-RC](#) [8121-RC](#) [PE-62911NL](#) [PE-64683](#) [RD5122-6-9M6](#) [RD6137-6-7M5](#) [RD8147-16-3M0](#) [B82722A2801N020](#)  
[B82723A2802N001](#) [B82723J2802N001](#) [B82726S2183N020](#) [T8114NLT](#) [RD5122-10-6M0](#) [RD7147-25-0M7](#) [B82724J2502U040](#)  
[B82725S2103N004](#) [B82731M2401A033](#) [B82792C0506N365](#) [IND-0110](#) [CMC-03](#) [8117-RC](#) [PE-67531](#) [B82732R2601B30](#)  
[B82794C0686N465](#) [2752041447](#) [2752045447](#) [CMS3-11-R](#) [23Z109SMNL-T](#) [009968H](#) [014660H](#) [057966E](#) [CM9900-224](#) [CPFC74NP-](#)  
[PS01H2A30](#) [CPFC805NP-100M05](#) [EXC-24CD121U](#) [EXC-24CD201U](#) [EXC-24CD600U](#) [B82723A2602N001](#) [B82730U3162A020](#)  
[B82730U3951A020](#) [DKFP-6248-0102](#) [DKFP-6248-02D5](#) [DKFP-6248-D504](#) [7448640395](#) [ELF-14M080E](#) [ELF-18D214](#) [ELF-18D217](#) [ELF-](#)  
[18D218](#) [ELF-18D227F](#)