Outdoor 3G Radome Omni 4 dBi Antenna

Pulse / (3) LARSEN

Pulse Part Number RO8063/21704 Family



Pulse announces a new outdoor high gain radome omni antenna for 3G operations. The frequency range covers 806-960 and 1710-2170 MHz with peak gain levels of 3 and 4.5 dBi delivered in the lower and higher frequency bands respectively. The white Pultruded Fiberglass radome is 388 mm (15.3 inches) in height, UV protected and IP-67 rated. It has been tested to wind loading of 125 mph. The antenna is designed for installation on a mast or external wall using the FB2BRACKET or FB3BRACKET.

Key applications are femto cells, 3G repeaters and small base stations. Given the frequency range covered by the RO8063/21704, this antenna is also suitable for other global cellular bands such as GPRS, EDGE, HSDPA, GSM, UMTS.

Features

- Frequency Range 806-960/1710-2170 MHz
- Omni Directional with 4 dBi Gain
- UV Protected and IP-67 Rated
- RoHS Compliant Product

Applications

- 3G Repeaters
- Femto Cell
- Small Base Station

Part Number	Connector
RO8063/21704NM	N Male
RO8063/21704NF	N Female

San Diego, CA 858 674 8100

Outdoor 3G Radome Omni 4 dBi Antenna

Pulse Part Number RO8063/21704 Family

Electrical Specifications

Frequency 1 [MHz]		806-960
	Frequency 2 [MHz]	1710-2170
	Nominal Impedance [Ω]	50
S X	Freq 1	2.5:1
VSWR	Freq 2	2.5:1
Gain	Freq 1 [dBi avg]	3 Max
	Freq 2 [dBi avg]	4.5 Max
io Lo		Horizontal Omni
Polarization	Frequency 1	Vertical - 53°
Pol	Frequency 2	Vertical - 39°
Power Rating [W]		20
	Connector	N Male

Environmental Specifications

Operating Temperature [°C]	-40 to +85
Storage Temperature [°C]	-40 to +85
Relative Humidity [%]	100

Mechanical Specifications

Radome Material	Pultruded Fiberglass
Color	Off White
Ingress Protection	IP-67
Weight [oz/g]	8 / 228
Wind-loading [Mph]	125
Dimensions [Inches/Meters]	1.45 x 15.3 / 36.9 x 338.9
Flammability Rating	UL94 HB




Outdoor 3G Radome Omni 4 dBi Antenna


Pulse Part Number RO8063/21704 Family

Radiation Patterns


Horizontal Plane - 806-960 MHz




Horizontal Plane - 1710-2150 MHz



Vertical Plane - 806-960 MHz



Vertical Plane - 1710-2150 MHz



For More Information

Asia Headquarters B402, Shenzhen Academy of **Pulse Worldwide Headquarters** Larsen Brand Antenna Europe Headquarters Pulse North Asia Pulse (Suzhou) Wireless Products Co, Inc. 3611 NF 112th Avenue Pulse GmbH & Do, KG 3F, No. 198, Zhongyuan Road 99 Huo Ju Road, (#29 Bldg, 4th Phase) Suzhou New District 12220 World Trade Drive San Diego, CA 92128 Vancouver, WA 98682 Zeppelinstrasse 15 Aerospace Technology Bldg. Zhongli City, Taoyuan County 320 10th Kejinan Road, High-Tech Zone Taiwan R. O. C. Science & Tech Industrial Park Herrenberg Germany Nanshan District, Shenzen, PR China 518057 Jiangsu Province, Suzhou 215009 PR China Tel: 858 674 8100 Tel: 360 944 7551 Tel: 49 7032 7806 0 Tel: 86 755 33966678 Tel: 886 3 4356768 Tel: 86 512 6807 9998 Fax: 858 674 8262 Fax: 369 944 7556 Fax: 49 7032 7806 135 Fax: 86 755 33966700 Fax: 886 3 4356823 Fax: 86 512 6809 8023

Performance warranty of products offered on this data sheet is limited to the parameters specified. Data is subject to change without notice. Other brand and product names mentioned herein may be trademarks or registered trademarks of their respective owners. © Copyright, 2010. Pulse Electronics, Inc. All rights reserved.



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Pulse manufacturer:

Other Similar products are found below:

GAN30084EU 930-033-R GW17.07.0250E 1513563-1 EXE902SM APAMPG-117 MAF94383 W3908B0100 W6102B0100 YE572113-30RSMM 108-00014-50 66089-2406 SPDA17RP918 A09-F8NF-M A09-F5NF-M RGFRA1903041A1T W3593B0100 W3921B0100 SIMNA-868 SIMNA-915 SIMNA-433 W1044 W1049B090 A75-001 WTL2449CQ1-FRSMM CPL9C EXB148BN 0600-00060 TRA9020S3PBN-001 GD5W-28P-NF MA9-7N GD53-25 GD5W-21P-NF C37 MAF94051 MA9-5N EXD420PL B1322NR QWFTB120 MAF94271 MAF94300 GPSMB301 FG4403 AO-AGSM-OM54 5200232 MIKROE-2349 WCM.01.0111 MIKROE-2393 MIKROE-2352 MIKROE-2350