T1/E1/CEPT/ISDN-PRI TRANSFORMER

Quad Port SMT Transformer/Choke Modules, 1500 Vrms, Extended Temperature Range





- RoHS peak reflow temperature rating: 245°C
- Optimized for enhanced EMC performance
- Quad-port SMT package contains Transformers with optional Common Mode Chokes on both transmit and receive channels
- Extended temperature range
- Isolation Voltage: 1500 Vrms

Electrical Specifications @ 25°C — Operating Temperature -40°C to +85°C									
	RoHS Compliant Part Number		s Ratio c ±2%)	Line Side OCL	Cw/w (pF MAX)	Primary Pins			
w/CMC	wo/CMC	TX	RX	(mH MIN)	(bi idity)	TX	RX		
TX1263NL	TX1262NL	1:2	1:2	1.2	35	1-2, 6-7, 11-12, 16-17	3-4, 8-9, 13-14, 18-19		
TX1267NL	TX1266NL	1:2	1:1	1.2	35	1-3, 6-8, 11-13, 16-18	4-5, 9-10, 14-15, 19-20		


NOTES: 1. Other Transformer/Choke modules available. Please contact Pulse Applications Engineering. Please refer to data sheet T622 for a list of additional Octal Transformers without Common Mode Chokes.

- 2. RoHS compliant parts have an "NL" suffix at the end of the part number, TX1267NL.
- 3. To order Tape & Reel packaging add a "T" suffix to the part number (i.e. TX1263NL becomes TX1263NLT).

Mechanical Schematic

1.125 MAX 28,58 480 12,19 .640 MAX TX1263NL/67NL 16,26 COUNTRY OF ORIGIN $40X \frac{.030}{0.76}$ 88888888888888888 $=\left(\frac{.950}{24,13}\right)$ -19X <u>.050</u> 1,27 40X .018 0,46 SUGGESTED PAD LAYOUT .950 .485 24.13 12.32 .285 MAX 6,99 004/0,10 (.010\ 0,25 40 Surfaces

Weight	mm Unless otherwise specified, all tolerances are ± .0)10
--------	--	-----



TX1263NL / 1267NL

T1/E1/CEPT/ISDN-PRI TRANSFORMER


Quad Port SMT Transformer/Choke Modules, 1500 Vrms, Extended Temperature Range



Mechanical

Schematics

TX1262NL, TX1266NL



For More Information:

Pulse North American Headquarters

12220 World Trade Dr. San Diego, CA 92128 U.S.A.

TEL: 858 674 8100

Pulse European Headquarters Einsteinstrasse 1

D-71083 Herrenberg Germany

Pulse China Headquarters

B402, Shenzhen Academy of Aerospace Technology Bldg. 10th Kejinan Rd. High-Tech Zone Nanshan District Shenzen, PR China 518057

Pulse North China Room 1503 XinYin Building

No. 888 YiShan Rd. Shanghai 200233 China

Pulse South Asia 150 Kampong Ampat #07-01/02

KA Centre Singapore 368324 **Pulse North Asia** No. 26 Kao Ching Rd. Yang Mei Chen

Taoyuan Hsien Taiwan, R. O. C. 32667

FAX: 858 674 8262

TEL: 49 7032 7806 0 FAX: 49 7032 7806 12

TEL: 86 755 33966678 TEL: 86 21 32181071 FAX: 86 755 33966700 FAX: 86 21 32181396

TEL: 65 6287 8998 FAX: 65 6280 0080 TEL: 886 3 4643715 FAX: 886 3 4641911

Performance warranty of products offered on this data sheet is limited to the parameters specified. Data is subject to change without notice. Other brand and product names mentioned herein may be trademarks or registered trademarks of their respective owners. Pulse and the Squarewave logo are trademarks of Pulse Electronics Corporation, registered in the U.S. and other countries. © Copyright, 2011. Pulse Electronics Corporation. All rights reserved.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Audio Transformers / Signal Transformers category:

Click to view products by Pulse manufacturer:

Other Similar products are found below:

CX2041NLT MGPWT-00449-P PE-64961 H1302FNLT H5008FNL H5012FNL H5020FNLT H5077NLT H5079NLT H5084FNLT

B78476A9558A003 1812WBT2-4 1879479-1 HX2260FNL HX5014FNL EX2024FNL FL1066 T1137NLT T3012NL PE-65812FNL PE65848FNLT H1174FNL H1302FNL H5015FNL H5019EFNL H5062FNLT CX2047LNL MGPWT-00059-P MGPWT-00266-P MGPWT00278-P MGPWT-00431-P TTC-100 TTC-143-H TTC-5032-1 BX1194WNLT HX1234NLT HX5008FNLT HX5019FNL HX5084NL 31879385-5 TX1263NLT 4-1879391-0 T1142NL HX6101FNL HX5084FNL HX1148NL HX5020FNLT HX5014FNLT T1124NL
1879732-1