

1Gigabit Connector modules for Energy Efficient Ethernet

Pulse introduces a series of 1x1, 1x2 and 1x4 1000BASE-T Ethernet Connectors for the IEEE 802.3az Standard for Energy Efficient Ethernet (EEE)

Pulse's new range of 1Gigabit Ethernet connector modules are designed to meet the latest trend in Ethernet connectivity. The demand for Energy Efficiency and greener devices has created new voltage driven PHYs compliant to IEEE802.3az for Energy Efficient Ethernet (EEE). These new range operate with the leading voltage driven silicon and PHYs from all the major manufacturers.

Building on Pulse's latest "JXD" range of compact connector modules, the new series features two schematic options for easy PCB layout, LED and EMI.

Featured Products:

- JXD0-00XXNL Side Entry, 1x1, Tab Down
- JXD1-00XXNL Side Entry, 1x1, Tab Up
- JXD0-20XXNL Side Entry, 1x2, Tab-Down
- JXD1-20XXNL Side Entry, 1x2, Tab-Up
- JXD0-40XXNL Side Entry, 1x4, Tab-Down

Applications:

Industrial Automation, Process or Remote Control and Monitoring, Campus, Factory or Rugged Communication Networks, Routers, Switches for SMB and SoHO markets.

Features and Benefits:

- Exceeds IEEE802.3u(100BASE-TX) and 802.3ab (1000BASE-T) Standards
- -40°C to +85°C operating temperature
- Suitable for CAT 3, CAT 5 UTP or higher
- Easy PCB layout due to Dual Schematic options
- UL File Listing E216117
- Compact form factor optimizing board space
- Supports all major PHY manufactures







Industrial 1000Base-TX Ethernet Connector Modules

PART No.	TAB LOCATION	No. Ports	EMI FINGERS	PHY Style	LED Left/Right (pin style)
JXDO-0015NL	DOWN	1x1	YES	anti-c/w	Green/Yellow (in-Line)
JXDO-0019NL	DOWN	1x1	NO	anti-c/w	Green/Yellow (in-Line)
JXDO-0025NL	DOWN	1x1	YES	clock/w	Green/Yellow (in-Line)
JXDO-0029NL	DOWN	1x1	NO	clock/w	Green/Yellow (in-Line)
JXD1-0015NL	UP	1x1	YES	anti-c/w	Yellow/Green (sides)
JXD1-0019NL	UP	1x1	NO	anti-c/w	Yellow/Green (sides)
JXD1-0025NL	UP	1x1	YES	clock/w	Yellow/Green (sides)
JXD1-0026NL	UP	1x1	NO	clock/w	Yellow/Green (sides)
JXDO-2015NL	DOWN	1x2	YES	anti-c/w	Green/Yellow (in-front)
JXDO-2019NL	DOWN	1x2	NO	anti-c/w	Green/Yellow (in-front)
JXD1-2015NL	UP	1x2	YES	clock/w	Yellow/Green (in-front)
JXD1-2016NL	UP	1x2	NO	anti-c/w	Yellow/Green (in-front)
JXDO-4015NL	DOWN	1x4	YES	anti-c/w	Green/Yellow (in-front)
JXD2-0015NL	TOP ENTRY	1x1	NO	~	Yellow/Green (top)


Easy PCB Layout:

Each part has been designed for easy PCB layout no matter what orientation of PHY or Tab location is desired as all complex tracking is made inside the Pulsejacks, reducing EMI and leading to a simple PCB layout.

Tab-Down RJ45





Clockwise Orientated PHY
JXD0-0025NL / JXD0-0029NL




Anticlockwise Orientated PHY
JXD0-0015NL / JXD0-0019NL

Tab-Up RJ45



Clockwise Orientated PHY
JXD1-0025NL / JXD1-0026NL



Anticlockwise Orientated PHY
JXD1-0015NL / JXD1-0019NL

[Datasheet](#)

[Samples](#)

[Buy Now](#)



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Ethernet Development Tools](#) category:

Click to view products by [Pulse](#) manufacturer:

Other Similar products are found below :

[XAUI-RISER-B](#) [KSZ8081RNB-EVAL](#) [KSZ8863FLL-EVAL](#) [KSZ8873MLL-EVAL](#) [PD-IM-7648M](#) [PD-IM-7648T4](#) [PD70101EVB15F-12](#)
[PD70101EVB6F](#) [PD70211EVB50FW-5](#) [PD70211EVB72FW-12](#) [EV09H26A](#) [EV44F42A](#) [DP83620-EVK/NOPB](#) [KSZ8031RNL-EVAL](#)
[WIZ550S2E-232-EVB](#) [DFR0272](#) [A000024](#) [DFR0125](#) [UKIT-006GP](#) [UKIT-003FE](#) [UKIT-002GB](#) [UKIT-001FE](#) [EVB-KSZ9477](#) [OM-E-ETH](#)
[UP-POE-A20-0001](#) [2971](#) [3785](#) [ASX00006](#) [ASX00021](#) [ASX00026](#) [XTIB-E](#) [ESP32-ETHERNET-KIT-VE](#) [EVB-KSZ9897-1](#) [KSZ9031MNX-](#)
[EVAL](#) [AC164121](#) [AC164123](#) [AC164132](#) [AC320004-5](#) [AC320004-6](#) [AC320004-7](#) [DM320114](#) [DM990004](#) [EV02N47A](#) [EV44C93A](#) [EVB-](#)
[KSZ8563](#) [EVB-KSZ9477-1](#) [EVB-KSZ9893](#) [EVB-LAN7430](#) [EVB-LAN7431-EDS](#) [EVB-LAN7800LC-1](#)