

TECHNICAL DATA SHEET

Description:

433MHz Swivel Stick Dipole - SMA-M

PART NUMBER: W1076



Features:

- Frequency 430-435MHz
- · Gain -4dBi
- Length 108mm (straight)
- Connector SMA-Male
- IP40
- RoHS Compliant

Applications:

- 433MHz ISM band radios
- Indoor use
- Remote controls
- Surveillance, Monitoring
- Industry automation
- IoT

All dimensions are in mm / inches

Issue: 2044

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



TECHNICAL DATA SHEET

Description:

433MHz Swivel Stick Dipole – SMA-M

PART NUMBER: W1076

ELECTRICAL SPECIFICATIONS

Antenna Type Dipole

Frequency 430-435MHz

Nominal Impedance 50 Ω

VSWR 1.5:1(MAX)

Radiation Pattern Omni

Gain -4dBi(Min)

Efficiency 15%(Min)

Polarization Vertical

Power Withstanding 5W

MECHANICAL SPECIFICATIONS

Overall Length 108 mm

Weight 8.84 g

Antenna Color Black

Connector type SMA Male

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature $-40 \sim +85^{\circ}$ C Storage Temperature $-40 \sim +85^{\circ}$ C

Ingress Protection IP40
RoHS Compliant Yes





TECHNICAL DATA SHEET


Description:


433MHz Swivel Stick Dipole – SMA-M

PART NUMBER: W1076

Series: Stick Antenna

MECHANICAL DRAWING







TECHNICAL DATA SHEET

Description:

433MHz Swivel Stick Dipole – SMA-M

PART NUMBER: W1076

TEST SETUP



Test with a 37.5mm*50mm ground plane in free space.



TECHNICAL DATA SHEET


Description:

433MHz Swivel Stick Dipole – SMA-M

PART NUMBER: W1076

CHARTS

VSWR vs Frequency









TECHNICAL DATA SHEET


Description:

433MHz Swivel Stick Dipole - SMA-M


PART NUMBER: W1076

CHARTS

Peak Gain



Radiation Efficiency



Issue: 2044



TECHNICAL DATA SHEET


Description:


433MHz Swivel Stick Dipole – SMA-M


PART NUMBER: W1076

CHARTS

Radiation Pattern 2D









TECHNICAL DATA SHEET

Description:

433MHz Swivel Stick Dipole – SMA-M

PART NUMBER: W1076

PACKAGING

20PCS / PE Bag, 600PCS / Box



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Pulse manufacturer:

Other Similar products are found below:

GAN30084EU 930-033-R GW17.07.0250E 1513563-1 EXE902SM APAMPG-117 MAF94383 W3908B0100 W6102B0100 YE572113-30RSMM 108-00014-50 66089-2406 SPDA17RP918 A09-F8NF-M A09-F5NF-M RGFRA1903041A1T W3593B0100 W3921B0100 SIMNA-868 SIMNA-915 SIMNA-433 W1044 W1049B090 A75-001 WTL2449CQ1-FRSMM CPL9C EXB148BN 0600-00060 TRA9020S3PBN-001 Y4503 GD5W-28P-NF MA9-7N GD53-25 GD5W-21P-NF C37 MAF94051 MA9-5N EXD420PL B1322NR QWFTB120 MAF94271 MAF94300 GPSMB301 FG4403 AO-AGSM-OM54 5200232 MIKROE-2349 WCM.01.0111 MIKROE-2393 MIKROE-2352