




Dualband WLAN Antenna

Ceramic Chip Antenna (ground cleared under antenna)

Pulse Part Number: **W3078**



Features

- Omnidirectional radiation
- Low profile
- Compact size WxLxH (3,2 x 1,6 x 1.1 mm)
- Low weight (33 mg)
- Fully SMD compatible
- Lead free soldering compatible
- Tape and reel packing
- RoHS Compliant Product
- Single feed point

Applications

- IEEE 802.11a/b/g
- 5 GHz WLAN
- 2.4 GHz WLAN
- 2.4 GHz ISM Band Systems
- ZigBee IEEE 802.15.4

Electrical specifications @ +25 °C

Note: Electrical characteristics depend on test board (GP) size and antenna positioning on GP and Ground Clearance area size.

Dualband WLAN

*Typical performance (testboard size 80x37 mm, PWB ground clearance area **11.15 x 6.40 mm**)*

One shunt and one serial inductors are used for impedance matching.

Frequency Range [MHz]	Max Gain [dBi]	Efficiency [%] / [dB]	Return loss min. [dB]	Impedance [Ω]	Operating Temperature [°C]
2400 – 2483.5	1,7 (peak) 1,0 (band edges)	65 / -1,9 (peak) 55 / -2,5 (band edges)	-10	50	-40 to +85
4950 – 5850	4,3 (peak) 3,7 (band edges)	80 / -0,95 (peak) 55 / -2,5 (band edges)	-6	50	-40 to +85

Pulse Finland Oy

Automaatitietie 1
90640 Oulunsalo
Finland
Tel. +358 207 935 500
Fax +358 207 935 501

Domicile: Oulunsalo
Business ID: 1933992-8
antennasales.europe@pulseelectronics.com
www.pulseelectronics.com




Dualband WLAN Antenna

Ceramic Chip Antenna (ground cleared under antenna **11.15 x 6.40 mm**)

Pulse Part Number: **W3078**

Antenna Terminal Configuration and Dimensions



No.	Terminal Name	Terminal Dimensions
1	Feed / GND	0.62 x 1.36 mm
2	Feed / GND	0.62 x 1.36 mm
Antenna is symmetrical. Either of terminals 1 or 2 can be Feed / GND		

Pulse Finland Oy

Automaatitietie 1
90640 Oulunsalo
Finland
Tel. +358 207 935 500
Fax +358 207 935 501

Domicile: Oulunsalo
Business ID: 1933992-8
antennasales.europe@pulseelectronics.com
www.pulseelectronics.com




Dualband WLAN Antenna

Ceramic Chip Antenna (ground cleared under antenna **11.15 x 6.40 mm**)

Pulse Part Number: **W3078**

Recommended test board layout for electrical characteristic measurement, test board outline size 80 x 37mm

TOP VIEW



PLACE 1
Shunt matching inductor, 2,2nH with presented setup.


PLACE 2
Serial matching inductor, 6,8nH with presented setup.

Exact inductor value depends on specific application.


Pulse Finland Oy

Automaatitietie 1
90640 Oulunsalo
Finland
Tel. +358 207 935 500
Fax +358 207 935 501

Domicile: Oulunsalo
Business ID: 1933992-8
antennasales.europe@pulseelectronics.com
www.pulseelectronics.com



LAYOT PLACEMENT ON




PCB

Feed line should be designed to match 50 Ω characteristic impedance, depending on PWB material and thickness.

Pulse Finland Oy

Automaatitietie 1
 90640 Oulunsalo
 Finland
 Tel. +358 207 935 500
 Fax +358 207 935 501

Domicile: Oulunsalo
 Business ID: 1933992-8
 antennasales.europe@pulseelectronics.com
www.pulseelectronics.com





Dualband WLAN Antenna

Ceramic Chip Antenna (ground cleared under antenna **11.15 x 6.40 mm**)



Pulse Part Number: **W3078**

Typical Electrical Characteristics (T=25 °C)

2,4 GHz Typical Return Loss S11/ impedance, measured on the test board



5GHz Typical Return Loss S11/ impedance, measured on the test board



Pulse Finland Oy

Automaatitietie 1
 90640 Oulunsalo
 Finland
 Tel. +358 207 935 500
 Fax +358 207 935 501

Domicile: Oulunsalo
 Business ID: 1933992-8
 antenasales.europe@pulseelectronics.com
www.pulseelectronics.com




Dualband WLAN Antenna

Ceramic Chip Antenna (ground cleared under antenna **11.15 x 6.40 mm**)


Pulse Part Number: **W3078**

2,4 GHz free space efficiency and maximum gain

DualBand WiFi 2,4G 3,2x1,6x1,1mm




DualBand WiFi 2,4G 3,2x1,6x1,1mm



Pulse Finland Oy


Automaatitietie 1
 90640 Oulunsalo
 Finland
 Tel. +358 207 935 500
 Fax +358 207 935 501

Domicile: Oulunsalo
 Business ID: 1933992-8
 antennasales.europe@pulseelectronics.com
www.pulseelectronics.com




5 GHz free space efficiency and maximum gain

DualBand WiFi 5G 3,2x1,6x1,1mm



DualBand WiFi 5G 3,2x1,6x1,1mm



Pulse Finland Oy

Automaatitietie 1
 90640 Oulunsalo
 Finland
 Tel. +358 207 935 500
 Fax +358 207 935 501

Domicile: Oulunsalo
 Business ID: 1933992-8
 antennasales.europe@pulseelectronics.com
www.pulseelectronics.com




Dualband WLAN Antenna

Ceramic Chip Antenna (ground cleared under antenna **11.15 x 6.40 mm**)


Pulse Part Number: **W3078**

2,4 GHz Typical Free space Radiation Patterns



XZ-PLANE



ZY-PLANE




XY-PLANE



Pulse Finland Oy

Automaatitietie 1
 90640 Oulunsalo
 Finland
 Tel. +358 207 935 500
 Fax +358 207 935 501

Domicile: Oulunsalo
 Business ID: 1933992-8
 antennasales.europe@pulseelectronics.com
www.pulseelectronics.com




Dualband WLAN Antenna

Ceramic Chip Antenna (ground cleared under antenna **11.15 x 6.40 mm**)


Pulse Part Number: **W3078**

5 GHz Typical Free space Radiation Patterns



XZ-PLANE



ZY-PLANE




XY-PLANE



90640 Oulunsalo
 Finland
 Tel. +358 207 935 500
 Fax +358 207 935 501

Domicile: Oulunsalo
 Business ID: 1933992-8
 antennasales.europe@pulseelectronics.com
www.pulseelectronics.com




W3078 Antenna Packing

General

Tape and reel packing is used. Carrier tape, reel and box dimensions are presented in following pictures.

Carrier tape




Pulse Finland Oy

Automaatitietie 1
 90640 Oulunsalo
 Finland
 Tel. +358 207 935 500
 Fax +358 207 935 501

Domicile: Oulunsalo
 Business ID: 1933992-8
 antennasales.europe@pulseelectronics.com
www.pulseelectronics.com



Block orientation: soldering pads facing down to the bottom of the carrier tape.



Pulse Finland Oy

Automaatitietie 1
90640 Oulunsalo
Finland
Tel. +358 207 935 500
Fax +358 207 935 501

Domicile: Oulunsalo
Business ID: 1933992-8
antennasales.europe@pulseelectronics.com
www.pulseelectronics.com



W3078 Antenna Packing

Reel and packing information:

REEL LABEL INFORMATION:

- TRACEABILITY
- QUANTITY
- PRODUCT CODE

CARRIER TAPE H85-00125
width=8,00 depth=1,22

COVER TAPE H85-00126
width=5,60

LENGTH OF TAPE:

- Leader section: min 350 mm before component section
- Trailer section: min 40 mm after component section.

Empty part cavities at leader and trailer section of the tape must be sealed with top cover tape.

BOX H85-00128 (182x182x132)	1 pcs
- LABEL	1 pcs/BOX
REEL H85-00127 (D180,W12)	10 pcs
- REEL LABEL	1 pcs/REEL

MATERIAL					
HANDLINGS					
		RATIO	DRWN	090507 PeHa	H
			DGNER		G
			CHKD		F
			APPRD		E
PRODUCT			APPRD BY	D	
H90-OY805				C	
				B	
				A	
DENOMINATION			VERSION	MOD/DATE/NAME	
PACKING FORM					


Pulse Finland Oy

Automaatitietie 1
90640 Oulunsalo
Finland
Tel. +358 207 935 500
Fax +358 207 935 501

Domicile: Oulunsalo
Business ID: 1933992-8
antennasales.europe@pulseelectronics.com
www.pulseelectronics.com



W3078 Antenna Mechanical Outline



Pulse Finland Oy

Automaatitietie 1
 90640 Oulunsalo
 Finland
 Tel. +358 207 935 500
 Fax +358 207 935 501

Domicile: Oulunsalo
 Business ID: 1933992-8
 anten-sales.europe@pulseelectronics.com
www.pulseelectronics.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Antennas](#) category:

Click to view products by [Pulse](#) manufacturer:

Other Similar products are found below :

[CCT FM1](#) [ABFT](#) [AD-NM-SMAF 001-0021](#) [CTC110](#) [MAF94149](#) [EXE902SF](#) [MMCX-SMA-100](#) [PDQ24496-91NF](#) [GAN30084EU](#) [930-033-R](#) [A08-HABUF-P5I](#) [AAF95035](#) [DG-ANT-20DP-BG-B](#) [APAMPGJ-141](#) [1513563-1](#) [OF86315-FNF](#) [OP24516DS-91NM](#) [A09-HASM-7](#) [EXE902MD](#) [EXE902SM](#) [SPDA17806/2170LAR](#) [APAMPG-117](#) [GPS1575SP26-004](#) [GPS15MGSMA](#) [CMD69273P-30NF](#) [CMQ69273-30NF](#) [RD2458-5-OTDR-NM](#) [RD2458-5-RSMA](#) [TRAB24/49003](#) [W4120ER5000](#) [W6102B0100](#) [YE572113-30RSMM](#) [108-00014-50](#) [SPDA17RP918](#) [OP24516SX-91NM](#) [OP24516SX-91RSMM](#) [CMQ69273P-30NF](#) [CMS69273-30NF](#) [CMS69273P-30NF](#) [TRAB24003N](#) [TRAB24003NP](#) [TRAB8213NP](#) [TRAB8903](#) [A09-Y8NF](#) [A09-Y11NF](#) [A09-HSM-7](#) [A09-F8NF-M](#) [A09-F5NF-M](#)