


Internal Quad Band PWB Antenna

(25 x 87 x 0.2 mm, PWB antenna) Pulse Part Number: W3501



Features

- Very Low profile
- Compact size W x L x H (25 x 87 x 0.2 mm)
- Low weight (1.35 g)
- Cable feed with I-PEX connector (U.FL compatible)
- Lead free materials
- Lead free soldering compatible
- RoHS Compliant Product

Applications

- Frequency range (GSM 850 / GSM 900 / DCS / PCS)

Electrical specifications @ +25 °C

Note: Electrical characteristics depend on device mechanics

GSM 850: 824 – 894 MHz

Typical free space performance, measured in test unit mechanics

Frequency Range [MHz]	Max Gain [dBi]	Efficiency [%] / [dB]	Return loss min. [dB]	Impedance [Ω]	Operating Temperature [° C]
824 – 894	1.33	50 / -3.0	-7	50	-45 to +85

Pulse Finland Oy

Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501
www.pulseeng.com/antennas



Internal Quad Band PWB Antenna

(25 x 87 x 0.2 mm, PWB antenna) Pulse Part Number: W3501

GSM 900 : 880 – 960 MHz

Typical free space performance, measured in test unit mechanics

Frequency Range [MHz]	Max Gain [dBi]	Efficiency [%] / [dB]	Return loss min. [dB]	Impedance [Ω]	Operating Temperature [$^{\circ}$ C]
880 – 960	1.50	55 / -2.6	-6.5	50	-45 to +85

DCS : 1710 – 1880 MHz

Typical free space performance, measured in test unit mechanics

Frequency Range [MHz]	Max Gain [dBi]	Efficiency [%] / [dB]	Return loss min. [dB]	Impedance [Ω]	Operating Temperature [$^{\circ}$ C]
1710 – 1880	3.75	50 / -3.0	-8	50	-45 to +85

PCS : 1850 – 1990 MHz


Typical free space performance, measured in test unit mechanics

Frequency Range [MHz]	Max Gain [dBi]	Efficiency [%] / [dB]	Return loss min. [dB]	Impedance [Ω]	Operating Temperature [$^{\circ}$ C]
1850 – 1990	3.45	50 / -3.0	-8	50	-45 to +85

Cable and Connector Configuration

Cable length: 56 mm

Cable outer diameter: 1.13 mm



Pulse Finland Oy

Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501

www.pulseeng.com/antennas

 **Pulse**
A TECHNITROL COMPANY


© 2008. All Rights Reserved.

Internal Quad Band PWB Antenna

(25 x 87 x 0.2 mm, PWB antenna) Pulse Part Number: W3501

Test Unit and Antenna Location

Test unit size 150 x 100 x 40mm



Pulse Finland Oy

Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501



www.pulseeng.com/antennas

Internal Quad Band PWB Antenna


(25 x 87 x 0.2 mm, PWB antenna) Pulse Part Number: W3501

Typical Electrical Characteristics 600 – 2300 MHz (T=25 °C)


Measured on the test board, Typical Return Loss S11/ impedance



3501 Internal Quad Band Antenna Efficiency



3501 Internal Quad Band Antenna Max Gain



Pulse Finland Oy

Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501





www.pulseeng.com/antennas



Internal Quad Band PWB Antenna

(25 x 87 x 0.2 mm, PWB antenna) Pulse Part Number: W3501

824 – 894 MHz Typical Free Space Radiation Patterns



Pulse Finland Oy

Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501





www.pulseeng.com/antennas



Internal Quad Band PWB Antenna

(25 x 87 x 0.2 mm, PWB antenna) Pulse Part Number: W3501

880 – 960 MHz Typical Free Space Radiation Patterns



Pulse Finland Oy

Takatie 6
90440 Kempele, Finland

Tel: +358 207 935 500

Fax: +358 207 935 501





www.pulseeng.com/antennas



Internal Quad Band PWB Antenna

(25 x 87 x 0.2 mm, PWB antenna) Pulse Part Number: W3501

1710 – 1880 MHz Typical Free Space Radiation Patterns



Pulse Finland Oy

Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501





www.pulseeng.com/antennas



Internal Quad Band PWB Antenna

(25 x 87 x 0.2 mm, PWB antenna) Pulse Part Number: W3501

1850 – 1990 MHz Typical Free Space Radiation Patterns



Pulse Finland Oy

Takatie 6
90440 Kempele, Finland

Tel: +358 207 935 500

Fax: +358 207 935 501

www.pulseeng.com/antennas



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Antennas](#) category:

Click to view products by [Pulse](#) manufacturer:

Other Similar products are found below :

[CCT FM1](#) [ABFT](#) [AD-NM-SMAF 001-0021](#) [CTC110](#) [MAF94149](#) [EXE902SF](#) [MMCX-SMA-100](#) [PDQ24496-91NF](#) [GAN30084EU](#) [930-033-R](#) [A08-HABUF-P5I](#) [AAF95035](#) [DG-ANT-20DP-BG-B](#) [APAMPGJ-141](#) [1513563-1](#) [OF86315-FNF](#) [OP24516DS-91NM](#) [A09-HASM-7](#) [EXE902MD](#) [EXE902SM](#) [SPDA17806/2170LAR](#) [APAMPG-117](#) [GPS1575SP26-004](#) [GPS15MGSMA](#) [CMD69273P-30NF](#) [CMQ69273-30NF](#) [RD2458-5-OTDR-NM](#) [RD2458-5-RSMA](#) [TRAB24/49003](#) [W4120ER5000](#) [W6102B0100](#) [YE572113-30RSMM](#) [108-00014-50](#) [SPDA17RP918](#) [OP24516SX-91NM](#) [OP24516SX-91RSMM](#) [CMQ69273P-30NF](#) [CMS69273-30NF](#) [CMS69273P-30NF](#) [TRAB24003N](#) [TRAB24003NP](#) [TRAB8213NP](#) [TRAB8903](#) [A09-Y8NF](#) [A09-Y11NF](#) [A09-HSM-7](#) [A09-F8NF-M](#) [A09-F5NF-M](#)