


#### **TECHNICAL DATA SHEET**

**Description**: High Efficiency Ultra Wideband

Dipole Antenna 698-6000MHz

**PART NUMBER: W3554XXXXX** 

**Features:** 



- Low Weight (1.5g)
- RoHS Compliant
- Coaxial Cable feed
- Connector options:
  - U-FL
  - SMA
  - MMCX
  - Per request

# Applications:

- 2G/3G/4G/5G
- GNSS
- WiFi
- Bluetooth, BLE, Zigbee
- ISM 868, 915, 2400, 5000MHz



In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34<sup>th</sup> St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551

Pulse

Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4<sup>th</sup> Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998





#### **TECHNICAL DATA SHEET**

**Description**: High Efficiency Ultra Wideband

Dipole Antenna 698-6000MHz

**PART NUMBER: W3554XXXXX** 

## This document covers all product variants of the following product family:

W3554B0140	143mm 1.13mm OD cable	U.FL compatible connector
W3554B0140T	143mm 1.13mm OD cable	U.FL compatible connector with ADH
W3554B0170	170mm 1.13mm OD cable	U.FL compatible connector
W3554B0293	293mm 1.13mm OD cable	U.FL compatible connector
W3554E0193	193mm 1.13mm OD cable	Right angle MMCX male connector
W3554G0100	100mm 1.13mm OD cable	SMA male connector
W3554G0254	254mm 1.13mm OD cable	SMA male connector
W3554G0384	384mm 1.37mm OD cable	SMA male connector
W3554G0457	457mm 1.13mm OD cable	SMA male connector
W3554K0153	153mm 1.37mm OD cable	Right angle SMA male connector

Issue: 1835

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION



This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:



#### TECHNICAL DATA SHEET

**Description**: High Efficiency Ultra Wideband

Dipole Antenna 698-6000MHz

**PART NUMBER: W3554XXXXX** 

### **ELECTRICAL SPECIFICATIONS**

ELECTRICAL OF ECH TOATIONS			
Frequency	698-960MHz, 1400-1600MHz, 1710-2690MHz, 3300-3800MHz, 4900-6000MHz		
Nominal Impedance	50 $\Omega$		
Return Loss(698-960MHz)	-4dB		
Return Loss(1400-1600MHz)	-3dB		
Return Loss(1710-2690MHz)	-6dB		
Return Loss(3300-3800MHz)	-5dB		
Return Loss(4900-6000MHz)	-4dB		
Radiation Pattern	Omni		
Peak Gain(698-960MHz)	1.9dBi		
Peak Gain(1400-1600MHz)	2.5dBi		
Peak Gain(1710-2690MHz)	3.2dBi		
Peak Gain(3300-3800MHz)	3.3dBi		
Peak Gain(4900-6000MHz)	3.5dBi		
Average Efficiency(698-960MHz)	45%		
Average Efficiency(1400-1600MHz)	53%		
Average Efficiency(1710-2690MHz)	66%		
Average Efficiency(3300-3800MHz)	57%		
Average Efficiency(4900-6000MHz)	37%		
Polarization	Vertical		
Power Withstanding	5W		



#### TECHNICAL DATA SHEET

**Description**: High Efficiency Ultra Wideband

Dipole Antenna 698-6000MHz

**PART NUMBER: W3554XXXXX** 

#### **MECHANICAL SPECIFICATIONS**

PCB size W x L x H 30 x 120 x 0.2 mm

Weight 1.5 g

Connector type Optional

Cable type Optional

Cable length Optional

#### **ENVIRONMENTAL SPECIFICATIONS**

Operating Temperature -40/+85 ° C
Storage Temperature -40/+85 ° C
RoHS Compliant Yes






#### TECHNICAL DATA SHEET

**Description**: High Efficiency Ultra Wideband

Dipole Antenna 698-6000MHz

**PART NUMBER: W3554XXXXX** 

## **MECHANICAL DRAWING**





#### **TECHNICAL DATA SHEET**


**Description**: High Efficiency Ultra Wideband

Dipole Antenna 698-6000MHz

**PART NUMBER: W3554XXXXX** 

#### **TEST SETUP**

Antenna was measured in Free Space Environment (FS) without test board presence.





#### **TECHNICAL DATA SHEET**


**Description**: High Efficiency Ultra Wideband

Dipole Antenna 698-6000MHz

**PART NUMBER: W3554XXXXX** 

### **CHARTS**

### Return Loss







Return Loss ——Spec



#### TECHNICAL DATA SHEET

**Description**: High Efficiency Ultra Wideband


Dipole Antenna 698-6000MHz

**PART NUMBER: W3554XXXXX** 

### **CHARTS**

## Efficiency

## Efficiency (%)









#### TECHNICAL DATA SHEET

**Description**: High Efficiency Ultra Wideband


Dipole Antenna 698-6000MHz

**PART NUMBER: W3554XXXXX** 

### **CHARTS**

### Peak Gain

## Peak Gain (dBi)









#### TECHNICAL DATA SHEET


**Description**: High Efficiency Ultra Wideband

Dipole Antenna 698-6000MHz

**PART NUMBER: W3554XXXXX** 

#### **CHARTS**

## Free Space Radiation Pattern









#### TECHNICAL DATA SHEET


**Description**: High Efficiency Ultra Wideband

Dipole Antenna 698-6000MHz

**PART NUMBER: W3554XXXXX** 

#### **CHARTS**

## Free Space Radiation Pattern









#### TECHNICAL DATA SHEET


**Description**: High Efficiency Ultra Wideband

Dipole Antenna 698-6000MHz

**PART NUMBER: W3554XXXXX** 

#### **CHARTS**

## Free Space Radiation Pattern







#### **TECHNICAL DATA SHEET**


**Description**: High Efficiency Ultra Wideband

Dipole Antenna 698-6000MHz

**PART NUMBER: W3554XXXXX** 

#### **CHARTS**

## Free Space Radiation Pattern









#### TECHNICAL DATA SHEET


**Description**: High Efficiency Ultra Wideband

Dipole Antenna 698-6000MHz

**PART NUMBER: W3554XXXXX** 

#### **CHARTS**

## Free Space Radiation Pattern





#### **TECHNICAL DATA SHEET**


**Description**: High Efficiency Ultra Wideband

Dipole Antenna 698-6000MHz

**PART NUMBER: W3554XXXXX** 

#### **CHARTS**

## Free Space Radiation Pattern





#### TECHNICAL DATA SHEET


**Description**: High Efficiency Ultra Wideband

Dipole Antenna 698-6000MHz

**PART NUMBER: W3554XXXXX** 

#### **CHARTS**

## Free Space Radiation Pattern





#### **TECHNICAL DATA SHEET**


**Description**: High Efficiency Ultra Wideband

Dipole Antenna 698-6000MHz

**PART NUMBER: W3554XXXXX** 

#### **CHARTS**

## Free Space Radiation Pattern







#### TECHNICAL DATA SHEET


**Description**: High Efficiency Ultra Wideband

Dipole Antenna 698-6000MHz

**PART NUMBER: W3554XXXXX** 

#### **CHARTS**

## Free Space Radiation Pattern







#### TECHNICAL DATA SHEET


**Description**: High Efficiency Ultra Wideband

Dipole Antenna 698-6000MHz

**PART NUMBER: W3554XXXXX** 

#### **CHARTS**

## Free Space Radiation Pattern





#### **TECHNICAL DATA SHEET**

**Description**: High Efficiency Ultra Wideband

Dipole Antenna 698-6000MHz

**PART NUMBER: W3554XXXXX** 

### **PACKAGING**

5PCS/PE bag
20PCS PE bag/Foam bag
10PCS foam bag/Carton box
Total: 1000PCS/Carton box









## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Pulse manufacturer:

Other Similar products are found below:

ICEFIN806DMN ICEFIN698/869DMN PH9085.011NL PE-0603CD060KTT H1086NLT P0182T PA1494.442NL PE-0805CD030KTT PE-53363NLT 23Z106SM-T HX5400NL JXD0-4005NL ST6200QNL T3001NL HX2019 PE-67540NL PE-65968NL PE-65535NL T1142NLT H7019FNL P0841NL P0438T P0584 P0752.474T P1167.154T STQN1553-45 JY0-0016NL JG0-0098NL JG0-0025NL J20-0014NL W1911 HX6101NL JXD1-0025NL RO2408NMD P0469NL P0841SNLT PB2134NL ST2-12B42 PE-0805CM331JTT PE-51509NL 53119 J3026G01DNL P0849SNL W3012-K HX5020NL HX5201NL PE-68210NL T1124NL H5004NL JX30-0005NL