



Series: Internal Antenna

PART NUMBER: W3917Bxxx



Features:

- 2400-2500 / 4900-7125 MHz
- Size 42.6 X 8.6 X 0.15 mm
- Efficiency 60/70%
- VSWR < 2
- Nominal impedance 50 Ω
- Cable and connector can be customized

Applications:



- WiFi 6E, 802.11ax
- Bluetooth, BLE, ZigBee
- DSRC
- · ISM band radios
- IoT, M2M

All dimensions are in mm / inches

Issue: 2020

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 12220 World Trade Drive San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998





Series: Internal Antenna

PART NUMBER: W3917Bxxx

ELECTRICAL SPECIFICATIONS

Antenna Type Dipole

Frequency 2400-2500MHz

4900-7125MHz

Nominal Impedance 50 Ω

Return Loss 2400-2500MHz<-6db

4900-7125MHz<-10db

Radiation Pattern Omni

Gain 2+/-1dBi@2400-2500MHz

3+/-1dBi@4900-7125MHz

Efficiency 40%@2400-2500MHz

50%@4900-7125MHz

Polarization Linear

Power Withstanding 5W







Series: Internal Antenna

PART NUMBER: W3917Bxxx

MECHANICAL SPECIFICATIONS

Radiator material FPC

Color Black

Adhesive 3M467

Thickness(with adhesive, no liner) 0.15 mm

Weight 0.32 g

FPC size(L X W X T) 42.6 X 8.6 X 0.15 mm

ENVIRONMENTAL SPECIFICATIONS

Operating temperature -40/+85 ° C







Series: Internal Antenna

PART NUMBER: W3917Bxxx

This document covers all product variants of the following product family:

W3917B0050 50mm 1.13mm OD cable U.FL compatible connector

W3917B0100 100mm 1.13mm OD cable U.FL compatible connector







Series: Internal Antenna

PART NUMBER: W3917Bxxx

MECHANICAL DRAWING









Series: Internal Antenna

PART NUMBER: W3917Bxxx

CHARTS

(*) All RF parameters measured on 2mm thick PC plate Test Setup








Series: Internal Antenna

PART NUMBER: W3917Bxxx

CHARTS

(*) All RF parameters measured on 2mm thick PC plate Return Loss










Series: Internal Antenna

PART NUMBER: W3917Bxxx

CHARTS

(*) All RF parameters measured on 2mm thick PC plate

Efficiency










Series: Internal Antenna

PART NUMBER: W3917Bxxx

CHARTS

(*) All RF parameters measured on 2mm thick PC plate

Peak Gain









Series: Internal Antenna


PART NUMBER: W3917Bxxx


CHARTS

Radiation Patterns 2400-2500MHz









Issue: 2020

ROHS







Series: Internal Antenna


PART NUMBER: W3917Bxxx


CHARTS

Radiation Patterns 4900-5900MHz









Issue: 2020





Series: Internal Antenna


PART NUMBER: W3917Bxxx


CHARTS

Radiation Patterns 6000-7125MHz









Issue: 2020





Series: Internal Antenna

PART NUMBER: W3917Bxxx

PACKAGING

10PCS/PE bag 10 PE bag/foam bag 50 foam bag/ carton box

Total 5000PCS/Carton box





X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Pulse manufacturer:

Other Similar products are found below:

GAN30084EU 930-033-R GW17.07.0250E 1513563-1 EXE902SM APAMPG-117 MAF94383 W3908B0100 W6102B0100 YE572113-30RSMM 108-00014-50 66089-2406 A09-F8NF-M A09-F5NF-M RGFRA1903041A1T W3593B0100 W3921B0100 SIMNA-868 SIMNA-915 SIMNA-433 W1044 W1049B090 A75-001 WTL2449CQ1-FRSMM CPL9C EXB148BN 0600-00060 TRA9020S3PBN-001 GD5W-28P-NF MA9-7N GD53-25 GD5W-21P-NF EXB144SM C37 MAF94051 P1744 MA9-5N EXD420PL B1322NR QWFTB120 MAF94271 MAF94300 GPSMB301 FG4403 AO-AGSM-OM54 5200232 MIKROE-2349 WCM.01.0111 MIKROE-2393 MIKROE-2352