




**Series: FPC Antenna** 

**Description: 2X2 MIMO Dual WiFi Antenna** 

**PART NUMBER: W6102B0100** 



#### Features:

- Port 1: 2.4-2.5/4.9-5.925GHz
- Port 2: 2.4-2.5/4.9-5.925GHz
- Supports dual band WiFi and DSRC bands
- Size 50x20mm
- Cables 100mm 1.13mm OD
- U.FL compatible connectors

### **Applications:**

- WiFi, Zigbee, Bluetooth radios
- ISM 2.4GHz and 5GHz
- DSRC 5925MHz
- Routers, Gateways, Security
- Transportation
- M2M, IoT

Issue: 1701

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 12220 World Trade Drive San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34<sup>th</sup> St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4<sup>th</sup> Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



#### **TECHNICAL DATA SHEET**

**Description: 2X2 MIMO Dual WiFi Antenna** 

**PART NUMBER: W6102B0100** 

**Series: FPC Antenna** 

#### **ELECTRICAL SPECIFICATIONS**

Frequency 2.4-2.5/4.9-5.925GHz

Nominal Impedance  $50\Omega$ 

VSWR <2

Gain 2dBi+/- 1dB@ 2.4GHz

6dBi+/-1dB@5GHz

Radiation Pattern Omni

Polarization Linear

Power withstanding 3W

Connector type U.FL compatible

Cable type Low loss Φ1.13mm Coaxial Cable

Cable length 100mm

## (\*) All RF parameters measured on 2mm thick PC plate



#### **TECHNICAL DATA SHEET**

**Description: 2X2 MIMO Dual WiFi Antenna** 

**Series: FPC Antenna** 

**PART NUMBER: W6102B0100** 

MECHANICAL	SPECIFICATIONS

Color Black

Weight 1.22 g

Overall Length 50 mm

Radiator Thickness with adhesive tape 0.2 mm

Fixing system Adhesive Tape, 3M6677 PC

#### **ENVIRONMENTAL SPECIFICATIONS**

Operating temperature -40~ +85° C









**Series: FPC Antenna** 

**PART NUMBER: W6102B0100** 

#### **MECHANICAL DRAWING**









**Series: FPC Antenna** 

**PART NUMBER: W6102B0100** 

#### **CHARTS**




## (\*) All RF parameters measured on 2mm thick PC plate





**Series: FPC Antenna** 

**PART NUMBER: W6102B0100** 



### (\*) All RF parameters measured on 2mm thick PC plate







**Series: FPC Antenna** 

**PART NUMBER: W6102B0100** 

#### **CHARTS**





### (\*) All RF parameters measured on 2mm thick PC plate








Series: FPC Antenna

**PART NUMBER: W6102B0100** 


#### **CHARTS**


Typical free space radiation pattern—Antenna1: 2.4-2.5GHz (\*) All RF parameters measured on 2mm thick PC plate

# XY plane 2400MHz Avg (dBi) = -1.60 Peak (dBi) = 2.29 Avg -3 (deg) = 165 300 Avg (dBi) = -2.67 Peak (dBi) = 2.19 Avg -3 (deg) = 115 Avg (dBi) = -3.07 Peak (dBi) = 2.58 Avg -3 (deg) = 70



### ZX plane









Series: FPC Antenna

**PART NUMBER: W6102B0100** 


#### **CHARTS**

Typical free space radiation pattern—Antenna1: 4.9-5.925GHz (\*) All RF parameters measured on 2mm thick PC plate


## XY plane


# 4900MHz Avg (dBi) = Peak (dBi) = Avg -3 (deg) = 5400MHz Avg (dBi) = -0.74 Peak (dBi) = 3.54 Avg -3 (deg) = 110 5900MHz Avg (dBi) = -1.08 Peak (dBi) = 2.32 Avg -3 (deg) = 170 -5400MHz ·

# ZX plane



# YZ plane











Series: FPC Antenna


**PART NUMBER: W6102B0100** 


#### **CHARTS**

Typical free space radiation pattern—Antenna2: 2.4-2.5GHz (\*) All RF parameters measured on 2mm thick PC plate









Issue: 1701

ROHS

10






**PART NUMBER: W6102B0100** 

### **Series: FPC Antenna**


#### **CHARTS**

Typical free space radiation pattern—Antenna2: 4.9-5.925GHz (\*) All RF parameters measured on 2mm thick PC plate


## XY plane




# ZX plane



# YZ plane







#### **TECHNICAL DATA SHEET**

**Description: 2X2 MIMO Dual WiFi Antenna** 

**PART NUMBER: W6102B0100** 

**Series: FPC Antenna** 

#### **PACKAGING**

5 antennas packed in one plastic bag

100 bags(TBD) of antennas packed in a cardboard box

1 label on each box with qty, part number, date code.

### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Pulse manufacturer:

Other Similar products are found below:

CCT FM1 ABFT AD-NM-SMAF 001-0021 CTC110 MAF94149 EXE902SF MMCX-SMA-100 PDQ24496-91NF GAN30084EU 930-033-R A08-HABUF-P5I AAF95035 DG-ANT-20DP-BG-B APAMPGJ-141 1513563-1 OF86315-FNF OP24516DS-91NM A09-HASM-7 EXE902MD EXE902SM SPDA17806/2170LAR APAMPG-117 GPS1575SP26-004 GPS15MGSMA CMD69273P-30NF CMQ69273-30NF RD2458-5-OTDR-NM RD2458-5-RSMA TRAB24/49003 W4120ER5000 W6102B0100 YE572113-30RSMM 108-00014-50 SPDA17RP918 OP24516SX-91NM OP24516SX-91RSMM CMQ69273P-30NF CMS69273-30NF CMS69273P-30NF TRAB24003N TRAB8213NP TRAB8903 A09-Y8NF A09-Y11NF A09-HSM-7 A09-F8NF-M A09-F5NF-M