

Description: 28dBi GNSS Mag Mount Antenna,

Coax Feed

PART NUMBER: GNSSMMSMA





Features:

- Frequency 1559-1606 MHz
- Antenna Gain 1/2.4/3.5 dBic
- Polarization RHCP
- LNA Gain 28dB
- Current consumption 9mA
- Cable RG-174 with SMA Male
- RoHS Compliant

Applications:

- GPS, Glonass, Beidou
- Navigation
- Location Based Services
- Fleet management
- Asset tracking
- Indoor/Outdoor IP67

All dimensions are in mm / inches

Issue: 1914

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Description: 28dBi GNSS Mag Mount Antenna,

1.1 dB Typ.

Coax Feed

Series: GNSS Active Antenna PART NUMBER: GNSSMMSMA

ELECTRICAL SPECIFICATIONS

Antenna Type Patch

Frequency 1559-1563/1574-1577/1598-1606MHz

Nominal Impedance 50Ω

VSWR of Antenna 2.5/2/2 Max

Radiation Pattern **Omni**

Antenna Gain 1/2.4/3.5 dBic Efficiency 55%/65%/85%

Polarization **RHCP**

VSWR of LNA 2 Max

LNA Gain 28 dB Min

DC Power Input of LNA 3~5 Vdc Noise Figure

Power consumption(@3.3V) 9 mA Typ.

MECHANICAL SPECIFICATIONS

Overall Length 35.2 x 44 x 14.5 mm

Weight 68.39 g

Antenna Color / Material Black/PC+ABS

SMA Male Connector type

RG-174 Cable type

Cable length 3000 mm

Mounting Method Magnet

ENVIRONMENTAL SPECIFICATIONS

-40 ~ +85° C **Operating Temperature**

Storage Temperature -40 ~ +85° C

Ingress Protection IP67

RoHS Compliant Yes

Issue: 1914




Description: 28dBi GNSS Mag Mount Antenna,


Coax Feed

Series: GNSS Active Antenna

PART NUMBER: GNSSMMSMA

MECHANICAL DRAWING








Description: 28dBi GNSS Mag Mount Antenna,

Coax Feed


Series: GNSS Active Antenna PART NUMBER: GNSSMMSMA

TEST SETUP OF ANTENNA

Test with 70*70mm ground plane.



Axial Ratio vs Frequency



Issue: 1914

ROHS



Description: 28dBi GNSS Mag Mount Antenna,


Coax Feed

Series: GNSS Active Antenna


PART NUMBER: GNSSMMSMA

CHARTS

VSWR of Antenna vs Frequency



VSWR of LNA vs Frequency






Description: 28dBi GNSS Mag Mount Antenna,

Coax Feed


Series: GNSS Active Antenna PART NUMBER: GNSSMMSMA

CHARTS

RHCP Gain vs Frequency



Radiation Efficiency vs Frequency



Issue: 1914

ROHS



Description: 28dBi GNSS Mag Mount Antenna,


Coax Feed


Series: GNSS Active Antenna

PART NUMBER: GNSSMMSMA

CHARTS

Gain of LNA vs Frequency











Description: 28dBi GNSS Mag Mount Antenna,

Coax Feed

Series: GNSS Active Antenna

PART NUMBER: GNSSMMSMA


CHARTS

Radiation Pattern of BD, GPS and GLONASS

Horizontal Plane (Theta=45°)

XY Plane 1561MHz Avg(dBi) = -0.70Peak(dBi) = 0.80Avg -3(deg) = 359.5 300 1575.4M Avg (dBi) = 1.01-20 Peak (dBi) = 1.90 Avg -3 (deg) = 359.5 30 1602MHz 270 Avg (dBi) = 1.10 Peak (dBi) = 1.52 Avg -3 (deg) = 359.5 Theta Angle (45°) 1561MHz -1575.4MHz ----1602MHz

Elevation Plane (Phi=90°)





Description: 28dBi GNSS Mag Mount Antenna,

Coax Feed

Series: GNSS Active Antenna

PART NUMBER: GNSSMMSMA

PACKAGING

1 PCS / PE Bag 80 PCS / Carton



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by PulseLarsen manufacturer:

Other Similar products are found below:

GAN30084EU 930-033-R GW17.07.0250E 1513563-1 EXE902SM APAMPG-117 MAF94383 W3908B0100 W6102B0100 YE572113-30RSMM 108-00014-50 66089-2406 SPDA17RP918 A09-F8NF-M A09-F5NF-M RGFRA1903041A1T W3593B0100 W3921B0100 SIMNA-868 SIMNA-915 SIMNA-433 W1044 W1049B090 A75-001 WTL2449CQ1-FRSMM CPL9C EXB148BN 0600-00060 TRA9020S3PBN-001 GD5W-28P-NF MA9-7N GD53-25 GD5W-21P-NF C37 MAF94051 MA9-5N EXD420PL B1322NR QWFTB120 MAF94271 MAF94300 GPSMB301 FG4403 AO-AGSM-OM54 5200232 MIKROE-2349 WCM.01.0111 MIKROE-2393 MIKROE-2352 MIKROE-2350