

Description:

Tri-Band 868/915/2400-2500MHz, Straight

PART NUMBER: W1698/W1699/W1698-M

Series: Stubby Antenna



W1698 / W1699

Features:

- Small form factor monopole
- Antenna size W x H:

W1698 / W1699 (10.4 x 49.6mm)

W1698-M (12 x 50mm)

- Connector Type:

W1698 SMA (male)

W1699 RP-SMA (male)

W1698-M SMA (male)

- RoHS Compliant Product



W1698-M

Applications:

- Tri-band Combo
- Frequency range:868 / 915 / 2400 2500 MHz
- IoT, M2M Applications
- Sigfox, Lora
- Bluetooth, BLE, WiFi

All dimensions are in mm

Issue: 1911

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



TECHNICAL DATA SHEET

Description:

Tri-Band 868/915/2400-2500MHz, Straight

PART NUMBER: W1698/W1699/W1698-M

ELECTRICAL SPECIFICATIONS

Frequency 868-928MHz

2400-2500MHz

Nominal Impedance 50Ω

VSWR 3 868-928MHz

3 2400-2500MHz

Peak Gain 0.3dBi 868-928MHz

1.2dBi 2400-2500MHz

Efficiency 64% / 70%


Radiation Pattern Omni

Polarization: Linear

Power withstanding 5W

Issue: 1911

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





TECHNICAL DATA SHEET

Description:

Tri-Band 868/915/2400-2500MHz, Straight

PART NUMBER: W1698/W1699/W1698-M

MECHANICAL SPECIFICATIONS

Weight W1698 / W1699: 7.5g

W1698-M: 7.8g

Antenna Color Black

Connector type W1698/W1698-M SMA(Male)

W1699 RP-SMA(Male)

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature -30/+75 ° C

Storage Temperature -30/+75 ° C

Ingress Protection IP65 (W1698-M)

IP42 (W1698 and W1699)

Wind-loading 100km/h

RoHS Compliant Yes





Description:


Tri-Band 868/915/2400-2500MHz, Straight

PART NUMBER: W1698/W1699/W1698-M


Series: Stubby Antenna

MECHANICAL DRAWING

W1698 / W1699



W1698-M






TECHNICAL DATA SHEET

Description:

Tri-Band 868/915/2400-2500MHz, Straight

PART NUMBER: W1698/W1699/W1698-M

TEST SETUP



Test with 80mm*120mm ground plane.





Description:


Tri-Band 868/915/2400-2500MHz, Straight

PART NUMBER: W1698/W1699/W1698-M

Series: Stubby Antenna

CHARTS

Return Loss vs Frequency







TECHNICAL DATA SHEET


Description:

CHARTS


Tri-Band 868/915/2400-2500MHz, Straight

PART NUMBER: W1698/W1699/W1698-M

Peak Gain vs Frequency



Radiation Efficiency vs Frequency



Issue: 1911





Description:


Tri-Band 868/915/2400-2500MHz, Straight


PART NUMBER: W1698/W1699/W1698-M


Series: Stubby Antenna

CHARTS

Free Space Radiation Pattern(868-928MHz)







Power (dBm)

868MHz

-898MHz -

-928MHz



TECHNICAL DATA SHEET


Description:


Tri-Band 868/915/2400-2500MHz, Straight


PART NUMBER: W1698/W1699/W1698-M

CHARTS

Free Space Radiation Pattern(2400-2500MHz)









TECHNICAL DATA SHEET

Description:

Tri-Band 868/915/2400-2500MHz, Straight

PART NUMBER: W1698/W1699/W1698-M

PACKAGING

1pcs antenna per PE bag

24pcs PE bags per tray

14pcs trays per package box(2 pcs empty tray)

288pcs antenna per package

Package box: 460mm*235mm*140mm



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by PulseLarsen manufacturer:

Other Similar products are found below:

GAN30084EU 930-033-R GW17.07.0250E 1513563-1 EXE902SM APAMPG-117 MAF94383 W3908B0100 W6102B0100 YE572113-30RSMM 108-00014-50 66089-2406 SPDA17RP918 A09-F8NF-M A09-F5NF-M RGFRA1903041A1T W3593B0100 W3921B0100 SIMNA-868 SIMNA-915 SIMNA-433 W1044 W1049B090 A75-001 WTL2449CQ1-FRSMM CPL9C EXB148BN 0600-00060 TRA9020S3PBN-001 Y4503 GD5W-28P-NF MA9-7N GD53-25 GD5W-21P-NF C37 MAF94051 MA9-5N EXD420PL B1322NR QWFTB120 MAF94271 MAF94300 GPSMB301 FG4403 AO-AGSM-OM54 5200232 MIKROE-2349 WCM.01.0111 MIKROE-2393 MIKROE-2352