

TECHNICAL DATA SHEET

Description: Low loss Mini Coax Jumper

Cable

PART NUMBER: W90XX

Features:

- Low Loss mini coax cable
- OD 1.13mm
- Various cable lengths and connector types, refer to page 2.
- RoHS compliant



- SMA to U.FL jumper cable
- RF connections for radios and antennas
- Connection from radio to external antennas

All dimensions are in mm / inches

Issue: 1717

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:





TECHNICAL DATA SHEET

Description: Low loss Mini Coax Jumper

Cable

PART NUMBER: W90XX

CABLE ASSEMBLY FOR WIRELESS APPLICATION

Part Number	VSWR 2.4GHz/6GHz	Insertion Loss 2.4GHz/6GHz	Cable Length (in/mm)	Connector Types
W9003	1.3/1.6	-0.6dB/-1.4dB	3/76	RP-SMA Female to U.FL
W9003M	1.3/1.6	-0.6dB/-1.4dB	3/76	SMA Female to U.FL
W9006	1.3/1.6	-0.8dB/-1.7dB	6/150	RP-SMA Female to U.FL
W9006M	1.3/1.6	-0.8dB/-1.7dB	6/150	SMA Female to U.FL
W9009C	1.3/1.6	-1.0dB/-1.9dB	9/229	RP-SMA Female to U.FL
W9009M	1.3/1.6	-1.0dB/-1.9dB	9/229	SMA Female to U.FL
W9011	1.3/1.6	-1.3dB/-2.6dB	11/280	RP-SMA Female to U.FL
W9011M	1.3/1.6	-1.3dB/-2.6dB	11/280	SMA Female to U.FL
W9015	1.3/1.6	-1.4dB/-2.8dB	15/381	RP-SMA Female to U.FL
W9015M	1.3/1.6	-1.4dB/-2.8dB	15/381	SMA Female to U.FL
W9020	1.3/1.6	-1.6dB/-3.2dB	20/508	RP-SMA Female to U.FL
W9020M	1.3/1.6	-1.6dB/-3.2dB	20/508	SMA Female to U.FL



TECHNICAL DATA SHEET

Description: Low loss Mini Coax Jumper

Cable

PART NUMBER: W90XX

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature -40-+85° C
Storage Temperature -40-+85° C
RoHS Compliant Yes





TECHNICAL DATA SHEET

Description: Low loss Mini Coax Jumper

Cable

PART NUMBER: W90XX

MECHANICAL DRAWING

Mechanical Dimensions W90xx W90xxM WASHER WASHER RP-SMA(FEMALE) SMA(FEMALE) I-PEX (FEMALE-BODY MALE PIN) (FEMALE-BODY FEMALE PIN) /4-36UNS-2A /4-36UNS-NUT MINI-113 MINI-113 HEAT SHRINK TUBE HEAT SHRINK TUBE See cable length chart See cable length chart Washer=1PCS Washer=1PCS



TECHNICAL DATA SHEET

Description: Low loss Mini Coax Jumper


Cable

PART NUMBER: W90XX

CHARTS

VSWR

W90XX VSWR







TECHNICAL DATA SHEET

Description: Low loss Mini Coax Jumper


Cable

PART NUMBER: W90XX

CHARTS

Insert Loss

W9003 & W9003M Insert Loss(dB)









TECHNICAL DATA SHEET

Description: Low loss Mini Coax Jumper


Cable

PART NUMBER: W90XX

CHARTS

Insert Loss

W9006 & W9006M Insert Loss(dB)









TECHNICAL DATA SHEET

Description: Low loss Mini Coax Jumper


Cable

PART NUMBER: W90XX

CHARTS

Insert Loss

W9009C & W9009M Insert Loss(dB)







TECHNICAL DATA SHEET

Description: Low loss Mini Coax Jumper


Cable

PART NUMBER: W90XX

CHARTS

Insert Loss

W9011 & W9011M Insert Loss(dB)









TECHNICAL DATA SHEET

Description: Low loss Mini Coax Jumper


Cable

PART NUMBER: W90XX

CHARTS

Insert Loss

W9015 & W9015M Insert Loss(dB)







TECHNICAL DATA SHEET

Description: Low loss Mini Coax Jumper


Cable

PART NUMBER: W90XX

CHARTS

Insert Loss

W9020 & W9020M Insert Loss(dB)







TECHNICAL DATA SHEET

Description: Low loss Mini Coax Jumper

Cable

PART NUMBER: W90XX

PACKAGING

50pcs/bag

500pcs/package box

Package box: 460mm*235mm*70mm

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for RF Cable Assemblies category:

Click to view products by PulseLarsen manufacturer:

Other Similar products are found below:

73-6352-10 73-6353-3 73-6364-6 R285001001 R288940004 145111-05-12.00 1661-C-24 1801171170914KE 24P104C24J1-012 24P104C24P1-006 24P104C24P1-018 24P204C24J1-003 172-2150-EX 1800920920914PJ FCB-3030-ALT 21117-046 21117-050 PCX-24-50 24P103C24P2-003 25P203C25P2-003 PTWY-24-78 R284008001 R285001021 R285426000 R288940003 R288940008 RF179-74BJ3-77RP1-0305 4814-BB-24 5260-72 JT2N1-CL1-1F DLP-COAX1 4814-K-48 115101-09-06.00 MXHT83QE3000 CCNTN2-MM-LL335-26 73-6351-25 73-6352-3 73-6353-25 1800920920610PJ GD0BQ0BQ024.0 1-3636-600-5210 TL8A-11SMA-11SMA-01500-51 R284C0351060 R288940009 R284C0351028 R288940002 9702-1SL-1 PT82NSMA 73-6353-10 R285020301W