



Label printer | thermal | high speed | max. 104 mm

Product code: 50241

The thermal label printer, thanks to its performance, is ideal for use in office environments, warehousing and logistics systems.

TECHNICAL DATA

PRINTING METHOD	Thermal
RESOLUTION	203 dpi
MAX. PRINTING SPEED	150 mm/s
PRINTING WIDTH	48 mm - 104 mm
PAPER WIDTH	108 mm
INTERFACE	USB
PAPER TYPE	Thermal paper, black label paper, thermal label
PAPER THICKNESS	0.08 mm - 0.2 mm
PAPER ROLL DIAMETER	100 mm
POWER SUPPLY	24V / 2.5A
TPH DEFECT DETECTION	Yes
PRINTING LIFE	TPH 100 km

USAGE

Logistics: labels, bar codes
Tax receipt
Toll station
Hospital
Hotel
Bakery
Bookstore
Chain supermarket
Scientific research institutions
Apparel industry

COLOUR

White

DIMENSIONS

75 x 195 x 85 mm

OPERATING TEMPERATURE

-10 C do +50 C

STORAGE TEMPERATURES

-40 C do +80 C

HUMIDITY

5% to 95% (non-condensing)

EAN CODE

5901878502410

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Other Tools](#) category:

Click to view products by [QOLTEC](#) manufacturer:

Other Similar products are found below :

[CR-05FL7--150R](#) [CR-05FL7--698K](#) [899-2-KT46](#) [899-5-KT46](#) [CR-0AFL4--332K](#) [CR-12FP4--80R6](#) [CRCW04021100FRT7](#)
[CRCW04021961FRT7](#) [5800-0090](#) [CRCW04024021FRT7](#) [CRCW040254R9FRT7](#) [CRCW0603102JRT5](#) [59065-5](#) [00-8273-RDPP](#) [00-8729-](#)
[WHPP](#) [593033](#) [593058](#) [593072](#) [593564100](#) [593575](#) [593591](#) [593593](#) [011349-000](#) [LTLA506SBLAMNBL](#) [CRCW08052740FRT1](#) [LUC-](#)
[012S070DSM](#) [599-2021-3-NME](#) [599-JJ-2021-03](#) [00-5080-YWPP](#) [5E4750/01-20R0-T/R](#) [LW1A-L1-GD](#) [LW1A-L1-GL](#) [LW1A-P1-GD](#)
[LW1L-A1C10V-GL](#) [LW1L-M1C70-A](#) [0202-0173](#) [00-9089-RDPP](#) [00-9300-RDPP](#) [CRCW2010331JR02](#) [01-1003W-8/32-10](#) [601-GP-08-](#)
[KT39](#) [601-JJ-06](#) [601-SPB](#) [601YSY](#) [602-JJ-03](#) [602SPB](#) [603-JJ-07-FP](#) [603-JJY-04](#) [604J](#) [604-JJ-05](#)