



Qoltec DisplayPort v1.2 male | DisplayPort v1.2 male | 5K | 2m

Product code: 50373

The solutions used will allow you to enjoy the highest quality of image and sound:

- Resolution: max. 5K (30Hz)
- 8 audio channels
- 144Hz (1080p) refresh rate
- DisplayPort Content Protection (DPCP)

Make sure that your devices support standard DisplayPort v1.2

ONE CABLE - MANY POSSIBILITIES



Have you ever invite your friends or family for a slideshow of holiday photos? Were you disappointed that displayed colors had low color depth? Do you want to transmit high definition audio and video from your computer to a monitor while playing computer games? If you answered YES for at least one of the questions it means that you looking for a high quality Qoltec DisplayPort. They're available in few variants.

HIGH QUALITY SOLUTIONS



Discover high quality audio and video in your home. Use our Displayport and feel like at the cinema:

- Maximum resolution 5K (30Hz) – thanks to High Bit Rate 2 Technology you will see more details,
- 8 audio channels – digital surround sound will transfer you to another dimension,
- 240Hz (1080p) refresh rate which makes movies look like ultra-smooth,
- Multi-Stream Transport (MST) – ability to connect to multiple monitors,
- DisplayPort Content Protection (DPCP).

Importance Of Details



At the design stage, one of the most important question for us is: what are customer expectations? According to this we pay attention to details and use high quality materials:

- Shielding reduces the volume and intensity of the electrical noise,
- Nickel-plated connector provides great signal performance,
- We offer various cable length options.

Confidence confirmed by a warranty



You value the quality of purchased equipment so our projects and solutions are focused on meeting your expectations. Each DisplayPort is covered by 24 months warranty.

Technical data

| | |
|------------------------|--|
| Producer | Qoltec |
| Type | DisplayPort male / DisplayPort male |
| Standard | DP v1.2 |
| Destiny | laptop, PC |
| Cable length | 2 m |
| Capacity | 21.6 Gb/s |
| Transmission mode | RBR, HBR, HBR2 |
| Resolution | max. 5K |
| Refresh rate | max. 240 Hz |
| Color Format | RGB, Y CbCr 4:4:4, Y CbCr 4:2:2, 1.1 + Y-only (monochrome) |
| Depth of Colors | 48 bit/px |
| Color Space | ITU-R BT.601, ITU-R BT.709, sRGB, scRGB, xvYCC, Adobe RGB (1998), DCI-P3, Simplified color profile |
| Additional information | Shielded |
| Package | Polybag |
| Working temperature | -20 C ~+ 60 |
| Colour | Black |
| Maximum audio Channels | 8 |
| Net weight | 0,089 kg |
| Gross weight | 0,094 kg |
| Warranty | 24 month |
| EAN code | 5901878503738 |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [HDMI, Displayport & DVI Connectors](#) category:

Click to view products by [QOLTEC](#) manufacturer:

Other Similar products are found below :

[1775247-3](#) [2-1932649-5](#) [30-1231](#) [30-528](#) [2069485-1](#) [30-504](#) [30-519](#) [30-542](#) [47648-2000](#) [2002-400](#) [769-103/021-000](#) [1932649-1](#) [233-368NFG6-17NH](#) [PJ-210A](#) [PJ-35825](#) [FDB0901-M0DB300K6KF](#) [3VD51203-3D6A-7H](#) [DV11201-H5R6-4F](#) [DSP-8PH4-03](#) [AK-AD-38](#) [AK-AD-39](#) [A-DPM-HDMIF-002](#) [A-HDMI90-FML](#) [A-MDPM-HDMIF4K-01](#) [CDA0109](#) [A-DPM-VGAF-02](#) [CDA0110](#) [CV0045A](#) [CCP-DPM-VGAM-6](#) [CC-MDP-HDMI-6](#) [67881](#) [HAFBF](#) [HBLBH](#) [HBLBI](#) [HAFBG](#) [HAFBH](#) [HAGBF](#) [HAGBG](#) [HAGBH](#) [HAGBI](#) [HAGBJ](#) [HBLBJ](#) [AABIE](#) [AABIF](#) [AABIG](#) [AABIH](#) [AABII](#) [AABIJ](#) [AABIK](#) [AABIL](#)