



Qoltec Electric strike With lock and memory + mounting plate | 12V

Product code: 52457

Qoltec brand symmetrical electric door strike with memory and lock. Powered by 12VDC direct current. Allows remote control of the mechanism of the access control system.

The latch of the electric strike is placed symmetrically in the middle of the housing. It features excellent durability and corrosion resistance. It has a mounting plate.

SIMPLE OPERATING PRINCIPLE



Electric door openers are an important part of the access control system, increasingly used in our homes, but also in public institutions and building evacuation. The principle of operation is very simple. In the case of **symmetric electric strikes**, **giving a pulse makes the electric strike unlocks the entrance lock**, this is the time that allows us to open the door. **Product equipped with:**

- **Memory** - after receiving an electrical impulse the latch tongue remains released until the door is opened,
- **Lock** - the electric door strike has a mechanical switch with the possibility of setting it as CLOSED, it works as an electromagnetic lock and requires an electric impulse to release the lock or OPEN - the door is permanently open,
- **Latch adjustment** - allows the electric door strike to be matched to the door . This is particularly important where weather conditions are particularly unfavourable.
- **Mounting plate**

EXCELLENT DURABILITY AND RESISTANCE TO EXTERNAL FACTORS



Qoltec brand symmetrical electric strike is made of zinc alloy and stainless steel. It features excellent durability and corrosion resistance, which is very important for use in outdoor conditions. Thanks to the durable materials, our product is sure to serve you before many years.

CONFIDENCE CONFIRMED BY A WARRANTY

The product comes with a 24-month warranty period from the date of purchase.

TECHNICAL DATA

Producer	Qoltec
Type	Symmetrical with memory and locking
Voltage	12V 10%
AC current	600mA - 10V
Memory	Yes
Lock	Yes
Mounting plate	Yes
Latch adjustment	Yes
Material	Zinc alloy / stainless steel
Signalling	No
Used	Access control system, time recording, intercoms, video intercoms.
Colour	Silver
Additional information	Mounting plate hole distance is 95 mm / Hole distance is 55 mm
Dimensions (D/L x W x H)	110 x 25 x 31 mm
Package depth / length [mm]	122
Package width [mm]	45
Package height [mm]	35
Net weight [kg]	0.241
Gross weight [kg]	0.254
Warranty	24 month
EAN code	5901878524573

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Sensor Fixings & Accessories](#) category:

Click to view products by [QOLTEC](#) manufacturer:

Other Similar products are found below :

[8000-5130](#) [R4](#) [MS-AJL](#) [MS-CX-12](#) [MS-DIN-1](#) [MS-PE-3](#) [MS-SS8](#) [OS-NA2-N16](#) [OS-NA2-N24](#) [OS-NA2-N8](#) [PBT420-100R](#) [L16F](#) [LCMB](#)
[LCMBMTA](#) [SBFX1](#) [SC-GU1-CC02](#) [SC-GU1-EU](#) [SC-MA1](#) [LM1](#) [LMT](#) [SS-12143](#) [STA12](#) [AP4-T](#) [CN-701](#) [R6](#) [D01051301](#) [43912557-020](#)
[UC-300F](#) [606072](#) [606075](#) [MS-AJD](#) [MS-CX-13](#) [MS-CX-14](#) [MS-RX-2](#) [OS-NA2-N12](#) [OS-NA2-N20](#) [OS-RXL-1](#) [OS-RXL-3](#) [SL-CJ22](#) [SL-](#)
[CP22](#) [SF-IND](#) [SMB312S](#) [28810-2](#) [ZX-SW11E](#) [V3](#) [T63353](#) [76002066](#) [SA9Z-S07PN02](#) [MS-SFD-1-6](#) [SFD-CSL05](#) [ECT18-WELL](#)