


## **PROTECTIVE CAP**

240.92.---

Series : ACC-COAX







All dimensions are in mm.



COMPONENTS	MATERIALS	PLATINGS (μm)
BODY CENTER CONTACT OUTER CONTACT INSULATOR GASKET OTHERS PARTS	- - - - - RED VINYL EXTRA FLEXIBLE	- - -

Operating temperature : °C Weight : 0,0000 g Others characteristics :

Issue: 0725

In the effort to improve our products, we reserve the right to make changes judged to be necessary.



## **PROTECTIVE CAP**

240.92.---

Series : ACC-COAX

Ø A	L	Références	Utilisations
4	11,1	240.92.681	SSMA Female SMC Male plug 1.0/2.3 Female BMA Male MCX Female
5	11	241.92.110	QMA Female QRE Female
6	11,1	240.92.682	SSMA Male SMB Female
6	19	240.92.671	SMA Female SMC Female jack BMA Female
8,7	19	240.92.672	SMA Male
9	19	240.92.684	QMA Male QN Female
10,3	22,2	240.92.673	TNC Female QRE Male BNC Female BNC HT Female
13,5	25,4	240.92.674	TNC Male C Female
14,3	22,2	240.92.675	BNC Male BNC HT Male TNC 18 M
15,9	25,4	240.92.676	N Female
17,4	25,4	240.92.677	C Male QN Male
19	25,4	240.92.678	N Male HN Female
19,5	14	240.92.090	HN Female
20,63	12,7	A240.92.010	7/16 Male
29	10,5	241.92.040	7/16 Female

Issue: 0725

In the effort to improve our products, we reserve the right to make changes judged to be

necessary.



## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for RF Connector Accessories category:

Click to view products by Radiall manufacturer:

Other Similar products are found below:

89674-0712 F702RX24 FERRULE-174 R141802000 R141805000 R141842000 R161862000 R161862000 R280752000 R280907000 R694261906 RFI21-13 RFI75-13-D2 RFI75-4-D2 AX102906 AX102907 18097-0013 HP-375 HP-500 2098-0294-00 2098-3251-94 KA-81-05 89674-0805 F1 FERRULE-223 202102-11 213337-1 220222-2 24092671A 24092678A R280468000 R280510000 R282862060 RFI155-1 RFI25-12-D3 RFI25-5-D3 RFI75-12-D2 RFI75-2-D2 RFI75-4-D3 RFI77-6 360HS001M2508M6 4-1532137-4 5-21085-0 105274-1000 111062-0490 112122-SOD-LUG 112-NUT-KNURL IPP-2014 R280490020