



STRAIGHT BULKHEAD JACK PANEL SEAL REAR MOUNT CLAMP SOLDER TYPE CABLE .141

PAGE **1/2** ISSUE 18-08-15A SERIES N PART NUMBER 4501-9543-009 33.53[1.32] 23.24 0.915 8.5 0.335 MAX PANEL 13.4[.528] ACROSS Ø3.71[0.146] 2 FLATS Ø20.62[0.812] PLANE 5/8-24 UNEF-2A 8.7[.344] HEX 19.1[.750] HEX PANEL CUT OUT REFI +---- ‡ B 24.41 0.961 mm Maxi mini 15.9 16 13.7 13.6 Scale 1/1

All dimensions are in mm.



COMPONENTS	MATERIALS	PLATING (μm)		
Body	STAINLESS STEEL	PASSIVATED		
Center contact	BERYLLIUM COPPER	GOLD OVER NICKEL		
Outer contact				
Insulator	PTFE			
Gasket	SILICONE RUBBER			
Others parts	BRASS	NICKEL		
-	-	-		
-	-	-		



## **Technical Data Sheet**

STRAIGHT BULKHEAD JACK PANEL SEAL REAR MOUNT CLAMP SOLDER TYPE CABLE .141

PAGE <b>2/2</b> ISSUE <b>18-08-15A</b>	SERIES N	PART NUMBER <b>4501-9543-009</b>
--	----------	----------------------------------

#### **PACKAGING**

1	Contact us	Contact us
Standard	Unit	Other

#### **ELECTRICAL CHARACTERISTICS**

Impedance 50 Ω Frequency 0-18 GHz **VSWR** 1.2 0.0000 x F(GHz) Maxi Insertion loss .10 √F(GHz) dB Maxi RF leakage 90 - F(GHz)) dB Maxi - ( Voltage rating 500 Veff Maxi Dielectric withstanding voltage 1500 Veff mini Insulation resistance 5000  $M\Omega$  mini

#### **MECHANICAL CHARACTERISTICS**

Center contact retention

Axial force - Mating End 27 N mini Axial force - Opposite end 27 N mini N.cm mini NA Torque

Recommended torque

NA Mating N.cm Panel nut 500 N.cm Clamp nut 200 N.cm A/F clamp nut 8.7000 mm

Mating life 500 Cycles mini 45.8200 g

Weight

#### **ENVIRONMENTAL**

Operating temperature -40/+125 °C Hermetic seal NA Atm.cm3/s Panel leakage IP67

#### **SPECIFICATION**

### CABLE ASSEMBLY

Stripping	а	b	С	d	е	f
mm	0	0	0	0	0	0

Assembly instruction: AIS-234-B124

Recommended cable(s)

KS 2 **RG 402** 

Characteristics indicated on this data sheet are those that can be achieved with the highest performance cable. Intrinsic limitations of the cable may diminish the performance of the assembly

Cable retention

- pull off 270 N mini - torque N.cm

#### **TOOLING**

Part Number	Description	Hexagon

#### **OTHER CHARACTERISTICS**

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for RF Connectors / Coaxial Connectors category:

Click to view products by Radiall manufacturer:

Other Similar products are found below:

8915-1511-000 89674-0827 6001-7071-019 6002-7051-003 6002-7551-202 6059674-1 619550-1 630059-000 M39030/3-01N 6500-7071-046 6769 CX050L2AQ 7002-1541-010 7002-1542-011 7004-1512-000 7009-1511-004 7010-1511-000 7029-1511-060 7101-1541-010 7101-1571-002 7145-1521-002 7203-1571-003 7209-1511-011 7210-1511-015 7210-1511-019 73137-5015 73216-2241 73404-2300 7405-1521-005 7405-1521-802 8527 8547 FS11V 877931 8808-1511-001 9049-9513-000 9074-9513-000 9101-9573-002 910A205F 9130-9573-002 PL11SC-026 PL375-33 PL40-5 PL74C-221 PL75MC-217 PL803-7 980-8666-005 1200690078 1-201144-1 R107003010W