


UNIVERSAL 2 HOLES FLANGE JACK RECEPTACLE


R125.460.000

FOR 0.93 MM Series : SMA










	mm	
	Maxi	mini
A	4.2	4.1
В	2.65	2.6
C	12.25	12.15



All dimensions are in mm.

		7
PLA	ATINGS	(µm)

COMPONENTS	MATERIALS	PLATINGS (μm)
BODY CENTER CONTACT OUTER CONTACT INSULATOR GASKET OTHERS PARTS	STAINLESS STEEL BERYLLIUM COPPER - PTFE	GOLD 0.5 OVER NICKEL 2 GOLD 1.3 OVER NICKEL 2

Issue: 0222 A

In the effort to improve our products, we reserve the right to make changes judged to be



UNIVERSAL 2 HOLES FLANGE JACK RECEPTACLE

R125.460.000

FOR 0.93 MM

Series: SMA

PACKAGING

Standard	Unit	Other
1	-	Contact us

SPECIFICATION

ELECTRICAL CHARACTERISTICS

 $\begin{array}{ccc} \text{Impedance} & & \textbf{50} \;\; \Omega \\ \text{Frequency} & & \textbf{0-18} \;\; \text{GHz} \end{array}$

VSWR 1.06 + 0.002 x F(GHz) Maxi

Insertion loss RF leakage $0.07* \sqrt{F(GHz)} dB Maxi$ - (60 - F(GHz)) dB Maxi

Voltage rating 500 Veff Maxi Dielectric withstanding voltage Insulation resistance 5000 M Ω mini

ENVIRONMENTAL

Operating temperature -65/+165 ° C Hermetic seal NA Atm.cm3/s

Panel leakage NA

OTHERS CHARACTERISTICS

Assembly instruction NA

Others:

* Coaxial Transmission Line Only

MECHANICAL CHARACTERISTICS

Center contact retention

Axial force – Mating end
Axial force – Opposite end
Torque

27 N mini
27 N mini
28 N.cm mini

Recommended torque

Mating NA N.cm Panel nut NA N.cm

Mating life 500 Cycles mini

Weight **1.590** g

Issue: 0222 A

In the effort to improve our products, we reserve the right to make changes judged to be necessary.



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for radial manufacturer:

Other Similar products are found below:

5919-1503-000 7101-1541-010 7105-1561-010 MD11-035 81-6201-0450 9074-9513-000 R113425097 R114305000W R124075210
R125055000 R125512000W R141154000W R141572000 R143012000 R143235161W R166268000 R176019000 R191841001W
R282102000 R282744220 R282918120 R404770000 R413808000 R414430150 R414520150 R433514700 R570022105 R570123005
R570363010 R570442000 R570E52010 R574402410 R585423230 R114425000 R124510000 R125052500 R125320020W R141331500W
R162017000W R176404000 R191970091 R282750000 R317270000 R404110150 R404280150 R404755000 R413210150 R413303150
R413830150 R414530150