
MALE PROTECTIVE CAP WITH CHAIN

R125.812.000

Series: SMA



All dimensions are in mm.



COMPONENTS	MATERIALS	PLATINGS (μm)
BODY CENTER CONTACT OUTER CONTACT INSULATOR GASKET OTHERS PARTS -	STAINLESS STEEL SILICONE RUBBER STAINLESS STEEL	GOLD 0.5 OVER NICKEL 2 GOLD 0.5 OVER NICKEL 2 -

Issue: 0311 C

In the effort to improve our products, we reserve the right to make changes judged to be necessary.



MALE PROTECTIVE CAP

WITH CHAIN

R125.812.000

Series: SMA

PACKAGING

Standard	Unit	Other
100	'W' option	Contact us

SPECIFICATION

ELECTRICAL CHARACTERISTICS

 $\begin{array}{ccc} \text{Impedance} & & \textbf{NA} & \Omega \\ \text{Frequency} & & \textbf{NA} & \text{GHz} \end{array}$

VSWR NA + 0.000 x F(GHz) Maxi

Insertion loss $NA \sqrt{F(GHz)} dB Maxi$ RF leakage - (NA - F(GHz)) dB Maxi

Voltage rating NA Veff Maxi Dielectric withstanding voltage NA Veff mini Insulation resistance NA M Ω mini

ENVIRONMENTAL

Operating temperature -65/+165 ° C

Hermetic seal NA Atm.cm3/s

Panel leakage NA

OTHERS CHARACTERISTICS

Assembly instruction

Others:

MECHANICAL CHARACTERISTICS

Center contact retention

Axial force – Mating end
Axial force – Opposite end
Torque

NA N mini
NA N mini
NA N.cm mini

Recommended torque

Mating NA N.cm Panel nut NA N.cm

Mating life 500 Cycles mini

Weight **3.600** g

Issue: 0311 C

In the effort to improve our products, we reserve the right to make changes judged to be



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for RF Connector Accessories category:

Click to view products by Radiall manufacturer:

Other Similar products are found below:

89674-0712 F702RX24 FERRULE-174 R141802000 R141805000 R141842000 R161862000 R161862000 R280752000 R280907000 R694261906 RFI21-13 RFI75-13-D2 RFI75-4-D2 AX102906 AX102907 18097-0013 HP-375 HP-500 2098-0294-00 2098-3251-94 KA-81-05 89674-0805 F1 FERRULE-223 202102-11 213337-1 220222-2 24092671A 24092678A R280468000 R280510000 R282862060 RFI155-1 RFI25-12-D3 RFI25-5-D3 RFI75-12-D2 RFI75-2-D2 RFI75-4-D3 RFI77-6 360HS001M2508M6 4-1532137-4 5-21085-0 105274-1000 111062-0490 112122-SOD-LUG 112-NUT-KNURL IPP-2014 R280490020