




**TITLE** WIDE BAND COAXIAL DETECTOR

**LTR.** A

DRAWING :



GENERAL TOLERANCES: ± 0.5 mm

ELECTRICAL CHARACTERISTICS:

IMPEDANCE : 50 Ohms  
 FREQUENCY RANGE : 0,01 - 18 GHz  
 POLARITY : Negative  
 FREQUENCY RESPONSE :  
     ± 0,2 dB / Octave up to 8 GHz  
     ± 0,5 dB / Octave up to 12,4 GHz  
     ± 1 dB / Octave up to 18 GHz  
 V.S.W.R. :  
     From 0,01 to 8 GHz : ≤ 1,35  
     From 8 to 18 GHz : ≤ 1,5  
 SENSITIVITY :  
     Low level : > 500 mV / mW  
             ( Input power <- 20 dBm )  
     High level : > 100 mV  
             ( Input power = 0,35 mW )  
 TANGENTIAL SENSITIVITY : - 44 dB min.  
 SQUARE LAW RESPONSE LIMIT : - 12 dBm  
 VIDEO IMPEDANCE : 1 kΩ typical  
 FILTERING CAPACITY : 20 pF typical  
 MAXIMUM POWER : 200 mW CW  
 DIODE : SCHOTTKY << Zero Bias >>

MECHANICAL CHARACTERISTICS:

CONNECTOR RF INPUT : SMA male per MIL-C-39012  
             VIDEO OUTPUT : Pin and solder lug  
 WEIGHT : 10 g



ENVIRONMENTAL CHARACTERISTICS:

OPERATING TEMPERATURE RANGE : - 65°C to + 120°C  
 STORAGE TEMPERATURE RANGE (°C) : - 65°C to + 125°C  
 NOMINAL RANGE FOR USE : - 25°C to + 70°C  
 VIBRATIONS ( STD 202 ) : Method 204 C Condition D  
 SHOCKS ( STD 202 ) : Method 213 Condition I

Tentative data subject to change without notice.

<b>PEN</b>	<b>QUALITY Dpt App.</b>				
CAT					
<b>PAGE</b>	<b>DATE</b>	<b>NAME</b>	<b>LTR</b>	<b>REVISIONS</b>	<b>DATE APP.</b>
1 A	13/02/87	K. LUCIEN			

Product Number

Product Number	Product Name	Product Specifications	BuyOnLine Datasheet	Assembly/Wiring instructions	Family Search
R451543000	DETECTOR: SMA M- PICOT 0,01- 18GHZ NEG	<a href="#">Description</a>			<a href="#">Microwa Compone</a>
R451543500	DETECTOR: SMA M- PICOT 0,01- 18GHZ POS	<a href="#">Description</a>			<a href="#">Microwa Compone</a>

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for* [RF Adapters - Between Series category:](#)

*Click to view products by* [Radiall manufacturer:](#)

Other Similar products are found below :

[5945-9503-000](#) [MCX/F-SMA/M](#) [R192417010](#) [ADBJ20-E1-BJ379](#) [ADM2](#) [ADPL75-A1-PL75](#) [242191](#) [9317505](#) [29-3835P](#) [AD130](#) [ADBJ20-E1-PL74](#) [ADBJ20-E2-BJ79](#) [ADBJ77-E1-UPL20](#) [ADRMF370](#) [242215](#) [242228](#) [R125680000W](#) [R192430000](#) [UAD95](#) [1057367-1](#) [8311505](#) [R114704000](#) [R451034500](#) [R451030500](#) [R451543000](#) [HDVDPN](#) [ADBJ20-K1-PL20](#) [R451570000](#) [R192419000](#) [R451034000](#) [J9](#) [J3WE-5](#) [R451032500](#) [242201RP](#) [17K132-K00S5](#) [AD-RSMAF-RTNC](#) [53K156-K00N5](#) [02K119-K00E3](#) [29S132-K01N5](#) [53S156-K00N5](#) [02S119-S00E3](#) [28K132-K00N5](#) [02S109-K00S3](#) [27-8200TP](#) [242235](#) [ADBJ20-E1-BJ89](#) [000-2900](#) [321-102-003 \(SMA-50/2-H155/W1.03 AU\)](#) [1057377-1](#) [321-350-001 \(SMA-50-R/2-RG316/N2.01\)](#)