




Home > 0408-SS



Captive Panel Screws - Style 2

Model: 0408-SS

Select Finish

-0 No Plate ▼

Request Quote
[Request Custom Part](#)

RFQ

Choose a CAD format ▼

Download CAD

View 3D Model

View 2D Drawing

Product Details

These screws are made from Stainless Steel. Length is 3/4" which is measured from under the head. Thread size is 8-32 and Head Diameter is 5/16"

PDF Catalog

[RAF_catalog_0029.pdf](#)

Thread	8-32
Material	Stainless Steel
RoHS	Yes
Head Diameter (HD)	5/16"
Head Length (HL)	5/16"
Length Under Head (L)	3/4"
Thread Length (TL)	7/32"
Shank Diameter (SD)	0.12"
Shank Length (SL)	7/16"
Width Of Slot(W)	3/64"
Depth Of Slot (D)	5/64"

Knurl TPI	35
PD	0.12"
PL	3/32"
Finish	-0 No Plate

95 Silvermine
Rd. Seymour CT
06483 P | 203-
888-2133 F |
203-888-9860

In 2008, RAF
joined with MW
Industries Inc.,
www.mw-
ind.com, to
become the
nation's leading
supplier of
electronic
hardware
components to
a variety of
industries,
including
computers,
telecommunications,
medical,
entertainment
and
military/aerospace.



[Get Directions](#)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Screws & Fasteners](#) category:

Click to view products by [RAF Electronic Hardware](#) manufacturer:

Other Similar products are found below :

[5721-1440-1/4-SS](#) [593503FX](#) [0098.0094](#) [0098.9206](#) [0098.9219](#) [0098.9262](#) [596-2114-013](#) [59781-6](#) [0098.0026](#) [0098.9210](#) [0098.9212](#) [60227-01](#) [60227-04](#) [60227-08](#) [60687-01](#) [LOCK WASHER Black](#) [62153-11](#) [M316-KSSTMCZ100](#) [M3440-SS](#) [M3442-SS](#) [M3448-SS](#) [6292-1](#) [6-306105-9](#) [6-306131-4](#) [690432-1](#) [699161-000](#) [7230-3](#) [7244](#) [7248-1](#) [7248-2](#) [745564-1](#) [F1209](#) [751-00001](#) [7680](#) [809704-1](#) [8700](#) [8860220](#) [9047](#) [9521](#) [992326-6](#) [992763-3](#) [1-18024-0](#) [1-18028-2](#) [A168P1](#) [A495P1](#) [1-24921-1](#) [125416-1](#) [1260](#) [13-0036](#) [1301810148](#) [1301810313](#)