


Cable assembly overmold

R284A21C0025

PRELIMINARY

Series : **CORD AUTO**



Note:
 Waterproof on female side, only guaranteed with a waterproof plug : R299.197.000 + housing on RG174 cable

- * Right angle connector : **R299.197.601 (terminal) + R280.197.274 (sleeve) + R197.127.Z30 (housing)**
- * Straight connector : **R299.197.000 (terminal) + R299.197.974 (sleeve) + R197.135.Z70 (housing)**
- * Cable : **C291.215.120**

Type : RG174
Leoni DACAR 462

ELECTRICAL CHARACTERISTICS

Impedance	50 Ω
Frequency	0-3 GHz
Operating temperature	-40 + 105 ° C
VSWR	1.4 (0-2 GHz) 1.5 (2-3 GHz)
Insertion loss	0.3 dB
Dielectric withstanding voltage	800 Vrms
Insulation resistance	>100 MΩ mini

SPECIFICATION

USCAR17 / IP67	
Weight	To be confirmed g
Cable retention	110 N mini

Electrical and Mechanical sanctions according to the USCAR 17 norm.
 → Pair connectors (150mm)



Edition : 2147 A

Design changes may be in order to improve the product.

Cable assembly overmold**R284A21C0025****PRELIMINARY**Series : **CORD AUTO****PACKAGING**

- Quantity → to be confirmed first production
- Label with references on each cardboard

After first production,
We will define photo and label for packaging

STORAGE RECOMMANDATION

Boxes should be stored indoors, in its original packaging (box + plastic bag), in a controlled climate environment not exceeding -20°C/+40°C and maximum 70% relative humidity. The boxes should be protected from direct sunlight and should be used on a "first-in, first-out" basis. It is recommended to use this reference within 1 year from the date of manufacture when stored according the recommended storage condition.

RAYDIALL
AUTOMOTIVE**Edition : 2147 A**

Design changes may be in order to improve the product.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [RF Connectors / Coaxial Connectors](#) category:

Click to view products by [Raydiall](#) manufacturer:

Other Similar products are found below :

[8915-1511-000](#) [89674-0827](#) [6001-7071-019](#) [6002-7051-003](#) [6059674-1](#) [619550-1](#) [630059-000](#) [M39030/3-01N](#) [6500-7071-046](#) [6769](#)
[CX050L2AQ](#) [7002-1541-010](#) [7002-1542-011](#) [7002-1572-002](#) [7003-1542-011](#) [7004-1512-000](#) [7009-1511-004](#) [7010-1511-000](#) [7029-1511-](#)
[060](#) [7101-1541-010](#) [7101-1571-002](#) [7145-1521-002](#) [7203-1571-003](#) [7209-1511-011](#) [7210-1511-015](#) [7210-1511-019](#) [73137-5015](#) [73216-](#)
[2241](#) [73404-2300](#) [7405-1521-005](#) [7405-1521-802](#) [8527](#) [8547](#) [FS11V](#) [9049-9513-000](#) [9074-9513-000](#) [9101-9573-002](#) [910A205F](#) [9130-](#)
[9573-002](#) [PL11SC-026](#) [PL375-33](#) [PL40-5](#) [PL74C-221](#) [PL75MC-217](#) [PL803-7](#) [980-8666-005](#) [1200690078](#) [1-201144-1](#) [R107003010W](#)
[R110A172100](#)