



(更多支持)


产品规格书

产品: SMA-K 连接线 L=120mm

料号: ANKX01.0090

本规格书下载地址: <http://download.rfsister.com/Antenna/ANKX01.0090.pdf>

(定制化需求, 请致电 15989589908、或邮件 wangyj@RFsister.com)



SMA-K 连接线 L=120mm


(PN: ANKX01.0090)

特点

1. 工作频率范围宽，DC~6GHz；损耗低；
2. SMA 型通用接口；

应用

1. 应用于无线通信产品；
2. 智能家居网关、路由网关、中继器，广泛使用；



单位: mm

(注: 若实物与规格书有少许差异, 请以实物为准。)

电气参数(Electrical Properties)

频率/Frequency:	DC~6GHz
输入阻抗/Impedance:	50 Ω
驻波比/VSWR:	≤1.3
插损/Loss:	0.6dB@3GHz

机械参数(Mechanical Properties)

接头&线缆/Conn&Cable:	SMA-K /RG113
材料&颜色/Material&Color:	Copper/Black
安装方式/Mounting:	Normal
尺寸/Size:	L=120mm
工作温度/OperateTemp:	-20 ~ 85 °C

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Antenna Accessories](#) category:

Click to view products by [RFsister](#) manufacturer:

Other Similar products are found below :

[AN102800V1](#) [HKIT-MTA9101-001](#) [YMST4](#) [CC.001](#) [NMOHPCN518](#) [MB830](#) [MB825](#) [MB820](#) [LBT3800](#) [GRO](#) [172-00006](#) [W9909](#) [HKIT-MTA9100-001](#) [MABT8UM9](#) [HKIT-LPx-001](#) [QWRCB](#) [GPS-17519](#) [76002093](#) [G8SMI](#) [MABT8M](#)
[DELTA/MAGMOUNT/SMAFRP/SMAMRP/1M/19](#) [DELTA/MAGMOUNT/SMAFRP/SMAMRP/2M/19](#) [1.13-SMA-L=200mm](#) [1.13-SMA-L=300mm](#) [1.13-SMA-MHF-1](#) [PLUG-L=750mm](#) [FM2](#) [NS1535](#) [NS3035](#) [MB8](#) [VTPM800](#) [HS34RB](#) [W9908](#) [SR4G031-150](#) [LBTB3400](#)
[LBM9034](#) [GBR8PI](#) [GB8](#) [G8PI](#) [G8N](#) [BPXPHK](#) [ALLPMTP](#) [ALLPMTA](#) [LTE Antenna Kit](#) [SR4W030-150](#) [GPSMBMM](#) [2740504](#) [SR4G031-100](#) [2702198](#) [SR4W030-100](#) [9091.99.0235](#)