

# Rittal – The System.

Faster – better – everywhere.

## **Mounting plate for PK – PK 9548.000**

Date : Mar 7, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Mounting plate for PK – PK 9548.000

created: 07.03.2019 on [www.rittal.com/com-en](http://www.rittal.com/com-en)



## Product description

<b>Description:</b>	For individual interior installation.
<b>Material:</b>	2.5 mm melamine phenol-coated laminated paper.
<b>Colour:</b>	RAL 7035
<b>Supply includes:</b>	Mounting plate Self-tapping assembly screws

## Product features

<b>To fit:</b>	Enclosure type: PK Width: = 182 mm Height: = 180 mm
<b>Mounting plate:</b>	Width: 150 mm Height: 150 mm
<b>Packs of:</b>	10 pc(s).
<b>Weight/pack:</b>	1.07 kg
<b>EAN:</b>	4028177140097
<b>Customs tariff number:</b>	39269097
<b>ETIM 6.0:</b>	EC000213

**ETIM 5.0:** EC000213

---

**eCl@ss 8.0/8.1:** 27409216

---

**eCl@ss 7.0/7.1:** 27189234

---

**eCl@ss 6.0/6.1:** 27189234

---

**eCl@ss 5.1/5.1.4:** 27189234

---

**Product description:** PK Mounting plate, WH: 150x150 mm

---

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Electrical Enclosures](#) category:*

*Click to view products by [Rittal](#) manufacturer:*

Other Similar products are found below :

[120-902](#) [120-905](#) [120-403](#) [120-475](#) [120-901](#) [127-410](#) [130-504](#) [130-506](#) [MR-25L+](#) [30-8739](#) [PIP-11774SCREW](#) [30-9715](#) [MR-25LW+](#) [110-407](#) [111-004](#) [111-008](#) [110-402](#) [110-901](#) [110-907](#) [111-002](#) [110-406](#) [110-910](#) [110-404](#) [110-409](#) [110-410](#) [120-405](#) [106-009](#) [106-505](#) [105-401](#) [106-006](#) [104-406](#) [137-002](#) [105-405](#) [111-005](#) [127-909](#) [106-502](#) [130-475](#) [130-503](#) [127-401](#) [106-010](#) [127-455](#) [127-475](#) [110-903](#) [R260-180-300](#) [9511020](#) [9822029](#) [9820014](#) [P61603000P](#) [9823009](#) [R103-164-000](#)