





Schematic Diagram
电气原理图









Installation View
安装视图



A4				 台普 ROCPCU	COMMON TOLERANCE		UNIT	MM	PROJECTED		PRODUCT NAME:
A3							DRAWN BY	FUYUAN	CHECKED BY	COCO	MODEL NO: TP91641P124RA
A2					X.XX	± 0.10	DATE	2019	APPROVAL B	ALEN	Https: www.rocpcu.tw
A1					X.X	± 0.15	ROCPCU TECHNOLOGY CO.,LTD				
REV	DATE	REVISION	DESCRIPTION	ISSUE	X	± 0.25					
					ANGULAR	—	Copies are issued in strict confidence and shall not be reproduced or copied, or used as the basic of manufacture or sale of apparatus without permission				

A				B				C				D				E				F				G							
性能参数																				13. Electrical life: 500000 cycles 电气寿命: 500000 cycles											
1. Heating current: Ui: AC250V, Ith: 3A 发热电流: Ui: AC250V, Ith: 3A																				14. mechanical: 500000cycles 机械寿命: 500000cycles											
2. Rated current:2A/DC36V 额定电流:2A/DC36V																				15. Operation method:Self-locking type 操作方式: 自锁式											
3. Power-frequency withstand voltage:2000V1min 工频耐压:2000V1min																				16. NO reverse thrust foot torque: ≤30N NO反推脚扭力: ≤30N											
4. Insulation resistance:≥1000MΩ 绝缘电阻 :≥1000MΩ																				17. LED lamp power consumption: 20m以下 LED灯功耗: 20m以下											
5. Contact resistance:≤50mΩ 接触电阻 :≤50mΩ																				18. LED lamp lifespan: 40000h LED寿命: 40000h											
6. Pressing stroke:2.80mm ± 0.10 按压行程:2.80mm ± 0.10																				19. LED color: Red LED颜色: 红色											
7. Contact stroke:1.10mm±0.10 接触行程 :1.10mm±0.10																															
8. Nut assembly torque:5-14N 螺帽装配力矩:5-14N																															
9. Protection level:IP67 防护等级:IP67																															
10. Explosion prevention level: IK09 防暴等级: IK09																															
11. Working environment temperature: -20 ℃~+55 ℃ 工作环境温度: -20 ℃~+55 ℃																															
12. Compression torque: ≤ 3N 按压扭力: ≤3N																															
</																															

A		B		C		D		E		F		G																																																																											
材质参数																																																																																							
8		LEDpin LED脚		Brass 黄铜		1		Silvering 镀银																																																																															
7		Pin 引脚		Brass 黄铜		1		gold-plating 镀金																																																																															
6		Contact material 接触材质		Silvering 镀银		1																																																																																	
5		Base 基座		PA66		1		Black 黑色																																																																															
4		Arm nut 固定螺帽		Brass 黄铜		1		nickeling 镀镍																																																																															
3		Oring O型圈		Silica gel 硅胶		1																																																																																	
2		Housing 外壳		Aluminum alloy 铝合金		1		Oxidized/Black 氧化/黑色																																																																															
1		Key 按键		Aluminum alloy 铝合金		1		Oxidized/Black 氧化/黑色																																																																															
NO 序号		Part name 部件名		Material 材料		QTY 数量		Remark 备注																																																																															
<table border="1"> <tr> <td>A4</td> <td></td> <td></td> <td></td> <td rowspan="5">  台普 ROCPCU </td> <td colspan="2">COMMON TOLERANCE</td> <td>UNIT</td> <td>MM</td> <td>PROJECTED</td> <td></td> <td colspan="2">PRODUCT NAME:</td> </tr> <tr> <td>A3</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>DRAWN BY</td> <td>FUYUAN</td> <td>CHECKED BY</td> <td>COCO</td> <td colspan="2">MODEL NO: TP91641P124RA</td> </tr> <tr> <td>A2</td> <td></td> <td></td> <td></td> <td>X.XX</td> <td>± 0.10</td> <td>DATE</td> <td>2019</td> <td>APPROVAL B</td> <td>ALEN</td> <td colspan="2">Https: www.rocpcu.tw</td> </tr> <tr> <td>A1</td> <td></td> <td></td> <td></td> <td>X.X</td> <td>± 0.15</td> <td colspan="6" rowspan="2"> ROCPCU TECHNOLOGY CO.,LTD </td> </tr> <tr> <td>REV</td> <td>DATE</td> <td>REVISION</td> <td>DESCRIPTION</td> <td>ISSUE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="5"></td> <td>ANGULAR</td> <td>—</td> <td colspan="7">Copies are issued in strict confidence and shall not be reproduced or copied,or used as the basic of manufacture or sale of apparatus without permission</td> </tr> </table>														A4				 台普 ROCPCU	COMMON TOLERANCE		UNIT	MM	PROJECTED		PRODUCT NAME:		A3						DRAWN BY	FUYUAN	CHECKED BY	COCO	MODEL NO: TP91641P124RA		A2				X.XX	± 0.10	DATE	2019	APPROVAL B	ALEN	Https: www.rocpcu.tw		A1				X.X	± 0.15	ROCPCU TECHNOLOGY CO.,LTD						REV	DATE	REVISION	DESCRIPTION	ISSUE												ANGULAR	—	Copies are issued in strict confidence and shall not be reproduced or copied,or used as the basic of manufacture or sale of apparatus without permission						
A4				 台普 ROCPCU	COMMON TOLERANCE		UNIT	MM	PROJECTED		PRODUCT NAME:																																																																												
A3							DRAWN BY	FUYUAN	CHECKED BY	COCO	MODEL NO: TP91641P124RA																																																																												
A2					X.XX	± 0.10	DATE	2019	APPROVAL B	ALEN	Https: www.rocpcu.tw																																																																												
A1					X.X	± 0.15	ROCPCU TECHNOLOGY CO.,LTD																																																																																
REV	DATE	REVISION	DESCRIPTION		ISSUE																																																																																		
					ANGULAR	—	Copies are issued in strict confidence and shall not be reproduced or copied,or used as the basic of manufacture or sale of apparatus without permission																																																																																
A		B		C		D		E		F		G																																																																											

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Pushbutton Switches](#) category:

Click to view products by [ROCPU Technology](#) manufacturer:

Other Similar products are found below :

[8971K1133](#) [LW2L-M1C20M-A](#) [01-153.025](#) [M22-D-R-GB0/K11](#) [67021K512](#) [701PB580](#) [7199K101](#) [810K12910](#) [810KSV30B](#) [FLT 2U EE](#)
[01A](#) [MML21EA2ADK](#) [MML21KA3ABK](#) [MML23KW3AA01W](#) [8418K2](#) [8442K3](#) [8450K1](#) [860K11911T01A](#) [861901](#) [861K11911T01A07](#)
[861K13810T00A14](#) [861K13911](#) [8646AB6X718UL](#) [9533CD4+U574+U4922](#) [99-450.837](#) [99-453.837](#) [A2PMA1X03EC56](#) [A3A-7310](#) [A3A-](#)
[7340](#) [12037A2ULCSA](#) [1203A2UL](#) [ABGW410-R](#) [1211390004](#) [ABN400-R](#) [121382](#) [1213C3](#) [HE3B-M2](#) [1211500044](#) [121194](#) [1212MRA](#)
[1232A6NF](#) [121489](#) [1223A2ULCSA](#) [D5P-MT4](#) [13435AG](#) [13445AD29GX768](#) [AG23-L2](#) [AH165-2SGLG1TE3](#) [AH165-TGFY22](#) [AH165-](#)
[TGL5Y11E3](#) [AH165-TGLR11AA3](#)