

All dimensions are in mm; tolerances according to ISO 2768 m-H
 Y = Part number has to be accomplished by codification

Interface

According to ISO 20860-1; DIN 72594-1

Documents

Assembly instruction MA_59V111

Material and plating

Connector parts

| | Material | Colour |
|--------------|------------------|---------------|
| Housing | PBT-I-GF30 | |
| Sealing ring | Silicone | green |
| Lock ring | Beryllium Copper | |

Mechanical data

| | |
|-----------------------|---------|
| Mating cycles | max. 5 |
| Retention force latch | ≥ 110 N |
| Coding efficiency | ≥ 40 N |

Environmental data

| | |
|--------------------------------|------------------------|
| Temperature range | -40°C to +105°C |
| Thermal shock | DIN 72594-2 clause 8.2 |
| Temperature and humidity | DIN 72594-2 clause 8.3 |
| Vibration and mechanical shock | DIN 72594-2 clause 8.1 |
| Dry heat | DIN 72594-2 clause 8.4 |
| RoHS | compliant |

Application

| | |
|----------------------------------|---|
| Applicable for connector: | 59K16B-1xx ** 59K13O-1xx ** |
| Required additional piece parts: | 59K14B-1XX/50 Cable Seal 59Z163-000/51 Sealing Cap |

** -xx for all available cable variations up to 25 mm connector length, except cable variation 09 (c)













Packing

| | |
|-------------|--|
| Standard*** | 250 pcs in box, 1000 pcs in reusable container (b) |
| Weight | 2.1 g/pce |

***Cable Seal and Sealing Cap must be ordered separately

Coding

Part Number has to be accomplished by codification

| Coding | Colour | RAL | Part-Number-RT | |
|---|--------|----------------|----------------|--------------|
|  | A | black | sim. 9005 | 59Z163-003-A |
|  | B | white | sim. 9001 | 59Z163-003-B |
|  | C | blue | sim. 5005 | 59Z163-003-C |
|  | D | bordeauxviolet | sim. 4004 | 59Z163-003-D |
|  | E | green | sim. 6002 | 59Z163-003-E |
|  | F | brown | sim. 8011 | 59Z163-003-F |
|  | G | grey | sim. 7031 | 59Z163-003-G |
|  | H | violet | sim. 4003 | 59Z163-003-H |
|  | I | beige | sim. 1001 | 59Z163-003-I |
|  | K | curry | sim. 1027 | 59Z163-003-K |
|  | L | carmine red | sim. 3002 | 59Z163-003-L |
|  | M | pastel orange | sim. 2003 | 59Z163-003-M |
|  | N | pastel green | sim. 6019 | 59Z163-003-N |
|  | Z | waterblue | sim. 5021 | 59Z163-003-Z |

Change history

| Rev. | Date | Change |
|------|----------|---|
| b00 | 20.02.20 | - added overflow specification - added packing specification |
| c00 | 13.08.21 | Note (**) updated |
| | | |

While the information has been carefully compiled to the best of our knowledge, nothing is intended as representation or warranty on our part and no statement herein shall be construed as recommendation to infringe existing patents. In the effort to improve our products, we reserve the right to make changes judged to be necessary.

| Draft | Date | Approved | Date | Rev. | Engineering change number | Name | Date |
|--|----------|----------|----------|------|---------------------------|--|---------------|
| T. Unterhauser | 18.08.17 | F. Danzl | 13.08.21 | c00 | 21-1231 | J. Engelhardt | 13.08.21 |
| Rosenberger Hochfrequenztechnik GmbH & Co. KG P.O.Box 1260 D-84526 Tittmoning Germany www.rosenberger.de | | | | | | Tel. : +49 8684 18-0 Email : info@rosenberger.de | |
| | | | | | | | Page 3 / 3 |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [RF Connector Accessories](#) category:

Click to view products by [Rosenberger](#) manufacturer:

Other Similar products are found below :

[89674-0712](#) [F702RX24](#) [FERRULE-174](#) [R141802000](#) [R141805000](#) [R141842000](#) [R161862000](#) [R161862000W](#) [R280752000](#) [R280907000](#)
[R694261906](#) [RFI21-13](#) [RFI75-13-D2](#) [RFI75-4-D2](#) [AX102906](#) [AX102907](#) [18097-0013](#) [HP-375](#) [HP-500](#) [2098-0294-00](#) [2098-3251-94](#) [KA-](#)
[81-05](#) [89674-0805](#) [F1](#) [202102-11](#) [213337-1](#) [220222-2](#) [24092671A](#) [24092678A](#) [R280468000](#) [R280510000](#) [R282862060](#) [RFI155-1](#) [RFI25-](#)
[12-D3](#) [RFI25-5](#) [RFI25-5-D3](#) [RFI75-12-D2](#) [RFI75-2-D2](#) [RFI75-4-D3](#) [RFI77-6](#) [360HS001M2508M6](#) [4-1532137-4](#) [5-21085-0](#) [105274-1000](#)
[111062-0490](#) [112122-SOD-LUG](#) [112-NUT-KNURL](#) [IPP-2014](#) [R280490020](#) [24092090I](#)