16GB, 32GB, 64GB, 128GB, 256GB and 512GB\*

## SanDisk Ultra Flair™ USB 3.0 Flash Drive

Speed Meets Style and Durability

## Highlights

- Transfer a full-length movie in less than 30 seconds<sup>2</sup>
- Secure file encryption and password protection with included SanDisk SecureAccess™ software<sup>3</sup>
- Recover lost or corrupted files with a year's subscription to RescuePRO® software<sup>4</sup>



SanDisk SecureAccess™

The SanDisk Ultra Flair™ USB 3.0 flash drive moves your files fast. Spend less time waiting to transfer files and enjoy high-speed USB 3.0 performance of up to 150MB/s¹. With transfer speeds to drive up to 15 times faster than standard USB 2.0 drives¹, you can transfer a full-length movie in less than 30 seconds². Its durable and sleek metal casing is tough enough to handle knocks with style. And, with password protection, you can rest assured that your private files stay private³. Secure your files in style with the SanDisk Ultra Flair USB 3.0 flash drive. It also comes with a special one-year subscription offer to SanDisk RescuePRO® Deluxe⁴ file recovery software, the best way to mistake-proof your treasured photos and files while you move them around.





Performance	32GB/64GB/128GB/256GB/512GB*: Write up to 15X faster than standard USB 2.0 drives; up to 150MB/s read speed <sup>1</sup>
	16GB*: Write faster than standard USB 2.0 drives; up to 130MB/s read speed <sup>1</sup>
Available capacities	16GB, 32GB, 64GB, 128GB, 256GB and 512GB*
Dimensions	$6.60 \times 42.42 \times 13.21$ mm or $0.26 \times 1.67 \times 0.52$ in. (L x W x H)
Operating temperature	32° - 95°F (0° - 35°C)
Storage temperature	14° - 158°F (-10° - 70°C)
Compatibility	USB 3.0 enabled (USB 2.0 compatible)
Software	SanDisk SecureAccess™ software³
	RescuePRO® file recovery software (one-year subscription offer)
Warranty	5-year limited warranty (U.S.); 5-year warranty (ROW)

For more information, please visit www.sandisk.com



At SanDisk\*, we're expanding the possibilities of data storage. For more than 25 years, SanDisk's ideas have helped transform the industry, delivering next generation storage solutions for consumers and businesses around the globe.

Western Digital Technologies, Inc. 951 SanDisk Drive | Milpitas | CA 95035 | USA

Western Digital Technologies, Inc. is the seller of record and licensee in the Americas of SanDisk® products.

\* 1GB = 1,000,000,000 bytes. Actual user storage less.

13CB/S4GB/128GB/25GB/S12GB\* Write to drive up to 15X faster than standard USB 2.0 drives (4MB/s); read speeds up to 150MB/s.

13CB/S128GB/S2GB/S12GB\* Write to drive up to 15X faster than standard USB 2.0 drives (4MB/s); read speeds up to 150MB/s.

13CB/S128GB/S12GB\* Read speeds up to 130MB/s; write speeds lower and vary by capacity. USB 3.0 port required. Based on internal testing; performance may be lower depending on host device. IMB=1,000,000 bytes.

2 Based on 12GB MPEG-4 video transfer with USB 3.0 host device. Results may vary based on host device, file attributes and other factors.

2 Based on 12GB MPEG-4 video transfer with USB 3.0 host device. Results may vary based on host device, file attributes and other factors.

2 Password protection uses 122-bit AES encryption and is supported by Windows\*7, Windows 10 and Mac OS x v10.9+

(Software download required for Mac, see www.SanDisk.com/SecureAccess).

2 Registration required; terms and conditions apply.

3 AnDisk the SanDisk logo, RescuePRO, SanDisk SecureAccess, and SanDisk Ultra Flair are registered trademarks or trademarks of Western Digital Corporation or its affiliates in the US and/or other countries. Mac and Mac OS are trademarks of Apple, Inc. All other trademarks are the property of their respective owners.

3 C2020 Western Digital Corporation or its affiliates. All rights reserved. 01/20

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for SanDisk manufacturer:

Other Similar products are found below:

RPI-17270 SDADA4DR-64G SDAPTUW-128G SDAPTUW-256G SDASB8Y-1T00 SDATB8Y-256G SDATN8Y-1T00 SDATN8Y-256G SDAPTUW-256G SDAPTUW-256G SDASB8Y-1T00 SDATB8Y-256G SDATN8Y-1T00 SDATN8Y-256G SDAPTUW-256G SDAPTUW-126G-SAPTU