

SanDisk Ultra Luxe™ USB 3.1 Flash Drive

Necessity Meets Desire

Highlights

- Elegant, full cast metal design to protect your files from the outside
- High-performance USB 3.1 (Gen 1) flash drive with up to 150MB/s speeds¹
- Transfer a full-length movie to the drive in less than 30 seconds²
- Available in capacities up to 256GB*
- Includes SanDisk SecureAccess® password protection for your files inside³
- Includes RescuePRO® Deluxe file recovery software⁴
- Five-year limited warranty⁵

Combine the necessity for a convenient way to store your data with your desire for a protective, elegant device. The all-metal Ultra Luxe™ USB 3.1 Gen 1 flash drive delivers fast transfer speeds up to 150MB/s.¹ Spend less time waiting by transferring a full-length movie to drive in less than 30 seconds.² And with up to 256GB* of space, its durable cast metal design holds all your important content in beautiful form.







SanDisk Ultra Luxe™ USB 3.1 Flash Drive Specifications	
Capacities	16GB, 32GB, 64GB, 128GB, and 256GB*
Dimensions	0.23 x 0.62 x 1.57 in; 5.72 x 15.80 x 40.00 mm
Operating temperature	32° - 95° F (0° - 35° C)
Storage temperature	0° - 158° F (-10° - 70° C)
Compatibility	USB 3.1 Gen 1 and USB 3.0 enabled (USB 2.0 compatible)
Software	SanDisk SecureAccess™ software¹
Warranty	5-year warranty⁵

For more information, please visit www.sandisk.com

SanDisk®

At SanDisk*, we're expanding the possibilities of data storage. For more than 25 years, SanDisk's ideas have helped transform the industry, delivering next generation storage solutions for consumers and businesses around the globe.

Western Digital Technologies, Inc. 951 SanDisk Drive | Milpitas | CA 95035 | USA

Western Digital Technologies, Inc. is the seller of record and licensee in the Americas of SanDisk® products.

1GB = 1,000,000,000 bytes. Actual user storage less.
For 32GB, 64GB, 128GB & 256GB only: Read speeds up to 150MB/s. Write speed to drive up to 15X faster than standard USB 2.0 drives (4 MB/s), USB 3.1 Gen 1 or USB 3.0 port required. Based on internal testing; performance may be lower depending upon host device, usage conditions, and other factors. For 16GB only: Read speeds up to 150MB/s. Write speed vary by capacity. USB 3.1 Gen 1 or USB 3.0 port required. Based on internal testing; performance may be lower depending upon host device, usage conditions, and other factors.
1MB = 1,000,000 bytes.
For 32GB, 64GB, 128GB & 256GB only. Based on 1.2GB MPEG-4 video transfer with USB 3.1 Gen 1 or USB 3.0 host device. Results may vary based on host device, file attributes and other factors.
Password protection uses 128-bit AES encryption and is supported by Windows* 7, Windows 8, Windows 10, and macOS v.10.9+ (Software download required for Mac, see www.SanDisk.com/SecureAccess)
Registration required. terms and conditions apply.
See sandisk.com/wug.
SanDisk, SanDisk Ultra Luxe, and Sandisk SecureAccess are registered trademarks or trademarks of Western Digital Corporation or its affiliates in the US and/or other countries. All other marks are the property of their respective owners.
©2019 Western Digital Corporation or its affiliates. All rights reserved. 04/19

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for sandisk manufacturer:

Other Similar products are found below:

SDCFXSB-128G-G46 FFD35-U3S-4-N-P80 SDDR-299-G46 SDSDXPK-032G-GN4IN SDSDXPK-064G-GN4IN SDSDXPK-128G-GN4IN SDSDXXG-032G-GN4IN SDSDXXG-032G-GN4IN SDSDXXG-032G-GN4IN SDSDXXG-032G-GN4IN SDSDXXG-032G-GN4IN SDSDXXG-032G-GN4IN SDSDXXG-032G-GN4IN SDSDXXG-032G-GN6IN SDSDXA1-400G-GN6MA SDSQXA0-256G-GN6MA SDSQXA0-256G-GN6MA SDSQXA0-256G-GN6MA SDSQXA0-256G-GN6MA SDSDXXY-064G-X46 FFD-25-SATA-1-A SDCFXPS-256G-X46 SDDDC2-016G-G46 SDDDC2-256G-G46 SDDR-409-G46 SDSDXXY-064G-GN4IN SDSDXXY-256G-GN4IN SDSDXXY-512G-GN4IN SDSQXA1-256G-GN6MA SDSQXCY-128G-GN6MA SDCZ460-256G-G46 SDDDC4-256G-G46 SDIX60N-128G-GN6NE SDIX60N-256G-GN6NE SDSDUNR-256G-GN6IN SDSQXA0-128G-GNCZN SDSDUN4-128G-GN6IN SDCFXSB-032G-G46 SDCZ430-064G-G46 SDDR-399-G46 SDCFE-128G-GN4IN SDCZ460-032G-G46 SDCZ460-064G-G46 SDCZ62-128G-G35 SDCZ71-032G-B35 SDCZ60-064G-B35 SDSDQM-032G-B35A SDINDDH4-128G SDSQUAR-064G-GN6MA SDCZ430-256G-G46 SDCZ60-128G-B35