

A Global Leader in Flash Memory Storage Solutions

Embedded & Integrated Solutions

SanDisk®

- Decades of innovation in the flash memory industry
- All leading smartphone and tablet manufacturers use SanDisk flash memory
- Full portfolio for all market segments to drive innovations in a connected world
- Expertise in system-level architecture
- Partnership with all leading chipset vendors
- World-class fabs via joint ventures with Toshiba

Transforming possibilities into reality

Today's consumers depend on their smartphones, tablets, and other connected devices for a range of applications and services, and demand an exceptional level of performance wherever data is created, stored, analyzed or transferred. Device manufacturers rely on flash memory to provide exceptional system and app performance. We enable everyone in the mobile ecosystem, from device manufacturers to chipset makers and more, to transform ideas into reality and find new ways to engage consumers with innovative on-the-go experiences.

Vertical Integration

With a vertically-integrated business model, we have the unique capability to quickly deliver innovative, reliable and high-performance solutions with less time from research to realization. We offer OEM customers flash-optimized hardware and software with high density and low cost.

Driving the Future

Collaborating closely with device manufacturers, operating system vendors, mobile network operators, system integrators, chipset providers and application developers, we optimize the SanDisk embedded flash portfolio to enable next-generation devices.

We also actively participate in organizations such as JEDEC and the SD Association, playing a key role in setting the industry standards that drive mobile computing's future.

A Trusted Partner

We are a trusted partner to some of the world's leading mobile device manufacturers and ecosystem partners. They turn to us for our innovative technologies and passionate approach to developing leading storage solutions.





Delivering Exceptional User Experiences

iNAND® Embedded Flash Drives

iNAND Embedded Flash Drives (EFDs) enable OEMs to deliver high storage capacity with cutting-edge performance across a wide range of price points. The industry-standard e.MMC interfaces make integrating iNAND flash memory into new devices fast and easy.

iNAND EFDs provide not only storage capacity for music, photos, videos and virtual reality content but also a faster, more responsive experience that enables consumers to multitask, quickly move between applications and capture high-resolution images in burst mode.

iNAND 7350 is a high-performance e.MMC flash drive built with 3D NAND flash technology. With capacities up to 256GB and small form factors, it's designed for today's demanding mobile applications.

INAND 7250 is a commercial-grade e.MMC flash drive ideally suited for industrial applications, providing reliability and endurance across a wide range of operating environments.

INAND 7232 features the 2nd generation SmartSLC technology, boosting sequential write speeds for smooth recording of 4K and UHD video.

OEM microSD™ Cards

Reliable Edge Storage in a Connected World

SanDisk Edge™ microSD™ card is a commercial-grade card leveraging 3D NAND storage technology. It delivers reliable edge storage that meets rigorous security, capacity, performance and environmental requirements. With capacities from 16GB to 256GB, the card can store up to 60 hours of Full HD video for use in surveillance, dash cameras, drones and other commercial applications.

A New Dimension of Mobile Application Performance

SanDisk OEM A1 microSD™ card is designed to meet the Application Performance Class 1 (A1) requirements from the latest SD Association's SD 5.1 specifications. By meeting the A1 performance standard and with 256GB capacity, this card gives consumers the option of using the card as an internal storage to achieve extra capacity, faster speed and a better smartphone experience.



iNAND Features and Benefits

- Superior Read and Write performance for faster file transfer, system boot and app launch.
- Capacities up to 256GB in small form factors
- Can be used in a wide variety of applications



microSD Features and Benefits

- Storage expandability
- Data is protected
- Extended video recording time with added high resolution





iNAND [®] Embedded Flash Drives							
	inand° 7350	iNAND* 7232	iNAND° 7250				
Product Spec							
Capacity	32GB-256GB ¹	16GB-128GB ¹	8GB-64GB ¹				
Interface	e.MMC 5.1 HS400	e.MMC 5.1 HS400	e.MMC 5.1 HS400				
Package (mm)							
8GB			11.5x13x0.8mm				
16GB		11.5x13x0.9mm	11.5x13x0.8mm				
32GB	11.5x13x0.8mm	11.5x13x0.9mm	11.5x13x1.0mm				
64GB	11.5x13x1.0mm	11.5x13x1.0mm	11.5x13x1.2mm				
128GB	11.5x13x1.0mm	11.5x13x1.2mm					
256GB	11.5x13x1.2mm						
Ordering Information							
8GB			SDINBDG4-8G				
16GB		SDINADF4-16G-L/H	SDINBDG4-16G				
32GB	SDINBDD4-32G	SDINADF4-32G-L/H	SDINBDG4-32G				
64GB	SDINBDD4-64G	SDINADF4-64G-L/H	SDINBDG4-64G				
128GB	SDINBDD4-128G	SDINADF4-128G-L/H					
256GB	SDINBDD4-256G						

microSD Cards							
	Speed Class U3/V30	Speed Class 10			Speed Class 4		
Part Number	SDSDQAE-xxxG	SDSDQAD-256G	SDSDQAD-200G	SDSDQAD-xxxG	SDSDQAB-xxxG		
Capacity	32GB to 128GB	256GB	200GB	8GB to 128GB	8GB to 64GB		
Interface	UHS-1 104	UHS-I 104	UHS-I 104	UHS-I 104	UHS-I 50		
NAND Flash Technology	1Znm	3D NAND	1Znm	1Znm	1Znm		
Performance (MB/s) ²	Up to 80/50	Up to 95/10	Up to 80/10	Up to 40/10	Up to 20/5		
Operating Voltage	2.7V - 3.6V						
Operating Temperatures	-25°C - 85°C	-25°C - 85°C	-25°C - 85°C	-25°C - 85°C	-25°C - 85°C		

¹ 1 gigabyte (GB) = 1 billion bytes.

Contact information

For all inquiries, please email: OEMProducts@SanDisk.com

For more information, please visit: www.sandisk.com http://oemblog.sandisk.com

SanDisk®

Western Digital Technologies, Inc.

951 SanDisk Drive | Milpitas | CA 95035 | USA

Western Digital Technologies, Inc. is the seller of record and licensee in the Americas of SanDisk* products.

©2017 Western Digital Corporation or its affiliates. All rights reserved. SanDisk, iNAND, and SanDisk Edge are trademarks of Western Digital Corporation or its affiliates, registered in the United States and other countries. All other trademarks are the property of their respective holder(s).

Based on SanDisk internal testing. Performance based on e.MMC high speed interface, using an 8-bit bus. Read and write speed may vary depending on read/write conditions. 1 megabyte (MB) = 1 million bytes.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for eMMC category:

Click to view products by SanDisk manufacturer:

Other Similar products are found below:

MTFC32GAPALBH-IT MTFC64GAPALBH-IT GLS85VM1004G-S-I-LFWE-ND232 GLS85VM1016C-M-I-BZYE-ND231

S40FC004C1B2I00300 SDINBDG4-8G SDINBDG4-8G-XI1 THGBMNG5D1LBAIL SDINBDG4-64G-XI1 SDINADF4-128G SDINBDG48G-XA SDINBDG4-32G-XI1 SDINBDA4-32G SDINBDG4-32G-I1 SDINBDG4-64G SDINBDG4-64G-ZA GLS85VM1032C-M-I-BZYEND231 GLS85VM1008Q-S-I-BZYE-ND235 GLS85VM1008E-S-I-BZYE-ND237 GLS85VM1008C-M-I-LFWE-ND230 GLS85VM1008CM-I-BZYE-ND231 THGBMJG7C1LBAIL THGBMJG8C2LBAIL MTFC32GAZAQHD-WT TR MTFC32GAZAQHD-WT

MTFC32GAZAQHD-AAT MTFC8GAMALGT-AIT MTFC16GAPALNA-AIT MTFC4GACAJCN-1M WT MTFC64GAPALBH-AAT

MTFC8GAKAJCN-1M WT MTFC4GLGDQ-AIT A SDINADF4-128G-H SDINBDA4-256G SDINBDA6-256G-ZA SDINBDG4-16G-XI2

SDINBDG4-32G-XI2 SDINBDG4-16G-XI1 SDINBDG4-8G-I1T SDINADF4-64G-H SDINBDA4-128G \$40FC004C1B2C00000

S40FC004C1B1C00000 \$40FC004C1B2100000 \$40FC004C1B1100000 SH9MCGP1AT101 SH9MBGP1AT101 SFEM128GB1ED1TO-I-7G111-STD SFEM080GB1ED1TO-I-8H-11P-STD SFEM064GB1ED1TO-I-6F-111-STD